

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










Low Pass Filter 50Ω BNC 9th Order



New BNC
New Britters
Low Pass

Part Number: CLPFL-0007-BNC

Low Pass Range DC to 7 MHz



(65.79)

1.480

(37.59)

Features:

- 9th Order Chebyshev Response
- 50Ω BNC Connectors

Applications:

- Test Equipment
- Lab Use

Maximum Ratings:

- +36dBm (4 Watts)
- Operating Temperature: -40°C to 85°C
- Storage Temperature: -55°C to 100°C

Crystek's new line of BNC Low Pass Filters are designed in a rugged BNC housing. This filter line has excellent out-of-band rejection.

BNC

Male

Designed for Test Equipment and General Lab Use.

Rev D Page 1 of 3

0.550

(13.97)

 \bigcirc

BNC


Female




12730 CommonWealth Drive • Fort Myers, Florida 33913 Phone: 239-561-3311 • 800-237-3061 Fax: 239-561-1025 • www.crystek.com



Low Pass Filter CLPFL-0007-BNC





Rev D







Low Pass Filter CLPFL-0007-BNC

| FREQ (MHz) | INSERTION LOSS (dB) | RETURN LOSS (dB) | |
|---------------|------------------------|---------------------|--|
| 0.300 | 0.32 | 27.18 | |
| 1.299 | 0.38 | 25.57 | |
| 2.297 | 0.45 | 31.80 | |
| 3.296 | 0.58 | 21.37 | |
| 4.294 | 0.72 | 23.74 | |
| 5.293 | 1.01 | 15.92 | |
| 6.291 | 1.41 | 14.09 | |
| 7.290 | 1.94 | 26.29 | |
| 8.288 | 7.27 | 5.21 | |
| 9.287 | 22.05 | 1.16 | |
| 10.285 | 34.48 | 0.60 | |
| 11.284 | 44.55 | 0.40 | |
| 12.282 | 53.03 | 0.31 | |
| 13.281 | 60.50 | 0.26 | |
| 14.279 | 67.17 | 0.23 | |
| 15.278 | 73.29 | 0.21 | |
| 16.276 | 79.44 | 0.20 | |
| 17.275 | 85.67 | 0.19 | |
| 18.273 | 94.27 | 0.18 | |
| 19.272 | 102.44 | 0.18 | |
| 20.270 | 98.93 | 0.18 | |
| 21.269 | 91.08 | 0.18 | |
| 22.267 | 88.85 | 0.18 | |
| 24.264 | 86.55 | 0.18 | |
| 25.263 | 86.23 | 0.18 | |
| 26.261 | 84.93 | 0.18 | |
| 28.258 | 84.11 | 0.18 | |
| 29.257 | 83.22 | 0.19 | |
| 38.243 | 80.34 | 0.21 | |
| 52.222 | 76.77 | 0.24 | |
| 70.195 | 74.06 | 0.27 | |
| 80.180 | 72.99 | 0.28 | |
| 90.165 | 72.12 | 0.29 | |
| 112.132 | 69.99 | 0.29 | |
| 130.105 | 68.66 | 0.29 | |
| 150.075 | 67.35 | 0.28 | |
| 182.027 | 65.56 | 0.27 | |
| 200.000 | 64.68 | 0.29 | |

| _ | | | |
|------|--------|-----|-----|
| Proc | duict. | Con | rol |
| | | | |

| ı | O tal Bath ale | OLDEL COOZ DNO | D.L D.L. | 40 1 1 0045 |
|---|----------------------|----------------|---------------|---------------|
| | Crystek Part Number: | CLPFL-0007-BNC | Release Date: | 13-Jul-2015 |
| Ī | Revision Level: | D | Responsible: | K. Piotrowicz |

Rev D Page 3 of 3

