

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










Low Pass Filter 50Ω BNC 9th Order



New BNC
New Filters
Low Pass

Part Number: CLPFL-0070-BNC

Low Pass Range DC to 70 MHz



(65.79)

1.480

(37.59)

Features:

- 9th Order Chebyshev Response
- 50Ω BNC Connectors

Applications:

- Test Equipment
- Lab Use

Maximum Ratings:

• +36dBm (4 Watts)

• Storage Temperature: -55°C to 100°C

• Operating Temperature: -40°C to 85°C

Crystek's new line of BNC Low Pass Filters are designed in a rugged BNC housing. This filter line has excellent out-of-band rejection.

BNC

Male

Designed for Test Equipment and General Lab Use.

Rev C Page 1 of 3

0.550

(13.97)

 \bigcirc


BNC


Female





Low Pass Filter CLPFL-0070-BNC





Rev C

Page 2 of 3





Low Pass Filter CLPFL-0070-BNC

FREQ (MHz)	INSERTION LOSS (dB)	RETURN LOSS (dB)	
0.300	0.29	27.77	
1.799	0.31	27.12	
3.297	0.32	25.54	
6.294	0.32	22.57	
9.291	0.36	20.74	
12.288	0.42	19.93	
16.784	0.48	20.47	
19.781	0.51	22.15	
22.778	0.54	25.31	
25.775	0.58	31.28	
30.270	0.64	34.79	
33.267	0.69	29.22	
36.264	0.75	27.63	
39.261	0.81	28.73	
42.258	0.87	32.22	
49.751	1.07	21.92	
60.240	1.47	19.52	
67.733	1.98	31.14	
69.231	2.19	25.29	
70.730	2.50	19.43	
72.228	3.00	14.48	
73.727	3.80	10.45	
75.225	5.03	7.34	
76.724	6.74	5.13	
81.219	13.66	2.10	
103.697	43.80	0.56	
105.195	45.39	0.54	
109.691	50.01	0.51	
120.180	60.53	0.46	
135.165	84.08	0.44	
136.664	90.76	0.44	
138.162	87.61	0.44	
139.661	83.24	0.44	
168.132	68.62	0.44	
195.105	65.57	0.44	
225.075	63.39	0.42	
273.027	61.18	0.41	
300.000	60.22	0.42	

_			
Proc	duict.	Con	rol

Crystek Part Number:	CLPFL-0070-BNC	Release Date:	01-Jun-2015
Revision Level:	С	Responsible:	K. Piotrowicz

Rev C Page 3 of 3

