



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





SpaceSetter™ LED Spacer for T1 (3 mm) and T1¾ (5mm)



SpaceSetter™ is a unique round spacer to position LEDs vertically from the surface of the PCB


Applications

- consumer electronics
- electrical panels
- instrument panels
- PCBs in general

Key features

- height requirement: .200" to 1.000"
- no special tools required
- space the LED from the surface of the PCB
- minimize shifting and height variation
- ensure product uniformity and production ease
- designed to fit standards T1 and T1¾
- color: natural

Dimensions



Ordering Data

Dim. "A"		Dim. "A"		Dim. "A"		Dim. "A"	
CM00624200	0.200"	CM00624400	0.400"	CM00624595	0.595"	CM00624750	0.750"
CM00624250	0.250"	CM00624450	0.450"	CM00624606	0.606"	CM00624850	0.850"
CM00624300	0.300"	CM00624455	0.455"	CM00624624	0.624"	CM00624900	0.900"
CM00624375	0.375"	CM00624500	0.500"	CM00624625	0.625"	CM00624001	1.000"

Product specifications

Material	Installation specifications
Nylon Zytel 101L NXC10-Natural UL94 V-2	height requirement: .200" to 1.000" \pm .020"

Compliance & approvals

