



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Specification Sheet

Part Number: CMFO72



Fiber Optic Cable Marker, Coiled, 7.25" x 5.0", VL, Orange, 25/pkg

Article Number

597-00043

Type

CMF

Color

Orange (OG)

Features & Benefits

- Markers are pre-coiled so that they can be snapped into place over the cable without the use of adhesives.
- Non-adhesive design means that the markers can be installed at any temperature or over dirty or oily surfaces.
- Pre-printed text is protected by a thick layer of clear acrylic which provides UV protection and abrasion resistance.

Quantity Per

pack

Product Description

HellermannTyton's coiled markers are made from heavy duty vinyl and come pre-printed with a standard warning.

Short Description

Fiber Optic Cable Marker, Coiled, 7.25" x 5.0", VL, Orange, 25/pkg

Global Part Name

CMF-V-OG

Technical Description

Coiled Fiber Optic Marker, 7.25" X 5.0", Orange

Length L (Imperial)

2.8

Length L (Metric)

71.0

Width W (Imperial)

7.25

Width W (Metric)

184.01

Height H (Imperial)

2.0

Height H (Metric)

50.8

Outside Diameter Max(Imperial)

1.4

Outside Diameter Min (metric)

16.2

Outside Diameter Min(Imperial)

0.64

Outside Diameter Max (metric)

35.00

Material

Vinyl

Material Shortcut

V

Halogen free

No

Operating Temperature (Metric)

-18°F to +200°F (-29°C to +93°C)

Reach Complaint(Article 33)

No

ROHS Complaint

Yes

Package Quantity(Imperial)

25

Package Quantity (Metric)

25

Customs Number

3926909987