

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











T-1 StatusPak™ Circuit Board Indicators




Product Dimensions



Printed Circuit Board assembly has been made faster and easier than ever before. Now you can mount from one to ten circuit board indicators, as a single unit, in one easy step.

T-1 StatusPak $^{\text{M}}$ is customized to your specification. You choose the number of LEDs, color sequence and position. StatusPak $^{\text{M}}$ is shipped to you as a complete unit, ready for one-step PC board mounting. Unique snap-together feature allows you to add or take away StatusPak $^{\text{M}}$ modules as needed without any special tooling.

Mounting Hole Pattern:



Electro-Optical Characteristics and Ratings

Part Number	E mitted	Lens	Package	Luminous Intensity		Forward Voltage		ViewingAngle	PeakWavelength
	Color	Color	Type	Min. (mcd)	Typ. (mcd)	Typ. (V)	Max. (V)	(degrees)	(nm)
CMC01R	H.E.Red	Clear	Non-Diffused	63.0	125.0	2.0	2.4	40	624
CMC01G	H.E.Green	Clear	Non-Diffused	24.0	60.0	2.2	2.4	30	565
CMW01R	H.E.Red	Red	Diffused	6.3	-	2.0	2.5	45	635
CMW01Y	Yellow	Yellow	Diffused	3.2	12.5	2.1	2.5	120	590
CMW01G	H.E.Green	Green	Diffused	3.2	12.5	2.2	2.5	120	565

Ordering Data

How to order a Multi Position Assembly

1. Determine the color combination you require:

R=H.E. Red G=H.E. Green Y*=Yellow

*Only for CMW

 Determine the number of positions you require including any open spaces.
 (VCC does not recommend assemblies of more than ten positions)

Example:

C M W - 05 - R Y G G Y

Lens Type # of Positions LED Sequence

Compliance and Approvals



