

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








# CMX1211Z601B-10

### PHYSICAL DIMENSIONS:

MAXA 31.50 28.00 MAX. 19.00 MAX 25.00 RFF 0.25 6.00 0.25 3.35 0.30 15.24 0.30 24.20



#### **ELECTRICAL SPECIFICATION**

ELECTRICAL CHARACTERISITICS		NOM	MIN	MAX	
INDUCTANCE @ 100KHz/100mV 1-4/2-3	uН	620	372	837	
DCR 1-4/2-3	mΩ			3.5	
RATING CURRENT	Α			20	
RATING VOLTAGE	Vrms			250	


HIPOT COIL-COIL: 1500VAC

NOTES: UNLESS OTHERWISE SPECIFIED


- 1. COMPONENTS SHOULD BE ADEQUATELY PREHEATED BEFORE SOLDERING.
- 2. TIN: LEAD-FREE SOLDER BAR.
- 3. BASE MATERIAL: PHENOLIC RESIN.
- 4. THIS PART HAS NO PIN POLARITY.
- 5. OPERATION TEMPERATURE RANGE:

-40°C TO +125°C (INCLUDING SELF-HEATING).

#### EQUIVALENT CIRCUIT



#### RECOMMENDED SOLDERING CONDITIONS



DIMENSIONS ARE IN mm .			This print is the property of Laire Tech. and is loaned in confidence	<b>1</b>						
						_	<b>1</b> 10			
				subject to return upon request a with the understanding that no	nd	Laird 🔨				
-				copies shall be made without the						
				written consent of Laird Tech. All						
				rights to design or invention are						
				reserved.						
			-	PROJECT/PART NUMBER:	REV	PART TYPE:	DRAWN BY:			
				CMX1211Z601B-10		01.07	l			
С	CHANGE RATING VOLTAGE UNIT	03/11/13	QIU	CMX12112001B-10	1 ~	CMX	QIU			
В	ADD BOTTOM VIEW AND NOTE 3	01/03/13	QIU	DATE: 44 /44 /40 S	CALE:	TC SHEET:				
Α	ORIGINAL DRAFT	11/14/12	OIU	11/14/12 s		TS SHEET				
			_	JGAD #	00L #	-   1	of 1			
REV	DESCRIPTION	DATE	INT	CMX1211Z601B-10-C			'			

AGILENT E4991A RF Impedance/Material Analyzer

FREQUENCY (MHz)

HP 16092A Test Fixture.

1600

1400

1200 1000

600

400