



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



CO2-200 CO2 Wall-Mounted Meter

Instant feedback with CO2 levels, with additional temperature and humidity measurements. Built in alarm to warn against dangerous CO2 levels. The permanent mounted CO2-200 Air Quality meter is designed to measure air quality compliance in critical environment controlled areas such as laboratories and production.

- Low drift wall mounted meter for monitoring indoor air quality
- CO2 Measurement up to 9999 ppm, Temperature, Relative humidity, Dew Point and Wet Bulb
- Super-Large LCD display with CO2 reading
- High performance low drift sensor designed with NDIR (Non-Dispersive Infrared) waveguide technology with automatic background calibration
- Audible alarm threshold setting to setup warning against carbon dioxide level with output drive relay to control air flow system
- Optional PC download capabilities (USB interface)
- Data Hold
- Recording of Maximum, Minimum and Average values with recall function



No hassle warranty

No waiting.

No shipping charges.



Our commitment to high-quality products and customer service is demonstrated by our industry exclusive "No Hassle" warranty. In the unlikely event that an Amprobe Test Tool requires warranty service, any of our local dealers are authorized to replace it, on the spot.

(note: \$500 MSLP limit)

CO2-200 CO2 Wall-Mounted Meter

Data Sheet

Specifications

Measuring Range	CO2 0 ~ 9999 ppm 2001 ~ 9999 ppm (out of scale range)
Resolution	1ppm - CO2 concentration, 0.1°C / °F - Temp, 0.1% RH - Humidity
Accuracy	±75ppm±5% of reading (0 ~ 2000 ppm) Others range accuracy are not specified
Temperature	±0.6°C / ±0.9°F
Temp. Range	-10°C to 60°C (14°F to 140°F)
RH Range	0% ~ 95%
Accuracy	±3% RH (at25°C, 10-90%) others ±5% for other RH range
DP (Dew Point Temp.)	-20°C to 59.9°C (-4°F to 139.8°F)
WB (Wet Bulb Temp.)	-5.0°C to 59.9°C (23°F to 139.8°F)
Warm-up Time	30 seconds
Response Time	About 30 seconds
Current Consumption	< 50mA average, < 310mA peak current (~55ms)
Operating Condition	0 ~ 50°C (32°F to 122°F), 0 ~ 95% RH (avoid condensation) for CO2
Dimension	130(L) x 85(W) x 60(H) mm (5.1 x 3.3 x 2.4 in)
Storage condition	-20°C to 60°C (-4°F to 140°F), 0~99%RH (avoid condensation)
Power Supply	12 VDC adaptor
Standard packing includes	Meter, Manual, Power adapter 100-240vac
Weight	Approx. 193g (0.43 lb)

Amprobe® Test Tools

website: www.Amprobe.com
email: info@amprobe.com
Everett, WA 98203
Tel: 877-AMPROBE

Amprobe® Test Tools Europe

In den Engematten 14
79286 Glottertal, Germany
Tel.: +49 (0) 7684 8009 - 0