



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





LED Neon Flex Rope

COM-14555

This Neon Flex Rope is a 2m long (~6.5 feet), LED strip that simulates the neon effects you see in storefronts at night. Each rope is packed with sixty 5050 RGB LEDs (30 LEDs/m). Though this flexible LED rope does not actually utilize any neon gas, the waterproof ([IP65](#)) silicon housing provides a diffused glow similar to those "Open" signs.

Each of these strips needs a 24VDC supply and includes all the connectors and mounting parts you need. You will be able to control the whole LED RGB rope to achieve cool lighting effects for outdoor and indoor uses including in hallways and stairs, holiday lighting and more!

INCLUDES

- 1x LED Neon Flex Rope
- 1x Female Bare Wire Connector
- 4x Aluminum Mounting Clip

FEATURES

- Operating Voltage: 24VDC
- 30 RGB 5050 LEDs/m
- Waterproof Rating: IP65
- Dimensions: 2000mm Long x 25.5mm Tall x 14mm Wide

