



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Skinny Side-Lit LED RGBW Strip - Addressable, 1m, 60LEDs (SK6812)

COM-14613

These are side-lit addressable 1-meter-long 5V RGBW LED strips that come packed with 60 SK6812s. SK6812 LEDs are very similar to WS2812s with a few caveats: SK6812s add a white LED to the classic RGB mixture allowing you to provide new varieties of color to your project! What makes this LED strip stand apart from others like it is the fact that each SK6812 is attached at a right angle allowing even more options when incorporating it into any design or idea that you want. As these are bare LED strips that have no protective coating, your project won't be water proof but there is access to each SK6812 LED and each strip length can be easily modified to fit the length you need. You will be able to control each LED RGB individually, giving you the ability to create cool lighting effects for your car or perhaps under-cabinet lighting in your kitchen!

Note: These come in 1m segments on a reel. They are preterminated with 0.1" spaced 3-pin connectors, as shown in the pictures

FEATURES

- Operating Voltage: 5VDC
- Current: 50mA @ full brightness
- Beam Angle: 120 deg.
- Consumption Watts: 14±W/m
- Pixel Pitch: 16.7mm
- LED Quantity: 60 pcs
- 800KHz Protocol
- PCB Thickness: 8mm wide, 0.3mm thickness
- 3-pin JST-SM connector
- 3M Adhesive Tape on Back

