



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## 4mm SK6812 Addressable LED Strip-60leds



### Product Description

- Control IC included, supporting numerous color-change effects.
- Pcontrol by SD controller,Arduino,DMX512, Artnet.
- Flexible PCB 5V low voltage input.
- PCB Color: White.



- Absolutely addressable ,each IC built inside RGB LED.
- 1M per roll, Customer's size available also.



## Product Datasheet


Product Number	S60SK6812	
Light Source	SMD 3535 RGB	
Beam Angle	120°	
LED Quantity	60leds/m	
Size (mm)	L 1000* W 4 mm	
Emitting Color	Full color	
Operating Voltage	DC5V	
Power (W)	15±1w/m	
Control (IC)	Sk6812	
Waterproof Rating	IP20/IP65	
Luminance(MCD)	R:24000mcd	G:42000mcd B:11400mcd (1m/60led)


## Application



- Hotels,restaurants,nights clubs,
- Back lighting, edge lighting
- Recreational machines, playstation,
- TV,Dancefloor background,

## Outline Dimension



IP65   
tube waterproof

  
Silicon Tube Size

  
DC5V+  
DAT  
GND