# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## CHEMTRONICS Technical Data Sheet Electro-Wash<sup>®</sup> MX Cleaner Degreaser Presaturated Wipe

#### **PRODUCT DESCRIPTION**

Electro-Wash<sup>®</sup> MX Cleaner Degreaser is a high flash point cleaner that quickly removes soils, adhesives, and residues from insulation jackets and conductors on telecom, fiber optic and coaxial cables. Engineered with very low surface tension, this formulation penetrates and removes soils quickly with excellent wetting action, lifting and removing soils from the dirtiest Electro-Wash<sup>®</sup> areas. MX Cleaner Degreaser is also ideal for removing carbonization, oxidized oils and greases from metal surfaces.

- Removes encrusted dirt, grease, silicone and other contaminants
- Removes flooding compound and "ickypic"
- Moderate evaporation
- Leaves no residues
- Low odor
- Contains no CFCs or HCFCs
- Contains no chlorinated solvents

#### TYPICAL APPLICATIONS

Electro-Wash<sup>®</sup> MX Cleaner Degreaser is engineered to clean:

- Fiber Optics & Connectors
- Cables
- Hard-line Coax Cable
- Metal & Fiber Optic Cable Splices
- PC Boards
- Motors & Transformers
- Control Systems
- Screens & Stencils

#### TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

<b>Boiling Point</b>	239° F Initial
Flash Point (TCC)	45° F
<b>Evaporation Rate</b>	>1
(butyl acetate=1)	
Specific Gravity	0.72
Appearance (	Clear, Colorless Liquid
Odor	Hydrocarbon
Kauri-Butanol	29
(KB) Number	
Solubility in Water	Negligible
Shelflife	5 years

#### COMPATIBILITY

Electro-Wash<sup>®</sup> MX Cleaner Degreaser is generally compatible with most materials. As with any cleaning agent, solvent/component compatibility must be determined on a non-critical area prior to use.

Material	<b>Compatibility</b>		
ABS	Excellent		
Buna-N	Excellent		
EPDM	Excellent		
Graphite	Excellent		
HDPE	Excellent		
Kynar <sup>TM</sup>	Excellent		
LDPE	Excellent		
Lexan <sup>TM</sup>	Excellent		
Neoprene	Excellent		
Noryl <sup>®</sup>	Excellent		
Nylon 66 <sup>™</sup>	Excellent		
Cross-Linked PE	Excellent		
Polypropylene	Excellent		
Polystyrene	Excellent		
PVC	Excellent		
Silicone Rubber	Excellent		
<b>Teflon</b> <sup>™</sup>	Excellent		
Viton <sup>TM</sup>	Excellent		

#### **USAGE INSTRUCTIONS**

For commercial use only.

Read MSDS carefully prior to use.

Remove wipe from packets and lightly wipe away any dust or contaminants from surfaces. Allow surface to dry completely before use.

#### AVAILABILITY

CP421 Presaturated Wipes (25/box)

Chemtronics® and Electro-Wash® are registered trademarks of Chemtronics. All rights reserved.

### TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is: **1-800-TECH-401.** 

#### **ENVIRONMENTAL IMPACT DATA**

ENVIRONMENTAL IMPACT DATA				
CFC	0.0%	VOC	100%	
HCFC-141b	0.0%	HFC	0.0%	
HCFC-225	0.0%	nPB	0.0%	

CFC, HCFC-225, HCFC-141b, VOC, HFC, and nPB percentages shown are the content by weight.

#### NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS<sup>®</sup> does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

CHEMTRONICS 8125 COBB CENTER DRIVE KENNESAW, GA 30152 1-770-424-4888 REV. B (08/13)

DISTRIBUTED BY: