



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# CP Series

## Cold Plate Four-pass Heatsink



### FEATURES

- Designed for Ohmite products, Pre drilled hole patterns for standard Ohmite planar resistors TAP600/TAP800 and TAP1K0/TAP2K0.
- Design flexibility, Chill Plate lengths can be configured as well as mounting hole patterns to accept a multitude of devices.
- Thermally efficient copper mounting surface for the most efficient heat transfer.

The Ohmite CP4 series Liquid Coldplates are designed for Ohmite heatsinkable type resistors, such as TAP600, TAP800, TA1K0, TA2K0, and various SOT-227 resistor packages. The CP series also provides maximum heat removal for SCRs, rectifiers, diodes, thyristors, and other high-power semiconductor devices. The CP series is customizable to fit multiple applications. Length and mounting hole patterns can be specified.

### SERIES SPECIFICATIONS

Part Number	Mounting Surface Area (in <sup>2</sup> /mm <sup>2</sup> )	Weight (oz/g)	Ohmite Resistor Series	Thermal Resistance* (°C/W)
CP4-114A	19.13/12339	28.4/805		0.018
CP4-114B	19.13/12339	28.4/805	TAP600/TAP800	0.018
CP4-114C	19.13/12339	28.4/805	TAP1K0/TAP2K0	0.018

\* @ flow of 1.5 GPM

### CHARACTERISTICS

**Tubing** Copper, 0.375" OD, nominal wall thickness of 0.050"

**Plate** Aluminum 6063-T5


**Weight** 805 g

# CP Series


## Cold Plate Four-pass Heatsink

### HEAT DISSIPATION

Graph data produced using Ohmite TAP2K0.



### DIMENSIONS



### HOW TO ORDER

Custom sizes and bolt configurations are subject to minimums.

Four Pass  
**CP4A-114A-108E**  
 Cold Plate    Length (mm)    Hole Pattern    Width (mm)    RoHS Compliant  
 A = no holes  
 B = TAP600/800  
 C = TA1K0/TA2K0  
 (assigned sequentially for custom patterns)