



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



RF Power Detector
Part Number: CPDETLS-4000
Frequency Range
10 MHz to 4000 MHz

New
RF Power Detector



Features:



- 10 MHz to 4 GHz Frequency Range
- Zero Bias Schottky
- Large Signal Power Detector, greater than -10 dBm
- +30 dBm Max Input Signal
- 100 pF Video Capacitance
- Operating Temperature: -20°C to 70°C
- Storage Temperature: -40°C to 85°C

Applications:


- Low Cost RF Power Monitoring
- General Lab Use

Product Control:

Crystek Part Number:	CPDETLS-4000	Release Date:	31-Jan-2013
Revision Level:	D	Responsible:	K. Piotrowicz



	10MHz	50MHz	100MHz	500MHz	800MHz	915MHz	1GHz	1.5GHz	2GHz	3GHz	4GHz
-10 (dBm)	0.491	0.614	0.676	0.731	0.750	0.813	0.838	1.129	1.809	4.037	3.279
-8 (dBm)	1.286	1.719	1.920	2.081	2.152	2.361	2.452	3.590	5.682	12.702	10.317
-6 (dBm)	4.182	5.717	6.409	6.930	7.216	7.890	8.260	12.577	17.811	34.399	29.919
-4 (dBm)	13.900	18.369	20.059	21.334	22.166	23.793	24.790	31.572	43.310	70.238	68.075
-2 (dBm)	39.495	48.826	52.035	54.096	55.573	58.100	60.027	73.044	88.722	126.286	130.315
0 (dBm)	85.210	98.951	103.585	106.336	108.477	108.876	113.438	125.140	148.010	200.485	227.010
2 (dBm)	153.115	172.880	179.140	181.735	184.455	184.135	190.275	208.390	235.005	299.975	347.645
4 (dBm)	248.540	272.525	280.245	282.570	285.670	284.105	292.115	320.035	349.170	427.445	503.595
6 (dBm)	370.385	410.635	407.155	415.370	422.995	400.055	411.665	432.520	477.430	594.675	725.540
8 (dBm)	531.085	577.910	572.210	581.485	590.555	559.355	572.760	609.630	659.485	802.725	975.390
10 (dBm)	725.090	784.340	774.235	786.770	798.890	754.320	768.480	835.225	887.470	1063.620	1275.450



Schematic

