



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# Digi One™ SP CPM2-ETI-L0

## Designed for Standard Serial-to-Ethernet Connectivity

- Easy configuration using install CD.
- TCP/UDP Socket Services for broad device connectivity and application use.
- Reverse Telnet for easy access of serial devices from network.
- Easy configuration through web interface (HTTP).
- Switch selectable EIA-232/422/485 for simple interfacing to any type of serial device.



Omron is proud to partner with Digi® Connectware™ to provide this SP device server.

## Ordering Information

Description	Model
Digi One SP	CPM2-ETI-L0

**Note:** Product ships with software and manual.

## Specifications

<b>Ambient temperature</b>	10°C to 45°C (50°F to 131°F)
<b>Relative humidity</b>	5% to 90% (non-condensing)
<b>Power requirements</b>	Ships with a 110/240 VAC power supply that uses 12 VDC @ 0.4 Amps max. Input power supports 9-30 VDC @ 0.5 Amps max.
<b>Approvals</b>	- FCC Part 15, A - CE - EN5024-1 - EN 50082-1 - UL 1950 - CSA 22.2 No 950
<b>Weight</b>	2.29 oz (65 g)


# Overview

## ■ Digi One SP

The Digi One SP device server easily allows any device with a serial port to be connected to the Ethernet. The compact design of the Digi One SP delivers cost-effective performance and capability in one of the smallest form factors available.


The Digi One SP is easy to install locally or remotely through a variety of IP addressing methods (DHCP, RARP, ARP-Ping) along with an application (included on the installation CD that accompanies the product) that will automatically detect all Digi One SP devices on your network. Also included is a quick-start guide that supports making the network configuration of the product easy and hassle-free.

## ■ System Overview




# Dimensions


Unit: mm (inch)



## Port Identification



DB-9M connector



Ethernet Power



**OMRON ELECTRONICS LLC**

One Commerce Drive  
Schaumburg, IL 60173

**847-843-7900**

For US technical support or other inquiries:

**800-556-6766**

**OMRON CANADA, INC.**

885 Milner Avenue  
Toronto, Ontario M1B 5V8

**416-286-6465**

**OMRON ON-LINE**

Global - <http://www.omron.com>  
USA - <http://www.omron.com/oei>  
Canada - <http://www.omron.ca>