

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









This document was generated on 11/19/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>19099-0051</u>

Status: Active

Overview: Ring Tongue - Spade Terminals

Description: InsulKrimp™ Snap Spade for 10-12 AWG Wire, Stud Size 10 (M5), Mylar Tape Carrier,

Yellow

Documents:

<u>Drawing (PDF)</u>
<u>Product Specification PS-19902-015 (PDF)</u>
<u>Product Specification PS-19902-009 (PDF)</u>
<u>RoHS Certificate of Compliance (PDF)</u>

Product Specification PS-19902-011 (PDF)

Agency Certification

CSA LR18689 UL E32244

General

Product Family Ring and Spade Terminals

Series 19099
Crimp Quality Equipment Yes
Mil-Spec N/A

Overview Ring Tongue - Spade Terminals

 Product Name
 InsulKrimp™

 Type
 Spade Snap

 UPC
 800753089501

Physical

Barrel Type Closed
Color - Resin Yellow
Flammability 94V-0
Insulation PVC
Material - Plating Mating Tin
Net Weight 1.674/g

Packaging Type Adhesive Tape on Reel

Stud Size10 (M5)Wire Insulation Diameter6.40mm max.Wire Size AWG10, 12Wire Size mm²3.30 - 5.00


Material Info

Old Part Number C-2719-10XT

Reference - Drawing Numbers

Product Specification PS-19902-009, PS-19902-011, PS-19902-015

Sales Drawing CCD20503



China RoHS

EU RoHS
ELV and RoHS
Compliant
REACH SVHC

Not Reviewed

Low-Halogen Status
Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

19099Series

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product #

Crimp Dies for <u>0192880179</u>

MTA-100 Tape
Applicator used in
3BF Press, MTA-105
Tape Applicator used
in TM-2000™ Press,
and ATP-301 Air
Crimping Press for
Mylar Tape Mounted

Terminals

Mini-Mac[™] <u>0638851500</u>

Applicator

This document was generated on 11/19/2012 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION