



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





STRADA-2X2MX-VSM – More power with less costs

STRADA-2X2-MX-VSM is the latest addition to LEDiL's 2X2MX family released earlier this year. Standardized module based footprint allows easy fitting, future-proof luminaire construction and mixing with other modules inside the same product family. Symmetrical and wide square-shaped beam makes it ideal choice for lighting wide outdoor areas such as parking lots and streets. STRADA-2X2MX-VSM is designed for multi-crystal super high power LEDs, packing enough power to achieve feasible low pole area light with just a single module.

FEATURES

- Symmetrical wide square beam (IESNA Type V Short)
- Good luminance uniformity
- High efficiency (94% typ.) optical design
- Typical luminaire classifying IESNA "Semi Cutoff" or G1-G2 luminous intensity class (EN13201)
- For Super high-power LEDs up to 7070 packages

TYPICAL APPLICATIONS


- Wide area lighting
- Pedestrian areas
- Parking lots
- Street lighting




CS14764_STRADA-2X2MX-VSM

TECHNICAL SPECIFICATIONS

- Height: 13.4 mm
- Dimensions: 90 x 90 mm
- Typical efficiency: 94%
- Precision-molded from optical grade PMMA – UL94 HB rated material with operating rating -40°C to +80°C



DESIGN EXAMPLE



ORDERING INFORMATION

CS14764_STRADA-2X2MX-VSM

Consult www.ledil.com for ordering codes and latest product specifications, which may vary by LED