



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



KORE Series Cable Protectors

Purpose

Our heavy duty cable protectors will guard your audio, power, or industrial cables from certain death due to heavy traffic from people, trucks, and cars.

Durable & Easy Assembly

Single piece design with a top hinged lid for easy access. Has a high impact resistance and dynamic load bearing properties. No tools required for assembly.

Multi-Channel Design


Multiple channels to keep your cables organized and separated. Can hold cables up to 1 ½ inches in diameter.

Rubber Material

Designed to be durable and flexible.

Safety Features

With a bright yellow top, the cable ramps will be easily visible to oncoming traffic. Safety warning symbols are molded into the lid's surface. Skid resistant with rough pattern on all upper surfaces.



CSL20103-03



CSL20105-03

Product specifications may change without prior notification

Our KORE cable protectors were made for those looking for durability in a budget friendly package





CSL20102-03



CSL20103-03




CSL20105-03



KORE Series Cable Protectors

Part Number	Description	Length (in)	Width (in)	Height (in)	Weight (lbs)	Channel Size (in)	Working Temp	Working Load Limit
CSL20102-03	2 Channel Yellow and Black straight 3ft.	39.37	9.84	1.97	14.3	1.57	13°F - 122°F	8 Tons
CSL20103-03	3 Channel Yellow and Black straight 3ft.	35.83	19.69	2.75	14.3	1.57	13°F - 122°F	8 Tons
CSL20105-03	5 Channel Yellow and Black straight 3ft.	35.43	19.68	1.97	30	1.38	13°F - 122°F	8 Tons


Product specifications may change without prior notification



KORE Series Cable Protectors

Part Number	Description	Length (in)	Width (in)	Height (in)	Weight (lbs)	Channel Size (in)	Working Temp	Working Load Limit
CSL20102-03	2 Channel Yellow and Black straight 3ft.	39.37	9.84	1.97	14.3	1.57	13°F - 122°F	8 Tons
CSL20103-03	3 Channel Yellow and Black straight 3ft.	35.83	19.69	2.75	14.3	1.57	13°F - 122°F	8 Tons
CSL20105-03	5 Channel Yellow and Black straight 3ft.	35.43	19.68	1.97	30	1.38	13°F - 122°F	8 Tons


Product specifications may change without prior notification



KORE Series Cable Protectors

Part Number	Description	Length (in)	Width (in)	Height (in)	Weight (lbs)	Channel Size (in)	Working Temp	Working Load Limit
CSL20102-03	2 Channel Yellow and Black straight 3ft.	39.37	9.84	1.97	14.3	1.57	13°F - 122°F	8 Tons
CSL20103-03	3 Channel Yellow and Black straight 3ft.	35.83	19.69	2.75	14.3	1.57	13°F - 122°F	8 Tons
CSL20105-03	5 Channel Yellow and Black straight 3ft.	35.43	19.68	1.97	30	1.38	13°F - 122°F	8 Tons

Product specifications may change without prior notification



KORE Series Cable Protectors

Part Number	Description	Length (in)	Width (in)	Height (in)	Weight (lbs)	Channel Size (in)	Working Temp	Working Load Limit
CSL20102-03	2 Channel Yellow and Black straight 3ft.	39.37	9.84	1.97	14.3	1.57	13°F - 122°F	8 Tons
CSL20103-03	3 Channel Yellow and Black straight 3ft.	35.83	19.69	2.75	14.3	1.57	13°F - 122°F	8 Tons
CSL20105-03	5 Channel Yellow and Black straight 3ft.	35.43	19.68	1.97	30	1.38	13°F - 122°F	8 Tons

Product specifications may change without prior notification