

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Specification Sheet

Part Number: CTP20STD



Convoluted Tubing, Slit, 2" Dia, PE, Black, 100 ft/carton

down the side where you can insert your wire harness, you can just easily install Convoluted Tubing without removal of the entire assembly. It can also serve to protect valuable hoses and cables. Convoluted tubing offer's excellent protection against vibration wear, water, snow, ice and the effects of heat, cold

| Article Number | 169-60511 |
|---------------------|---|
| Туре | CTP20 |
| Color | Black (BK) |
| Features & Benefits | • Durable tubing provides protection of wire harness from friction, vibration, fraying and puncture • Tubing protects cables and wires against automotive fluids, vibration wear • Weather resistant material provides protection against water, snow, ice, and the effects of heat, cold, and sunlight |
| Quantity Per | carton |
| Product Description | HellermannTyton's Convoluted Tubing, also known at Split Loom Tubing, provides an efficient method of routing and protecting wire harness assemblies, while reducing the chance of installation damage. With a split |

and sunlight on cables and wires.

| Short Description | Convoluted Tubing, Slit, 2" Dia, PE, Black, 100 ft/carton |
|-------------------------------|---|
| Global Part Name | CTP20-PE-BK |
| Technical Description | Convoluted Tubing, Slit, 2" Dia., PE, Black |
| | |
| Length L (Imperial) | 100.0 |
| Length L (Metric) | 30.4 |
| Inner Diameter D (Imperial) | 2.038 |
| Inner Diameter D (Metric) | 51.77 |
| Diameter D (imperial) | 2.388 |
| Diameter D (metric) | 60.66 |
| Outside Diameter OD(Imperial) | 2.388 |
| Outside Diameter OD(metric) | 60.66 |
| Nominal Diameter (Imperial) | 2.0 |
| Nominal Diameter (Metric) | 50.8 |
| Wall Thickness WT (Imperial) | .011 |
| Wall Thickness WT (Metric) | 0.28 |

| Material | Polyethylene (PE) |
|--------------------------------|----------------------------------|
| Material Shortcut | PE |
| Halogen free | No |
| Operating Temperature (Metric) | -40°F to +199°F (-40°C to +93°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| | |
| Package Quantity(Imperial) | 100 |
| Package Quantity (Metric) | 30.48 |
| Customs Number | 3926909987 |

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $[\]hbox{@ 2018 HellermannTyton. All rights reserved.}$