



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

# K20 Sub-Family Reference Manual

Supports: MK20DX128VLL7, MK20DX256VLL7, MK20DX64VMC7,  
MK20DX128VMC7, MK20DX256VMC7



Document Number: K20P100M72SF1RM  
Rev. 1.1, Dec 2012





## Contents

Section number	Title	Page
<b>Chapter 1 About This Document</b>		
1.1	Overview.....	51
1.1.1	Purpose.....	51
1.1.2	Audience.....	51
1.2	Conventions.....	51
1.2.1	Numbering systems.....	51
1.2.2	Typographic notation.....	52
1.2.3	Special terms.....	52
<b>Chapter 2 Introduction</b>		
2.1	Overview.....	53
2.2	Module Functional Categories.....	53
2.2.1	ARM Cortex-M4 Core Modules.....	54
2.2.2	System Modules.....	55
2.2.3	Memories and Memory Interfaces.....	56
2.2.4	Clocks.....	56
2.2.5	Security and Integrity modules.....	57
2.2.6	Analog modules.....	57
2.2.7	Timer modules.....	58
2.2.8	Communication interfaces.....	59
2.2.9	Human-machine interfaces.....	60
2.3	Orderable part numbers.....	60
<b>Chapter 3 Chip Configuration</b>		
3.1	Introduction.....	61

Section number	Title	Page
3.2	Core modules.....	61
3.2.1	ARM Cortex-M4 Core Configuration.....	61
3.2.2	Nested Vectored Interrupt Controller (NVIC) Configuration.....	63
3.2.3	Asynchronous Wake-up Interrupt Controller (AWIC) Configuration.....	69
3.2.4	JTAG Controller Configuration.....	71
3.3	System modules.....	71
3.3.1	SIM Configuration.....	71
3.3.2	System Mode Controller (SMC) Configuration.....	72
3.3.3	PMC Configuration.....	73
3.3.4	Low-Leakage Wake-up Unit (LLWU) Configuration.....	73
3.3.5	MCM Configuration.....	75
3.3.6	Crossbar Switch Configuration.....	76
3.3.7	Peripheral Bridge Configuration.....	77
3.3.8	DMA request multiplexer configuration.....	78
3.3.9	DMA Controller Configuration.....	81
3.3.10	External Watchdog Monitor (EWM) Configuration.....	82
3.3.11	Watchdog Configuration.....	84
3.4	Clock modules.....	85
3.4.1	MCG Configuration.....	85
3.4.2	OSC Configuration.....	86
3.4.3	RTC OSC configuration.....	87
3.5	Memories and memory interfaces.....	87
3.5.1	Flash Memory Configuration.....	87
3.5.2	Flash Memory Controller Configuration.....	90
3.5.3	SRAM Configuration.....	91
3.5.4	SRAM Controller Configuration.....	94

<b>Section number</b>	<b>Title</b>	<b>Page</b>
3.5.5	System Register File Configuration.....	95
3.5.6	VBAT Register File Configuration.....	96
3.5.7	EzPort Configuration.....	96
3.5.8	FlexBus Configuration.....	98
3.6	Security.....	100
3.6.1	CRC Configuration.....	100

Section number	Title	Page
3.7	Analog.....	101
3.7.1	16-bit SAR ADC with PGA Configuration.....	101
3.7.2	CMP Configuration.....	111
3.7.3	12-bit DAC Configuration.....	113
3.7.4	VREF Configuration.....	114
3.8	Timers.....	115
3.8.1	PDB Configuration.....	115
3.8.2	FlexTimer Configuration.....	118
3.8.3	PIT Configuration.....	122
3.8.4	Low-power timer configuration.....	123
3.8.5	CMT Configuration.....	125
3.8.6	RTC configuration.....	126
3.9	Communication interfaces.....	127
3.9.1	Universal Serial Bus (USB) FS Subsystem.....	127
3.9.2	CAN Configuration.....	132
3.9.3	SPI configuration.....	134
3.9.4	I2C Configuration.....	138
3.9.5	UART Configuration.....	138
3.9.6	I2S configuration.....	141
3.10	Human-machine interfaces.....	144
3.10.1	GPIO configuration.....	144
3.10.2	TSI Configuration.....	145

## Chapter 4 Memory Map

4.1	Introduction.....	149
4.2	System memory map.....	149
4.2.1	Aliased bit-band regions.....	150
4.3	Flash Memory Map.....	151
4.3.1	Alternate Non-Volatile IRC User Trim Description.....	152

<b>Section number</b>	<b>Title</b>	<b>Page</b>
4.4	SRAM memory map.....	152
4.5	Peripheral bridge (AIPS-Lite0 and AIPS-Lite1) memory maps.....	153
4.5.1	Peripheral Bridge 0 (AIPS-Lite 0) Memory Map.....	153
4.5.2	Peripheral Bridge 1 (AIPS-Lite 1) Memory Map.....	157
4.6	Private Peripheral Bus (PPB) memory map.....	160

## **Chapter 5** **Clock Distribution**

5.1	Introduction.....	163
5.2	Programming model.....	163
5.3	High-Level device clocking diagram.....	163
5.4	Clock definitions.....	164
5.4.1	Device clock summary.....	165
5.5	Internal clocking requirements.....	167
5.5.1	Clock divider values after reset.....	167
5.5.2	VLPR mode clocking.....	168
5.6	Clock Gating.....	168
5.7	Module clocks.....	168
5.7.1	PMC 1-kHz LPO clock.....	170
5.7.2	WDOG clocking.....	170
5.7.3	Debug trace clock.....	171
5.7.4	PORT digital filter clocking.....	171
5.7.5	LPTMR clocking.....	171
5.7.6	USB FS OTG Controller clocking.....	172
5.7.7	FlexCAN clocking.....	173
5.7.8	UART clocking.....	173
5.7.9	I2S/SAI clocking.....	173
5.7.10	TSI clocking.....	174

Section number	Title	Page
<b>Chapter 6 Reset and Boot</b>		
6.1	Introduction.....	177
6.2	Reset.....	178
6.2.1	Power-on reset (POR).....	178
6.2.2	System reset sources.....	178
6.2.3	MCU Resets.....	182
6.2.4	Reset Pin .....	184
6.2.5	Debug resets.....	184
6.3	Boot.....	185
6.3.1	Boot sources.....	185
6.3.2	Boot options.....	185
6.3.3	FOPT boot options.....	186
6.3.4	Boot sequence.....	187
<b>Chapter 7 Power Management</b>		
7.1	Introduction.....	189
7.2	Power modes.....	189
7.3	Entering and exiting power modes.....	191
7.4	Power mode transitions.....	192
7.5	Power modes shutdown sequencing.....	193
7.6	Module Operation in Low Power Modes.....	193
7.7	Clock Gating.....	196
<b>Chapter 8 Security</b>		
8.1	Introduction.....	197
8.2	Flash Security.....	197
8.3	Security Interactions with other Modules.....	198
8.3.1	Security interactions with FlexBus.....	198
8.3.2	Security Interactions with EzPort.....	198

Section number	Title	Page
8.3.3	Security Interactions with Debug.....	198
<b>Chapter 9 Debug</b>		
9.1	Introduction.....	201
9.1.1	References.....	203
9.2	The Debug Port.....	203
9.2.1	JTAG-to-SWD change sequence.....	204
9.2.2	JTAG-to-cJTAG change sequence.....	204
9.3	Debug Port Pin Descriptions.....	205
9.4	System TAP connection.....	205
9.4.1	IR Codes.....	205
9.5	JTAG status and control registers.....	206
9.5.1	MDM-AP Control Register.....	207
9.5.2	MDM-AP Status Register.....	209
9.6	Debug Resets.....	210
9.7	AHB-AP.....	211
9.8	ITM.....	212
9.9	Core Trace Connectivity.....	212
9.10	TPIU.....	212
9.11	DWT.....	212
9.12	Debug in Low Power Modes.....	213
9.12.1	Debug Module State in Low Power Modes.....	214
9.13	Debug & Security.....	214

## **Chapter 10 Signal Multiplexing and Signal Descriptions**

10.1	Introduction.....	215
10.2	Signal Multiplexing Integration.....	215
10.2.1	Port control and interrupt module features.....	216
10.2.2	PCRn reset values for port A.....	216

Section number	Title	Page
10.2.3	Clock gating.....	216
10.2.4	Signal multiplexing constraints.....	216
10.3	Pinout.....	217
10.3.1	K20 Signal Multiplexing and Pin Assignments.....	217
10.3.2	K20 Pinouts.....	222
10.4	Module Signal Description Tables.....	224
10.4.1	Core Modules.....	224
10.4.2	System Modules.....	225
10.4.3	Clock Modules.....	226
10.4.4	Memories and Memory Interfaces.....	226
10.4.5	Analog.....	229
10.4.6	Timer Modules.....	231
10.4.7	Communication Interfaces.....	232
10.4.8	Human-Machine Interfaces (HMI).....	235

## **Chapter 11 Port control and interrupts (PORT)**

11.1	Introduction.....	237
11.1.1	Overview.....	237
11.1.2	External signal description.....	238
11.1.3	Detailed signal description.....	239
11.1.4	Memory map and register definition.....	239
11.1.5	Functional description.....	249

## **Chapter 12 System Integration Module (SIM)**

12.1	Introduction.....	253
12.1.1	Features.....	253
12.2	Memory map and register definition.....	254
12.2.1	System Options Register 1 (SIM_SOPT1).....	255
12.2.2	SOPT1 Configuration Register (SIM_SOPT1CFG).....	257

<b>Section number</b>	<b>Title</b>	<b>Page</b>
12.2.3	System Options Register 2 (SIM_SOPT2).....	258
12.2.4	System Options Register 4 (SIM_SOPT4).....	260
12.2.5	System Options Register 5 (SIM_SOPT5).....	263
12.2.6	System Options Register 7 (SIM_SOPT7).....	264
12.2.7	System Device Identification Register (SIM_SDID).....	266
12.2.8	System Clock Gating Control Register 1 (SIM_SCGC1).....	267
12.2.9	System Clock Gating Control Register 2 (SIM_SCGC2).....	268
12.2.10	System Clock Gating Control Register 3 (SIM_SCGC3).....	269
12.2.11	System Clock Gating Control Register 4 (SIM_SCGC4).....	270
12.2.12	System Clock Gating Control Register 5 (SIM_SCGC5).....	272
12.2.13	System Clock Gating Control Register 6 (SIM_SCGC6).....	274
12.2.14	System Clock Gating Control Register 7 (SIM_SCGC7).....	277
12.2.15	System Clock Divider Register 1 (SIM_CLKDIV1).....	278
12.2.16	System Clock Divider Register 2 (SIM_CLKDIV2).....	280
12.2.17	Flash Configuration Register 1 (SIM_FCFG1).....	281
12.2.18	Flash Configuration Register 2 (SIM_FCFG2).....	283
12.2.19	Unique Identification Register High (SIM_UIDH).....	284
12.2.20	Unique Identification Register Mid-High (SIM_UIDMH).....	284
12.2.21	Unique Identification Register Mid Low (SIM_UIDML).....	285
12.2.22	Unique Identification Register Low (SIM_UIDL).....	285
12.3	Functional description.....	285

## **Chapter 13** **Reset Control Module (RCM)**

13.1	Introduction.....	287
13.2	Reset memory map and register descriptions.....	287
13.2.1	System Reset Status Register 0 (RCM_SRS0).....	287
13.2.2	System Reset Status Register 1 (RCM_SRS1).....	289
13.2.3	Reset Pin Filter Control register (RCM_RPFC).....	290
13.2.4	Reset Pin Filter Width register (RCM_RPFW).....	291

Section number	Title	Page
13.2.5	Mode Register (RCM_MR).....	293
<b>Chapter 14 System Mode Controller</b>		
14.1	Introduction.....	295
14.2	Modes of operation.....	295
14.3	Memory map and register descriptions.....	297
14.3.1	Power Mode Protection register (SMC_PMPROT).....	297
14.3.2	Power Mode Control register (SMC_PMCTRL).....	299
14.3.3	VLLS Control register (SMC_VLLSCTRL).....	300
14.3.4	Power Mode Status register (SMC_PMSTAT).....	301
14.4	Functional description.....	302
14.4.1	Power mode transitions.....	302
14.4.2	Power mode entry/exit sequencing.....	305
14.4.3	Run modes.....	307
14.4.4	Wait modes.....	309
14.4.5	Stop modes.....	310
14.4.6	Debug in low power modes.....	313
<b>Chapter 15 Power Management Controller</b>		
15.1	Introduction.....	315
15.2	Features.....	315
15.3	Low-voltage detect (LVD) system.....	315
15.3.1	LVD reset operation.....	316
15.3.2	LVD interrupt operation.....	316
15.3.3	Low-voltage warning (LVW) interrupt operation.....	316
15.4	I/O retention.....	317
15.5	Memory map and register descriptions.....	317
15.5.1	Low Voltage Detect Status And Control 1 register (PMC_LVDSC1).....	317
15.5.2	Low Voltage Detect Status And Control 2 register (PMC_LVDSC2).....	319

Section number	Title	Page
15.5.3	Regulator Status And Control register (PMC_REGSC).....	320
	<b>Chapter 16</b> <b>Low-Leakage Wakeup Unit (LLWU)</b>	
16.1	Introduction.....	323
16.1.1	Features.....	323
16.1.2	Modes of operation.....	324
16.1.3	Block diagram.....	325
16.2	LLWU signal descriptions.....	326
16.3	Memory map/register definition.....	327
16.3.1	LLWU Pin Enable 1 register (LLWU_PE1).....	328
16.3.2	LLWU Pin Enable 2 register (LLWU_PE2).....	329
16.3.3	LLWU Pin Enable 3 register (LLWU_PE3).....	330
16.3.4	LLWU Pin Enable 4 register (LLWU_PE4).....	331
16.3.5	LLWU Module Enable register (LLWU_ME).....	332
16.3.6	LLWU Flag 1 register (LLWU_F1).....	334
16.3.7	LLWU Flag 2 register (LLWU_F2).....	335
16.3.8	LLWU Flag 3 register (LLWU_F3).....	337
16.3.9	LLWU Pin Filter 1 register (LLWU_filt1).....	339
16.3.10	LLWU Pin Filter 2 register (LLWU_filt2).....	340
16.3.11	LLWU Reset Enable register (LLWU_RST).....	341
16.4	Functional description.....	342
16.4.1	LLS mode.....	342
16.4.2	VLLS modes.....	342
16.4.3	Initialization.....	343

**Chapter 17**  
**Miscellaneous Control Module (MCM)**

17.1	Introduction.....	345
17.1.1	Features.....	345

Section number	Title	Page
17.2	Memory map/register descriptions.....	345
17.2.1	Crossbar Switch (AXBS) Slave Configuration (MCM_PLASC).....	346
17.2.2	Crossbar Switch (AXBS) Master Configuration (MCM_PLAMC).....	346
17.2.3	Control Register (MCM_CR).....	347
<b>Chapter 18</b> <b>Crossbar Switch (AXBS)</b>		
18.1	Introduction.....	349
18.1.1	Features.....	349
18.2	Memory Map / Register Definition.....	350
18.2.1	Priority Registers Slave (AXBS_PRSn).....	351
18.2.2	Control Register (AXBS_CRSn).....	354
18.2.3	Master General Purpose Control Register (AXBS_MGPCRn).....	356
18.3	Functional Description.....	356
18.3.1	General operation.....	356
18.3.2	Register coherency.....	357
18.3.3	Arbitration.....	358
18.4	Initialization/application information.....	361
<b>Chapter 19</b> <b>Peripheral Bridge (AIPS-Lite)</b>		
19.1	Introduction.....	363
19.1.1	Features.....	363
19.1.2	General operation.....	363
19.2	Memory map/register definition.....	364
19.2.1	Master Privilege Register A (AIPSx_MPRA).....	366
19.2.2	Peripheral Access Control Register (AIPSx_PACRn).....	368
19.2.3	Peripheral Access Control Register (AIPSx_PACRn).....	373
19.3	Functional description.....	378
19.3.1	Access support.....	378

Section number	Title	Page
<b>Chapter 20 Direct Memory Access Multiplexer (DMAMUX)</b>		
20.1	Introduction.....	381
20.1.1	Overview.....	381
20.1.2	Features.....	382
20.1.3	Modes of operation.....	382
20.2	External signal description.....	383
20.3	Memory map/register definition.....	383
20.3.1	Channel Configuration register (DMAMUX_CHCFG $n$ ).....	384
20.4	Functional description.....	385
20.4.1	DMA channels with periodic triggering capability.....	385
20.4.2	DMA channels with no triggering capability.....	387
20.4.3	"Always enabled" DMA sources.....	387
20.5	Initialization/application information.....	388
20.5.1	Reset.....	389
20.5.2	Enabling and configuring sources.....	389
<b>Chapter 21 Direct Memory Access Controller (eDMA)</b>		
21.1	Introduction.....	393
21.1.1	Block diagram.....	393
21.1.2	Block parts.....	394
21.1.3	Features.....	396
21.2	Modes of operation.....	397
21.3	Memory map/register definition.....	397
21.3.1	Control Register (DMA_CR).....	409
21.3.2	Error Status Register (DMA_ES).....	410
21.3.3	Enable Request Register (DMA_ERQ).....	412
21.3.4	Enable Error Interrupt Register (DMA_EEI).....	415
21.3.5	Clear Enable Error Interrupt Register (DMA_CEEI).....	417

Section number	Title	Page
21.3.6	Set Enable Error Interrupt Register (DMA_SEEI).....	418
21.3.7	Clear Enable Request Register (DMA_CERQ).....	419
21.3.8	Set Enable Request Register (DMA_SERQ).....	420
21.3.9	Clear DONE Status Bit Register (DMA_CDNE).....	421
21.3.10	Set START Bit Register (DMA_SSRT).....	422
21.3.11	Clear Error Register (DMA_CERR).....	423
21.3.12	Clear Interrupt Request Register (DMA_CINT).....	424
21.3.13	Interrupt Request Register (DMA_INT).....	424
21.3.14	Error Register (DMA_ERR).....	427
21.3.15	Hardware Request Status Register (DMA_HRS).....	429
21.3.16	Channel n Priority Register (DMA_DCHPRI <sub>n</sub> ).....	432
21.3.17	TCD Source Address (DMA_TCD <sub>n</sub> _SADDR).....	433
21.3.18	TCD Signed Source Address Offset (DMA_TCD <sub>n</sub> _SOFF).....	433
21.3.19	TCD Transfer Attributes (DMA_TCD <sub>n</sub> _ATTR).....	434
21.3.20	TCD Minor Byte Count (Minor Loop Disabled) (DMA_TCD <sub>n</sub> _NBYTES_MLNO).....	435
21.3.21	TCD Signed Minor Loop Offset (Minor Loop Enabled and Offset Disabled) (DMA_TCD <sub>n</sub> _NBYTES_MLOFFNO).....	435
21.3.22	TCD Signed Minor Loop Offset (Minor Loop and Offset Enabled) (DMA_TCD <sub>n</sub> _NBYTES_MloffYES).....	436
21.3.23	TCD Last Source Address Adjustment (DMA_TCD <sub>n</sub> _SLAST).....	438
21.3.24	TCD Destination Address (DMA_TCD <sub>n</sub> _DADDR).....	438
21.3.25	TCD Signed Destination Address Offset (DMA_TCD <sub>n</sub> _DOFF).....	439
21.3.26	TCD Current Minor Loop Link, Major Loop Count (Channel Linking Enabled) (DMA_TCD <sub>n</sub> _CITER_ELINKYES).....	439
21.3.27	TCD Current Minor Loop Link, Major Loop Count (Channel Linking Disabled) (DMA_TCD <sub>n</sub> _CITER_ELINKNO).....	440
21.3.28	TCD Last Destination Address Adjustment/Scatter Gather Address (DMA_TCD <sub>n</sub> _DLASTSGA).....	441
21.3.29	TCD Control and Status (DMA_TCD <sub>n</sub> _CSR).....	442
21.3.30	TCD Beginning Minor Loop Link, Major Loop Count (Channel Linking Enabled) (DMA_TCD <sub>n</sub> _BITER_ELINKYES).....	444

Section number	Title	Page
21.3.31	TCD Beginning Minor Loop Link, Major Loop Count (Channel Linking Disabled) (DMA_TCDn_BITER_ELINKNO).....	445
21.4	Functional description.....	446
21.4.1	eDMA basic data flow.....	446
21.4.2	Error reporting and handling.....	449
21.4.3	Channel preemption.....	451
21.4.4	Performance.....	451
21.5	Initialization/application information.....	456
21.5.1	eDMA initialization.....	456
21.5.2	Programming errors.....	458
21.5.3	Arbitration mode considerations.....	458
21.5.4	Performing DMA transfers (examples).....	459
21.5.5	Monitoring transfer descriptor status.....	463
21.5.6	Channel Linking.....	464
21.5.7	Dynamic programming.....	466
<b>Chapter 22 External Watchdog Monitor (EWM)</b>		
22.1	Introduction.....	471
22.1.1	Features.....	471
22.1.2	Modes of Operation.....	472
22.1.3	Block Diagram.....	473
22.2	EWM Signal Descriptions.....	474
22.3	Memory Map/Register Definition.....	474
22.3.1	Control Register (EWM_CTRL).....	474
22.3.2	Service Register (EWM_SERV).....	475
22.3.3	Compare Low Register (EWM_CMPL).....	475
22.3.4	Compare High Register (EWM_CMPH).....	476
22.4	Functional Description.....	477
22.4.1	The EWM_out Signal.....	477

Section number	Title	Page
22.4.2	The EWM_in Signal.....	477
22.4.3	EWM Counter.....	478
22.4.4	EWM Compare Registers.....	478
22.4.5	EWM Refresh Mechanism.....	479
22.4.6	EWM Interrupt.....	479

## Chapter 23 Watchdog Timer (WDOG)

23.1	Introduction.....	481
23.2	Features.....	481
23.3	Functional overview.....	483
23.3.1	Unlocking and updating the watchdog.....	484
23.3.2	Watchdog configuration time (WCT).....	485
23.3.3	Refreshing the watchdog.....	486
23.3.4	Windowed mode of operation.....	486
23.3.5	Watchdog disabled mode of operation.....	486
23.3.6	Low-power modes of operation.....	487
23.3.7	Debug modes of operation.....	487
23.4	Testing the watchdog.....	488
23.4.1	Quick test.....	488
23.4.2	Byte test.....	489
23.5	Backup reset generator.....	490
23.6	Generated resets and interrupts.....	490
23.7	Memory map and register definition.....	491
23.7.1	Watchdog Status and Control Register High (WDOG_STCTRLH).....	492
23.7.2	Watchdog Status and Control Register Low (WDOG_STCTRLL).....	493
23.7.3	Watchdog Time-out Value Register High (WDOG_TOVALH).....	494
23.7.4	Watchdog Time-out Value Register Low (WDOG_TOVALL).....	494
23.7.5	Watchdog Window Register High (WDOG_WINH).....	495
23.7.6	Watchdog Window Register Low (WDOG_WINL).....	495

<b>Section number</b>	<b>Title</b>	<b>Page</b>
23.7.7	Watchdog Refresh register (WDOG_REFRESH).....	496
23.7.8	Watchdog Unlock register (WDOG_UNLOCK).....	496
23.7.9	Watchdog Timer Output Register High (WDOG_TMROUTH).....	496
23.7.10	Watchdog Timer Output Register Low (WDOG_TMROUTL).....	497
23.7.11	Watchdog Reset Count register (WDOG_RSTCNT).....	497
23.7.12	Watchdog Prescaler register (WDOG_PRESC).....	498
23.8	Watchdog operation with 8-bit access.....	498
23.8.1	General guideline.....	498
23.8.2	Refresh and unlock operations with 8-bit access.....	498
23.9	Restrictions on watchdog operation.....	499

## **Chapter 24** **Multipurpose Clock Generator (MCG)**

24.1	Introduction.....	503
24.1.1	Features.....	503
24.1.2	Modes of Operation.....	507
24.2	External Signal Description.....	507
24.3	Memory Map/Register Definition.....	507
24.3.1	MCG Control 1 Register (MCG_C1).....	508
24.3.2	MCG Control 2 Register (MCG_C2).....	509
24.3.3	MCG Control 3 Register (MCG_C3).....	510
24.3.4	MCG Control 4 Register (MCG_C4).....	511
24.3.5	MCG Control 5 Register (MCG_C5).....	512
24.3.6	MCG Control 6 Register (MCG_C6).....	513
24.3.7	MCG Status Register (MCG_S).....	515
24.3.8	MCG Status and Control Register (MCG_SC).....	516
24.3.9	MCG Auto Trim Compare Value High Register (MCG_ATCVH).....	518
24.3.10	MCG Auto Trim Compare Value Low Register (MCG_ATCVL).....	518
24.3.11	MCG Control 7 Register (MCG_C7).....	518
24.3.12	MCG Control 8 Register (MCG_C8).....	519

<b>Section number</b>	<b>Title</b>	<b>Page</b>
24.4	Functional description.....	520
24.4.1	MCG mode state diagram.....	520
24.4.2	Low Power Bit Usage.....	525
24.4.3	MCG Internal Reference Clocks.....	525
24.4.4	External Reference Clock.....	525
24.4.5	MCG Fixed frequency clock .....	526
24.4.6	MCG PLL clock .....	526
24.4.7	MCG Auto TRIM (ATM).....	527
24.5	Initialization / Application information.....	528
24.5.1	MCG module initialization sequence.....	528
24.5.2	Using a 32.768 kHz reference.....	530
24.5.3	MCG mode switching.....	531
<b>Chapter 25 Oscillator (OSC)</b>		
25.1	Introduction.....	541
25.2	Features and Modes.....	541
25.3	Block Diagram.....	542
25.4	OSC Signal Descriptions.....	542
25.5	External Crystal / Resonator Connections.....	543
25.6	External Clock Connections.....	544
25.7	Memory Map/Register Definitions.....	545
25.7.1	OSC Memory Map/Register Definition.....	545
25.8	Functional Description.....	546
25.8.1	OSC Module States.....	546
25.8.2	OSC Module Modes.....	548
25.8.3	Counter.....	550
25.8.4	Reference Clock Pin Requirements.....	550
25.9	Reset.....	550
25.10	Low Power Modes Operation.....	551

<b>Section number</b>	<b>Title</b>	<b>Page</b>
25.11	Interrupts.....	551
	<b>Chapter 26 RTC Oscillator</b>	
26.1	Introduction.....	553
26.1.1	Features and Modes.....	553
26.1.2	Block Diagram.....	553
26.2	RTC Signal Descriptions.....	554
26.2.1	EXTAL32 — Oscillator Input.....	554
26.2.2	XTAL32 — Oscillator Output.....	554
26.3	External Crystal Connections.....	555
26.4	Memory Map/Register Descriptions.....	555
26.5	Functional Description.....	555
26.6	Reset Overview.....	556
26.7	Interrupts.....	556

## Chapter 27 Flash Memory Controller (FMC)

27.1	Introduction.....	557
27.1.1	Overview.....	557
27.1.2	Features.....	558
27.2	Modes of operation.....	558
27.3	External signal description.....	558
27.4	Memory map and register descriptions.....	559
27.4.1	Flash Access Protection Register (FMC_PFAPR).....	564
27.4.2	Flash Bank 0 Control Register (FMC_PFB0CR).....	567
27.4.3	Flash Bank 1 Control Register (FMC_PFB1CR).....	569
27.4.4	Cache Tag Storage (FMC_TAGVDW0Sn).....	570
27.4.5	Cache Tag Storage (FMC_TAGVDW1Sn).....	571
27.4.6	Cache Tag Storage (FMC_TAGVDW2Sn).....	572
27.4.7	Cache Tag Storage (FMC_TAGVDW3Sn).....	573

Section number	Title	Page
27.4.8	Cache Data Storage (upper word) (FMC_DATAW0SnU).....	573
27.4.9	Cache Data Storage (lower word) (FMC_DATAW0SnL).....	574
27.4.10	Cache Data Storage (upper word) (FMC_DATAW1SnU).....	574
27.4.11	Cache Data Storage (lower word) (FMC_DATAW1SnL).....	575
27.4.12	Cache Data Storage (upper word) (FMC_DATAW2SnU).....	575
27.4.13	Cache Data Storage (lower word) (FMC_DATAW2SnL).....	576
27.4.14	Cache Data Storage (upper word) (FMC_DATAW3SnU).....	576
27.4.15	Cache Data Storage (lower word) (FMC_DATAW3SnL).....	577
27.5	Functional description.....	577
27.5.1	Default configuration.....	577
27.5.2	Configuration options.....	578
27.5.3	Wait states.....	578
27.5.4	Speculative reads.....	579
27.6	Initialization and application information.....	580

## **Chapter 28 Flash Memory Module (FTFL)**

28.1	Introduction.....	581
28.1.1	Features.....	582
28.1.2	Block Diagram.....	583
28.1.3	Glossary.....	584
28.2	External Signal Description.....	586
28.3	Memory Map and Registers.....	586
28.3.1	Flash Configuration Field Description.....	587
28.3.2	Program Flash IFR Map.....	587
28.3.3	Data Flash IFR Map.....	588
28.3.4	Register Descriptions.....	590
28.4	Functional Description.....	602
28.4.1	Flash Protection.....	602

<b>Section number</b>	<b>Title</b>	<b>Page</b>
28.4.2	FlexNVM Description.....	604
28.4.3	Interrupts.....	607
28.4.4	Flash Operation in Low-Power Modes.....	608
28.4.5	Functional Modes of Operation.....	608
28.4.6	Flash Reads and Ignored Writes.....	608
28.4.7	Read While Write (RWW).....	609
28.4.8	Flash Program and Erase.....	609
28.4.9	Flash Command Operations.....	609
28.4.10	Margin Read Commands.....	616
28.4.11	Flash Command Description.....	617
28.4.12	Security.....	638
28.4.13	Reset Sequence.....	640

## **Chapter 29** **External Bus Interface (FlexBus)**

29.1	Introduction.....	643
29.1.1	Definition.....	643
29.1.2	Features.....	643
29.2	Signal descriptions.....	644
29.3	Memory Map/Register Definition.....	647
29.3.1	Chip Select Address Register (FB_CSAR $n$ ).....	648
29.3.2	Chip Select Mask Register (FB_CSMR $n$ ).....	649
29.3.3	Chip Select Control Register (FB_CCSR $n$ ).....	650
29.3.4	Chip Select port Multiplexing Control Register (FB_CSPMCR).....	653
29.4	Functional description.....	654
29.4.1	Modes of operation.....	654
29.4.2	Address comparison.....	655
29.4.3	Address driven on address bus.....	655
29.4.4	Connecting address/data lines.....	655
29.4.5	Bit ordering.....	655

<b>Section number</b>	<b>Title</b>	<b>Page</b>
29.4.6	Data transfer signals.....	656
29.4.7	Signal transitions.....	656
29.4.8	Data-byte alignment and physical connections.....	656
29.4.9	Address/data bus multiplexing.....	657
29.4.10	Data transfer states.....	658
29.4.11	FlexBus Timing Examples.....	659
29.4.12	Burst cycles.....	678
29.4.13	Extended Transfer Start/Address Latch Enable.....	686
29.4.14	Bus errors.....	687
29.5	Initialization/Application Information.....	688
29.5.1	Initializing a chip-select.....	688
29.5.2	Reconfiguring a chip-select.....	688

## Chapter 30 EzPort

30.1	Overview.....	689
30.1.1	Introduction.....	689
30.1.2	Features.....	690
30.1.3	Modes of operation.....	690
30.2	External signal description.....	691
30.2.1	EzPort Clock (EZP_CK).....	691
30.2.2	EzPort Chip Select (EZP_CS).....	691
30.2.3	EzPort Serial Data In (EZP_D).....	692
30.2.4	EzPort Serial Data Out (EZP_Q).....	692
30.3	Command definition.....	692
30.3.1	Command descriptions.....	693
30.4	Flash memory map for EzPort access.....	699

Section number	Title	Page
<b>Chapter 31</b> <b>Cyclic Redundancy Check (CRC)</b>		
31.1	Introduction.....	701
31.1.1	Features.....	701
31.1.2	Block diagram.....	701
31.1.3	Modes of operation.....	702
31.2	Memory map and register descriptions.....	702
31.2.1	CRC Data register (CRC_CRC).....	703
31.2.2	CRC Polynomial register (CRC_GPOLY).....	704
31.2.3	CRC Control register (CRC_CTRL).....	704
31.3	Functional description.....	705
31.3.1	CRC initialization/reinitialization.....	705
31.3.2	CRC calculations.....	706
31.3.3	Transpose feature.....	707
31.3.4	CRC result complement.....	709
<b>Chapter 32</b> <b>Analog-to-Digital Converter (ADC)</b>		
32.1	Introduction.....	711
32.1.1	Features.....	711
32.1.2	Block diagram.....	712
32.2	ADC Signal Descriptions.....	713
32.2.1	Analog Power (VDDA).....	714
32.2.2	Analog Ground (VSSA).....	714
32.2.3	Voltage Reference Select.....	714
32.2.4	Analog Channel Inputs (ADx).....	715
32.2.5	Differential Analog Channel Inputs (DADx).....	715
32.3	Register definition.....	715
32.3.1	ADC Status and Control Registers 1 (ADC <sub>x</sub> _SC1n).....	717
32.3.2	ADC Configuration Register 1 (ADC <sub>x</sub> _CFG1).....	720