

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Unpack the CY4636 WirelessUSB™ LP RDK Bridge dongle, keyboard, and mouse from the package.




Power the mouse and keyboard with two AA batteries each.



Press the bind button on the keyboard to bind it with the bridge. The mouse and keyboard work smoothly with the PC.



Connect the bridge dongle to the PC. The bridge enumerates as a HID device.




Switch on the mouse. When you press the bind button on the bridge, the red LED blinks. Press the bind button on the mouse to bind it with the bridge.



Insert CY4636 Kit CD/DVD. View the User Guide. Install Kit contents, PSoC Designer and Programmer.

CY4636 WirelessUSB™ LP Keyboard-Mouse Reference Design Kit QUICK START GUIDE

CY4636 WirelessUSB LP Keyboard-Mouse RDK Details



For the latest information about this kit visit http://www.cypress.com/go/CY4636



12 MHz oscillator