# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## SPECIFICATION CONTROL DRAWING



### **MATERIALS**

- 1. INSULATION SLEEVE: Heat shrinkable, transparent blue, radiation cross-linked polyvinylidene fluoride.
- 2. SOLDER PREFORM WITH FLUX: SOLDER: TYPE Sn63 per ANSI J-STD-006. FLUX: TYPE ROL1 per ANSI J-STD-004.

### **APPLICATION**

- 1. This part is designed to attach a resistor and a PVC insulated wire to the tab of a ring terminal.
- 2. Part may be installed with infrared or convection heaters.
- 3. Temperature range: -65°C to 125°C.

| <b>tyco</b> RaElectronics   |     | Rayo                                  | :hem | 300 Cons   | ctronics Corporation<br>stitutional Drive<br>ırk, CA 94025 USA | TITLE :<br>SOLDERSLEEVE,<br>WIRE TERMINATOR |                   |            |                  |  |
|---|-----|---------------------------------------|------|--|--|---|-------------------|------------|------------------|--|
| Unless otherwise specified dimensions are in millimeters.<br>Inches dimensions are in between brackets. |     |                                       |      |  |  | DOCUMENT NO.: D-129-0043                    |                   |            |                  |  |
| TOLERANCES:<br>0.00 N/A<br>0.0 N/A<br>0 N/A   | ROU | ANGLES: N/A<br>ROUGHNESS IN<br>MICRON |      | Tyco Electronics reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application. |  |   | DATE:<br>08-Feb01 |            | doc issue:<br>1  |  |
| DRAWN BY:<br>M. FORONDA   |     | CAGE CODE:<br>06090                   |      | EPLACES:<br>N/A  | DCR NUMBER:<br>D010037   | PROD. REV.:<br>B                            | SCALE:<br>None    | SIZE:<br>A | SHEET:<br>1 of 1 |  |

If this document is printed it becomes uncontrolled. Check for the latest revision.