

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







## SPECIFICATION CONTROL DRAWING



## **MATERIALS**

- 1. INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked modified polyvinylidene fluoride.
- 2. SOLDER PREFORM WITH FLUX:

SOLDER: TYPE Sn96 per ANSI J-STD-006. FLUX: TYPE ROL1 per ANSI J-STD-004.

## **APPLICATION**

- 1. This part is designed to to be used to attach 24 or 26 AWG wires, pre-tinned with Sn96, to connector terminals on 1.27 (0.050) or greater center spacing, such as Raychem MTC50-YXX-015/016.
- 2. Sleeve will recover to 0.61(0.024) diameter maximum.
- 3. This drawing forms part of Raychem Specification control Drawing D-713-0006, [1.27 (0.050) centers].

TUCD/Electronics/Raychem 307 Constitution Drive, Menlo Park, CA 94025, USA					rnessing roducts	TIT	SOLDERSLEEVE FOR MTC50 CONNECTORS				
Unless otherwise specified dimensions are in millimeters. Inches dimensions are in between brackets.						DOCUMENT NO.: <b>D-141-0169</b>					
TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A	ROUGHNESS IN should		amend this draw should evaluate	yco Electronics reserves the right to mend this drawing at any time. Users nould evaluate the suitability of the roduct for their application.		DCR NUMBER: D010436		REPLACES: N/A			
DRAWN BY: M. FORONDA		DATE: 13-July-01			PROD. REV. D		DOC ISSUE:	SCALE: None	SIZE:	SHEET: 1 of 1	