



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Linino ONE Accessories ( dogRJ45 & dogUSB )

Model : D000102



### DESCRIPTION

#### dogRJ45

Designed to meet IEEE 802.3 Fast Ethernet switch with auto-crossover, auto-polarity, and auto-negotiation. 10/100 Mbps Fast Ethernet port basic switch feature including port mirroring, broadcast storm support, flow control in full-duplex, and back pressure in half duplex.

Operating temperature range: 0°C to +60°C .

#### dogUSB:

A type USB connector.

Fully compliant with USB Hub specification version 2.0 and is also backward compatible with USB Hub specification 1.1.

Supports automatic switching between bus-power and self-power modes built-in USB 2.0 transceiver.

uSD connector with card reader.

Supports multiple sectors transfer optimize performance.

Supports port-to-slot and read/write operation.

Operating temperature range: 0°C to +60°C ONE RJ45 USB

<http://world.arduino.org/en/>