

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









USB 2.0 ACTIVE EXTENSION CABLE



Quick Installation Guide DA-70130-4

Introduction:


This product allows users to extend the distance between a PC and the connected devices up to 5M. The USB signal is transmitted through it while maintaining optimal signal integrity and meeting the USB 2.0 standard

Specifications & Features:

- Compliant with USB specification 2.0
- Active USB extension cable, ensures good signal quality to meet the USB specification
- Suitable for any USB port
- Supports Windows98/2000/XP/2003/Vista/Win7/ Win8, Mac OS v9.0 or higher

Plan Image:





Installation:

- 1. Make sure that the PC USB port is working properly
- 2. Start the computer, and wait for it to load the operating desktop
- 3. Connect the USB A Male to the PC USB port and the A Female port to the USB device
- 4. The PC will automatically detect the external device