



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Knockdown Steel 4-Post Rack *DC4R Series*

2,000 lbs Weight Capacity



The Hammond DC4R Open Rack series is one of the most economical solutions to house IT equipment in wiring closets or data centers. In situations where the wiring closet itself is under lock and key and accessed by a limited number of people, full cabinets having locking doors and side panels may not be required resulting in a significant cost savings.

Standard Features

- Available in 24U and 44U
- Available in three (3) fixed depth options and two (2) adjustable depth options.
 - For 44U height, add optional **DC4RPR44** pair of rails for additional adjustable mounting depths.
- Two (2) pairs of 19" mounting EIA-310-D compliant square-hole rails.
 - Ships with a 50-pack of screws and cage nuts **CAGKIT1032-50**.
 - Includes marked rack unit dividers to aid in equipment mounting.
- Four (4) pairs of integrated 10-32 ground studs, at both the front and rear of the rack. Stud pairs are conveniently spaced 5/8" apart and located across from each other inside the rail channel. For added convenience, two (2) pairs are located near the top of the rack, while the others are near the bottom of the rack.
- Rail depth L-bracket restrict the installer from over-extending the rack. This ensures the integrity of the rack.
- Self-squaring design for a short assembly time.
- One (1) set of two (2) horizontal cable manager bars. Additional cable manager bars available by ordering part number **DC4RSHCM**.
- Finished in smooth black powder paint.
- Knockdown design ships unassembled for easy handling and shipping protection.

Specifications

- Constructed of 12-gauge steel.
- Suggested load capacity of 2,000 lbs (907 kg).
- RoHS Compliant.
- Manufactured in North America.

Gallery



Accessories

- Rackmount Adjustable Angle Bracket
- Adjustable Depth Shelf
- Universal Rack Shelf
- Two Post Centered Shelf
- Rack Panels
- Horizontal Ring Cable Manager
- Horizontal Finger Cable Manager
- Grounding
- Rack Isolation Kit
- Bolt Down Kit
- Vertical Rack Cable Manager with Door
- Vertical Fingered Rack Cable Manager with Door
- Top Wire Management
- Top Cable Chimney
- Adjustable Depth Cable Manager
- 10-32 Mounting Screw and Cage Nut Combo-Pack
- Outlet Strips
- Light Duty Caster Set for Open Frame Rack
- Rack and Cabinet Baying/Ganging/Joining Kit

Adjustable Depth

Part No.	Overall Dimensions		Rack Units	Mounting Dimensions			
	Height	Width		Height	Width	Min Depth	Max Depth
DC4R24	48.12	20.50	24U	42.00	19.00	24.00	36.00
DC4R2448	48.12	20.50	24U	42.00	19.00	32.00	48.00
DC4R44	83.13	20.50	44U	77.00	19.00	24.00	36.00
DC4R4448	83.13	20.50	44U	77.00	19.00	32.00	48.00

The base feet extending outwards add approx. 12 inches of overall depth.

Note: Product not available within the USA.

Fixed Depth

Part No.	Overall Dimensions			Rack Units	Mounting Dimensions		
	Height	Width	Depth		Height	Width	Depth
DC4R4429F	83.13	20.50	29	44U	77.00	19.00	29.00
DC4R4436F	83.13	20.50	36	44U	77.00	19.00	36.00
DC4R4442F	83.13	20.50	42	44U	77.00	19.00	42.00

DC4R Specific Accessories

Part No.	Description
DC4RSHCM	Additional Horizontal Cable Bars (2)
DC4RPR24	Additional pair of rails for DC4R 24U
DC4RPR44	Additional pair of rails for DC4R 44U

Tags: **Relay Rack, H-Frame, Server Rack, Equipment Rack, Network Rack, Skeleton Rack, Telco Rack, Two-Post Rack** *Data subject to change without notice*

© 2017. Hammond Manufacturing Ltd. All rights reserved.