



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





LilyPad LilyMini ProtoSnap

DEV-14063



Description: The LilyMini ProtoSnap is a great way to get started learning about creating interactive e-textile circuits before you start sewing. Like other LilyPad ProtoSnap boards, the LilyMini ProtoSnap has all of its pieces wired together out of the box, enabling you to test the circuit's function before you sew. At the center of the board is a pre-programmed LilyMini microcontroller connected to a LilyPad Light Sensor, LilyPad Button and two pairs of LilyPad LEDs.

The LilyMini ProtoSnap ships with pre-loaded code that uses all the LilyPad pieces connected to it. This sample code has three modes, which can be selected by pressing the LilyPad Button on the bottom-left side of the ProtoSnap. The built-in RGB LED on the LilyMini will change color to indicate which mode has been selected:

White: All LEDs on.

Magenta: LEDs fade in and out in a breathing pattern. When the light sensor is covered, LEDs fade faster.

Cyan: LEDs off. When the light sensor is covered, LEDs will twinkle.

The LilyMini board, at the center of the ProtoSnap, has a built-in battery holder for a CR2032 battery (included). The board can also be powered through the microUSB port while connected to a computer for reprogramming. On the opposite side of the LilyMini you will find the SAMD11 brain, which controls the ProtoSnap.

Note: A portion of this sale is given back to Dr. Leah Buechley for continued development and education in e-textiles.

Included on the ProtoSnap:

- 1x LilyMini (battery included)
- 1x LilyPad Light Sensor
- 1x LilyPad Button
- 4x LilyPad LEDs