



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE

PART No.	CODE No.	NUMBER OF CONTACTS		
		A	B	C
DF13-2P-1.25DSA(50)	CL536-0101-9-50	2	1.25	3.15
DF13-3P-1.25DSA(50)	CL536-0102-1-50	3	2.5	4.4
DF13-4P-1.25DSA(50)	CL536-0103-4-50	4	3.75	5.65
DF13-5P-1.25DSA(50)	CL536-0104-7-50	5	5	6.9
DF13-6P-1.25DSA(50)	CL536-0105-0-50	6	6.25	8.15
DF13-7P-1.25DSA(50)	CL536-0106-2-50	7	7.5	9.4
DF13-8P-1.25DSA(50)	CL536-0107-5-50	8	8.75	10.65
DF13-9P-1.25DSA(50)	CL536-0108-8-50	9	10	11.9
DF13-10P-1.25DSA(50)	CL536-0109-0-50	10	11.25	13.15
DF13-11P-1.25DSA(50)	CL536-0110-0-50	11	12.5	14.4
DF13-12P-1.25DSA(50)	CL536-0111-2-50	12	13.75	15.65
DF13-13P-1.25DSA(50)	CL536-0112-5-50	13	15	16.9
DF13-14P-1.25DSA(50)	CL536-0113-8-50	14	16.25	18.15
DF13-15P-1.25DSA(50)	CL536-0114-0-50	15	17.5	19.4

2 APPLICATION FIGURE



3 RECOMMENDED PATTERN




- 1 WHEN THIS CONNECTOR HAS TWO OR THREE CONTACTS, THE LOCK OF CONNECTOR SHALL BE SET AT THE CENTER OF HOUSING. IN CASE THAT THE NUMBER OF CONTACTS IS MORE THAN FOUR, THE TWO LOCKS SHALL BE SET IN ACCORDANCE WITH THE DRAWINGS.
- 2 WHEN THIS CONNECTOR MATES WITH DF13-*S-1.25C, THE MATING LENGTH IS 5.3mm.
- 3 RECOMMENDED DIP POST DIA. : $\phi 0.6 \pm 0.03$

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
2	BRASS	SURFACE: GOLD PLATED 0.2 μ m min UNDER PLATING: NICKEL PLATED 0.5 μ m min	4	STYRENE-C-BASED ELASTOMERS	STOPPER, GREEN
1	POLYAMIDE	BEIGE (NATURAL), UL94V-0	3	PS	ELECTROSTATIC PROTECTION, CLEAR

DRAWING NO.	EDC3-083673-02	PART NO.	DF13-*P-1.25DSA(50)
SCALE	5 : 1	CODE NO.	CL536-
UNITS	MM		

TO

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE



PART No.	CODE No.	NUMBER OF CONTACTS	QUANTITY OF CONNECTORS
DF13-2P-1.25DSA(50)	CL536-0101-9-50	2	115
DF13-3P-1.25DSA(50)	CL536-0102-1-50	3	89
DF13-4P-1.25DSA(50)	CL536-0103-4-50	4	72
DF13-5P-1.25DSA(50)	CL536-0104-7-50	5	61
DF13-6P-1.25DSA(50)	CL536-0105-0-50	6	52
DF13-7P-1.25DSA(50)	CL536-0106-2-50	7	46
DF13-8P-1.25DSA(50)	CL536-0107-5-50	8	41
DF13-9P-1.25DSA(50)	CL536-0108-8-50	9	37
DF13-10P-1.25DSA(50)	CL536-0109-0-50	10	34
DF13-11P-1.25DSA(50)	CL536-0110-0-50	11	31
DF13-12P-1.25DSA(50)	CL536-0111-2-50	12	29
DF13-13P-1.25DSA(50)	CL536-0112-5-50	13	27
DF13-14P-1.25DSA(50)	CL536-0113-8-50	14	25
DF13-15P-1.25DSA(50)	CL536-0114-0-50	15	23

NOTE4. MINIMUM UNIT OF PURCHASE SHALL BE THE QUANTITY OF CONNECTORS IN TUBE.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS

SCALE	DRAWING NO.	PART NO.
FREE	EDC3-083673-02	DF13-*P-1.25DSA(50)
UNITS		CODE NO.
mm		CL536-

FORM NO. 229

TO