



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Analog Piezo Disk Vibration Sensor (SKU:DFR0052)



Contents


- [1 Introduction](#)
- [2 Specification](#)
- [3 Tutorial](#)
 - [3.1 Connection diagram](#)
 - [3.2 Sample Code](#)
 - [3.3 Result](#)

Introduction

The DFRobot Vibration Sensor buffers a piezoelectric transducer that responds to strain changes by generating a measurable output voltage change which is proportional with the strength of vibration.


Specification

Power supply: Not necessary to power the module
Interface: Analog
Current: less than 1mA
Weight: 10g



Tutorial

Connection diagram




Sample Code

```
void setup()
{
  Serial.begin(9600); //
}
void loop()
{
  int val;
```

```
val=analogRead(0); //Connect the sensor to analog pin 0
Serial.println(val,DEC); //
delay(100);
}
```

Result

When pressure is applied not to the piezoelectric ceramics, the analog output of 0; when pressure is applied to the piezoelectric ceramics, the analog output will send the change, but as the pressure increases.



For any questions/advice/cool ideas to share, please visit [DFRobot Forum](#).