



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





USB Power Detector 3-10V, 0-3A

SKU:DFR0303

INTRODUCTION

Small and exquisite, this USB power detector displays charging voltage and current at same time in one screen. Checking power consumption of arduino and various modules cannot be more easier with this detector.



Directions

There are one input and two outputs.


OUTPUT-I

- data communication: connect the input with PC and the other with mobile phone or tablets, you can easily transmiss data between.
- charging voltage output: connect the input with PC and other with phone/tablet to charge

OUTPUT-II

- charging voltage output: connect the input with PC and other with phone/tablet to charge

● Read the capacity:



SPECIFICATION

- Can be used for power detection of sensors and other devices
- Technical specifications
- Power supply voltage: 3.2 ~ 10 V
- Test current: 0 ~ 3 A
- Detecting capacity : 0~99999mA/H
- Testing Power : 0~9.99W~99.9W
- Working current: < 20 mA
- USB extension: 120 mm or more
- Speed: 500 ms/or times
- Accuracy: 1% (plus or minus 2 words)
- Product size: 69 * 26 * 19 mm(2.716*1.023*0.75")

SHIPPING LIST

- USB Power Detector x1