



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Romeo for Intel® Edison Controller (With Intel® Edison)

SKU:DFR0350



INTRODUCTION

Romeo for Intel® Edison is a multi-purpose, all-in-one development platform based on Intel Edison and Arduino SoC. It is especially designed to be useful for robotics applications. Romeo for Intel® Edison is compatible with Arduino open source platform and Linux, and supports Java and C development environment. Users are able to extend this platform with thousands of existing shields and modules such as switches, sensors, LEDs, servos, motors easily with Romeo for Intel Edison. It can also be used as a standalone communication platform for software like flash, processing, Max/MSP and VVVV. The integrated 2 way DC motor driver and wireless capability allows you to start your project immediately without the need of any additional motor driver or wireless shield. The Romeo for Intel® Edison inherits all functions of the Romeo all-in-one controller and integrates powerful functions the Intel Edison board possesses. You can describe it as a control board specially designed for robotics applications, carrying the powerful gene of Intel® Edison and being compatible with Arduino.

FEATURES

- Dual-core processor, 500MHz Intel® Atom™ processor and 100MHz Intel® Quark™ microcontroller
- Support USB power and external power supply switch
- Support SPI program port
- Support 1 x I2C interface
- Support 2 way motor drive (Peak Current: 2A)
- Support Broadcom 43340 802.11 a/b/g/n dual band (2.4G and 5GHz) Wi-Fi
- Support Bluetooth 4.0
- Support OTG
- 14 Digital I/O pins
- 6 Analog I/O pins
- 4 PWM Output interfaces

SPECIFICATION

- Microprocessor: Intel® Edison (dual-core processor, 500MHz Intel Atom CPU and 100MHz Intel Quark microcontroller)
- Operating Voltage: 5V
- Output Voltage: 5V/3.3V
- Input Voltage(limits): 6-20V
- Digital I/O pins: 14
- Analog I/O pins: 6
- DC Current per I/O Pin: 10mA
- Motor Driver Constant Current: 2 x 2A
- Size: 100x88x15mm(3.94x3.07x0.59")
- Weight: 70g

SHIPPING LIST

- Romeo for Edison Controller x1