



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





NetDecoder™

Industrial Communication Analyzer

Clarity from Complexity

When something goes wrong with your industrial network, spending time and resources trying to diagnose and resolve the problem is very costly.

With NetDecoder, you can learn about impending problems before they occur. It's an intuitive, passive network monitor and troubleshooting tool that offers high level views of your network activity and helps you understand your communications traffic.

In an environment that demands deterministic control and information exchange, having the right tool to help you understand your network activity is absolutely critical. And that is just what NetDecoder delivers for a broad range of serial, Ethernet and industrial protocols and buses.

Use the same tool Rockwell Automation Network Services engineers use globally.

Product Highlights:

- PC-based Industrial Communications analyzer
- Supports serial, Ethernet & industrial buses

Serial

- DF1/PCCC
- Modbus RTU
- Modbus ASCII
- DNP3
- BACNet
- IEC-60870-5-102
- CC-Link
- IEC 60870-5-101
- IEC 60870-5-103
- BSAP Bristol Babcock
- ABB COMLI
- Emerson ROC
- Saia-Burgess S-Bus

Ethernet

- Modbus/TCP
- PROFINET
- DNP3
- EtherNet/IP (includes CIP and PCCC)
- Allen-Bradley CSP/PCCC
- IEC 60870-5-104
- CC-Link IE

Industrial

- DeviceNet
- ControlNet
- Allen-Bradley DH-485
- Allen-Bradley Data Highway Plus
- CAN 2.0 A

Suggested Uses:

- Check network health before adding a new device or changing a configuration
- Diagnose device communication problems
- Survey and benchmark existing networks to track network performance over time
- Commission new networks and network expansions

NetDecoder

NetDecoder is a passive and easy-to-use network monitor that helps less-skilled troubleshooters understand what is happening on their communications networks. The Dashboard View, Network View Network View, Statistics Display and Frame Display are intuitive, easy to read, and quickly provide a wealth of information about the network. Although NetDecoder is simple to work with, it does provide a level of sophisticated and detailed information demanded by today's network specialist.

NetDecoder is a must for

- SCADA Engineers
- System Integrators
- Network Engineers
- Maintenance Engineers
- Field Service Personnel

NetDecoder's Node Statistics

Network View enables you to see statistics on specific nodes including communications traffic details and node information for active nodes on the monitored side of the switch.

Individual Active Node Information

- Packets Transmitted and Received
- Bytes Transmitted and Received
- DNS Names
- Nodes In and Out
- Utilization Information
- Broadcast Information
- IP Address and MAC Address
- Named MAC Address
- NetBios Name
- Assigned User Friendly Names for Each Node

Ethernet Protocols



Serial Protocols







Allen-Bradley / Rockwell Industrial Bus Protocols







Benefits

- Reduce downtime and increase uptime
- Improve network performance
- Improve network security
- Improve network maintenance
- Perform faster and more efficient network installations
- Rapidly develop industrial control and SCADA network products
- Perform better in Conformance testing of your network products

Partial User List

- Rockwell Automation
- Sunoco Logistics
- General Motors
- ExxonMobil
- Northrup Grumman
- Weyerhaeuser
- DTE Energy
- Cooper Power Systems
- Duke Energy
- Enbridge



PC System Requirements

- Pentium 1 GHz or faster
- Windows XP (32-bit), Windows 7 (32-bit, 64-bit)
- RAM: 1 GB minimum, 2 GB recommended
- 50 MB free hard disk space
- One USB 2.0 Port
- Industrial buses require additional hardware

For more information, or to request an evaluation:

fte.com/NetDecoder

NetDecoder™

Industrial Communication Analyzer

Key Features

- Captures, decodes, timestamps, filters and displays data, and detects protocol errors (indicated in red) simultaneously, all live and in real-time.
- Data is also displayed in binary, octal, hex, and ASCII.
- Familiar tree (Explorer style) protocol decode display with single-click protocol filtering.
- Session notes and annotated bookmarks allow for quick identification of questionable messages.
- Log data to single or multiple files.

The screenshot shows the 'Frame Display' window with a table of protocol frames. A red box labeled 'Message Summary' points to the first row of the table. Another red box labeled 'Message Stream' points to the binary data below the table.

Unfiltered	Ethernet	IPV4	Modbus	TCP	TCP	Info
2,366	161.218.167.40	161.218.167.41	Normal	ReadHoldingRegisters	6550	60 70
2,367	161.218.167.40	161.218.167.41	Normal	ReadHoldingRegisters	6550	30 70
2,368	161.218.167.41	161.218.167.40	Normal	ReadHoldingRegisters	6150	23 70
2,369	161.218.167.41	161.218.167.40	Normal	ReadHoldingRegisters	6150	23 70
2,370	161.218.167.41	161.218.167.40	Normal	ReadHoldingRegisters	6150	23 70
2,371	161.218.167.41	161.218.167.40	Normal	ReadHoldingRegisters	6150	23 70
2,372	161.218.167.40	161.218.167.41	Normal	ReadCoils	0	15 70
2,373	161.218.167.40	161.218.167.40	Normal	ReadCoils	0	15 70

See actual command and reply data.

Together with our comprehensive line of USB hardware interfaces, Frontline's NetDecoder protocol analyzer monitors and provides detailed timing, data, and messaging information for a wide range of communications protocols.

The screenshot shows the 'Network View' window with a network diagram. A red box labeled 'The Network View displays the nodes on the network from the point of view of the network tap. Includes byte and packet statistics.' points to the diagram.



sales@fte.com / 800.359.8570 US & Canada / +1.434.984.4500 / Fax: 434.984.4505

© Copyright 2012, Frontline Test Equipment, Inc. All rights reserved. NetDecoder, FrameDecoder and the Frontline logo are trademarks. Debug Communications Faster is a service mark, and Frontline is a registered trademark of Frontline Test Equipment, Inc. Data Highway Plus and DH+ are trademarks of Rockwell Automation. Other trademarks and trade names are those of their respective owners.