mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Qualcom

Qualcomm® QCC300x Family Bluetooth Audio SoCs

Programmable entry-level flash audio SoCs designed for optimizing Bluetooth[®] headset and speaker applications.

QCC300x flexible System-on-Chips (SoCs) support increased OEM customization and are engineered to offer a rich set of audio features which have not typically been associated with mid to low tier Bluetooth wireless audio devices.

The QCC300x family includes eight SoC devices – five (QCC3001 – QCC3005) which support Bluetooth headset applications, and three (QCC3006 – QCC3008) for Bluetooth speaker applications. Coupled with the audio development kit (ADK) and tools, these devices help to provide a flexible, cost effective platform for designing high quality Bluetooth audio products.

A single-chip dual-mode Bluetooth 5 system, QCC300x SoCs feature 8th generation Qualcomm[®] cVc[™] Noise Cancellation Technology with one and two microphone inputs; an enhanced GAIA designed for better communication with mobile devices; and has external QSPI flash memory for configuration and voice prompts.

More consumers are making the move to wireless due to disruptive industry events like the removal of the headphone jack. By offering a wider range of what were once considered premium features at a competitive price point, the QCC300x platform supports expansion of the overall wireless audio market and potential of increased unit sales.

Solution Highlights

Cost-effective, single-chip flash programmable platform solution

QCC300x includes low-power audio DSP with on-chip ROM and RAM, audio codec, battery charger, switch mode and linear regulators, and LED drivers all in one chip. It is optimized to support reduced development time with its fixed-function and customizable SoCs.

Differentiated, production quality, software and development tools

Offers a combination of proprietary features and flash programmability at fixed-function ROM price points, and a purpose-built development kit designed to support a flexible and comprehensive development environment.

Support for Over-the-Air updates

Over-the-Air (OTA) update of external Flash supports updates of file partitions of the external Quad SPI Flash. Combine multiple features, for example update voice prompts or make updates to the application running in external Flash memory.

8th generation cVc noise cancellation technology

cVc technology is a suite of algorithms designed to work on the transmit and receive paths to help deliver optimum audio quality and echo cancellation on headsets, speakers, speakerphones, and other hands-free devices.







Bluetooth Headset and Speaker Applications

- Stereo Bluetooth Headphones
- Bluetooth Earbuds
- Bluetooth Car Speakers
- Portable Speakers
- Bluetooth Speakers

Bluetooth

Features

- Dual-mode Bluetooth 5 qualified radio
- Variants designed to address both headsets/ headphones and speaker applications
- Low-power Qualcomm[®] Kalimba[™] DSP with on-chip ROM and RAM, stereo codec, battery charger, switch mode and linear regulators and LED drivers in a single chip solution
- Customizable application code
- Access to technologies such as Link Layer and Dual Mode topologies (LLT/DMT), Qualcomm[®] aptX[™], cVc noise cancellation technology and Qualcomm TrueWireless[™] Stereo (depending on variant)
- A rich set of features, use cases and programmability at more cost-effective price points
- Pin compatible with CSRA63xxx and CSRA64xxx family of products
- Supports OTA updates
- Integrated Qualcomm TrueWireless
 Stereo technology
- Qualcomm[®] meloD[™] Expansion audio processing: 3D stereo widening
- aptX and aptX Low Latency capabilities to help deliver high quality, synchronized stereo audio for wireless audio/video applications. (QCC3002, QCC3005 and QCC3008 only)
- SBC and AAC codecs
- Promotes reduced development time with support of application image and source code, IDE and configuration
- Updated Generic Application Interface
 Architecture (GAIA) protocol v3

To learn more visit: qualcomm.com



QCC300x Block Diagram



QCC300x Specifications

Bluetooth	Integrated dual-mode radio and balun (50 Ω) Bluetooth 5.0 qualified HFP v1.7, A2DP v1.3, AVRCP v1.6			
MCU	80MHz RISC CPU			
DSP	Integrated 24-bit fixed-point 80 MHz Kalimba DSP			
Memory Architecture	On-chip ROM, RAM and QSPI external Flash memory			
Audio Interfaces	I ² S/PCM outputs and inputs (QCC3003 and above) SPDIF inputs (QCC3007 & 3008 only) USB audio enumeration (dual) Stereo audio ADC with line input Stereo audio DAC (except QCC3001, 02 & 06 with mono DAC) Analog and digital microphone inputs			
Serial Interfaces	USB 2.0, I ² C, SPI; UART (QCC3003 and above) up to 16x GPIOs (BGA package), 3x LED drivers			
Battery Support	USB charging architecture Modes: Disable, Trickle Charge, Fast Charge, Standby, Error 200mA Charger current with external BJT option USB Charging spec enumeration compliant			
Power Management	1V8 (185mA) and 1V35 (160mA) SMPS regulators (can be combined in parallel for single 1V8 (340mA) output) USB 3.3V regulator; integrated 1V35 linear regulators			

QCC300x Bluetooth Audio SoCs

Qualcomm QCC300x

Programmable entry-level flash audio SoCs designed for optimizing Bluetooth headset and speaker applications.

Bluetooth

QCC300x Feature Comparison



QCC300x SoCs and Development Kits Ordering Information

Device	Package	Order Number	Dev Kit P/N	Dev Board P/N		
HEADSET/HEADPHONE/BUD						
QCC3001	WLCSP	QCC3001-1-48WLCSP	DK-QCC3001-WLCSP-CE752-1A	DB-QCC3001-WLCSP-CE752-1A		
QCC3001	BGA	QCC3001-2-68CSP	DK-QCC3001-BGA-CE889-1A	DB-QCC3001-BGA-CE889-1A		
QCC3002	WLCSP	QCC3002-1-48WLCSP	DK-QCC3002-WLCSP-CE751-1A	DB-QCC3002-WLCSP-CE751-1A		
QCC3002	BGA	QCC3002-2-68CSP	DK-QCC3002-BGA-CE890-1A	DB-QCC3002-BGA-CE890-1A		
QCC3003	6x6 QFN	QCC3003-0-52MQFN	DK-QCC3003-6x6QFN-CE690-1A	DB-QCC3003-6x6QFN-CE690-1A		
QCC3004	BGA	QCC3004-1-68CSP	DK-QCC3004-BGA-CE742-1A	DB-QCC3004-BGA-CE742-1A		
QCC3005	BGA	QCC3005-1-68CSP	DK-QCC3005-BGA-CE729-1A	DB-QCC3005-BGA-CE729-1A		
SPEAKERS						
QCC3006	8x8 QFN	QCC3006-0-68CMQFN	DK-QCC3006-8x8QFN-CE680-1A	DB-QCC3006-8x8QFN-CE680-1A		
QCC3007	8x8 QFN	QCC3007-0-68CMQFN	DK-QCC3007-8x8QFN-CE679-1A	DB-QCC3007-8x8QFN-CE679-1A		
QCC3008	8x8 QFN	QCC3008-0-68CMQFN	DK-QCC3008-8x8QFN-CE678-1A	DB-QCC3008-8x8QFN-CE678-1A		

To learn more visit: qualcomm.com

QCC3001, QCC3004, QCC3006, CSRA63120, CSRA63210, CSRA63220, CSRA63225, CSRA64110, CSRA64210 and CSRA631215 are products of Qualcomm Technologies, Inc. and/or its subsidiaries.

©2018 Qualcomm Technologies International, Ltd. All Rights Reserved. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. Qualcomm True/Wireless is a trademark of Qualcomm Incorporated. aptX, meloD, cVc and Kalimba are trademarks of Qualcomm Technologies International, Ltd., registered in the United States and other countries. The Bluetooth[®] word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Qualcomm Technologies International, Ltd. is under license. Other products and brand names may be trademarks or registered trademarks of their respective owners.

