

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









INTERFACE, KIT-USB (DMSC-2U)

Interface Kit For DM-200 and 200A Series and DM-510A Digital Multimeters

Cat No: DMSC-2U

UPC No: 783310357728

Description

- Connects to a PC for data storage and retrieval from Greenlee digital multimeters
- Allows retrieval of storeddata and real-time logging and graphing
- Retrieve stored data log from DML-Series
- Export data to disk for analysis with any spreadsheet
- Lifetime Limited Warranty

Specifications

- Application: For DM-200, 200A Series, DM-510A Digital Multimeters
- Hardware Requirements: Windows 7/Vista/XP/2000/NT4 Or Windows ME/98/95
- Software Requirements :
 - CPU And Memory Minimum Windows Requirement, Monitor At Least 640 X 480, 800 X
 600 Recommended, Hard Disk At Least 20 Megabytes Free Space, Connection DMSC-9U: Free USB Port
 - DMSC-2U: Free USB Or 9-PinSerial Port
 - DMSC-9: Free 9-Pin Serial Port