



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.




3.93
[99.7]

PANDUIT PART NO.*	DESCRIPTION	WEIGHT
DPA245E88TV25	24 PORT ANGLED 4 PAIR CAT5E RJ21 PATCH PANEL	1.12 LB (507g)

NOTES:

- * 1. SEE CURRENT CATALOG FOR VARIOUS APPLICATIONS WITH THIS WIRING SYSTEM AS WELL AS OPTIONAL SNAP-IN LABEL HOLDERS.
- 2. 24 PORT ANGLED PATCH PANEL ALL PAIR WIRED 8 POSITION RJ45 MODULE ALL POSITIONS WIRED.
- 3. THE PATCH PANEL IS DESIGNED FOR MOUNTING TO 19" UNIVERSAL RACKS.
- 4. FOUR (4) 12-24 X 1/2" ROUND HEAD SCREWS AND (4) METRIC M6x1x15MM SCREWS ARE PROVIDED FOR FASTENING TO RACKS.
- 5. DIMENSIONS IN PARENTHESES ARE IN METRIC.
- 6. MATERIALS- STAMPING: CRS
MODULE: V-0 ABS



MOUNTS TO 19" UNIVERSAL RACKS

PART NUMBER		DPA245E88TV25	
TITLE			
24 PORT ANGLED 4 PAIR CAT5E RJ21 PATCH PANEL			
CUSTOMER DRAWING			
ITEM REVISION NAME		M02829AB/01	
DATASET FILE NAME		M02829AB_DC12/01A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		MATERIAL:	
.x ± .xxx ± .010 [.3]		SEE NOTE 6	
.xx ± .03 [.8] ANGLES ±		DRAWING NUMBER:	
THIRD ANGLE PROJECTION		02829-12	
DRAWN BY	DATE	CHK	SCALE
NER	8-17-07	MKY	NONE
SHT 1 OF 2		A	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
2	5-30-14	MDJR	REFR	MMR	A. UPDATED TITLE BLOCK. REMOVED PREVIOUS REVISIONS FOR CLARITY.	02829-12

D10100DDA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

WIRING CHART (PORTS 1-3)			
RJ21 POSITIONS	RJ45 PLUG POSITION	PAIRS	PORT
26	5	PAIR 1	PORT 1
1	4		
27	1	PAIR 2	
2	2	PAIR 3	
28	3		
3	6	PAIR 4	
29	7		
4	8	PAIR 5	
30	5		
5	4	PAIR 6	PORT 2
31	1		
6	2	PAIR 7	
32	3		
7	6	PAIR 8	
33	7		
8	8	PAIR 9	PORT 3
34	5		
9	4	PAIR 10	
35	1		
10	2	PAIR 11	
36	3		
11	6	PAIR 12	
37	7		
12	8		

WIRING CHART (PORTS 4-6)			
RJ21 POSITIONS	RJ45 PLUG POSITION	PAIRS	PORT
38	5	PAIR 13	PORT 4
13	4		
39	1	PAIR 14	
14	2	PAIR 15	
40	3		
15	6	PAIR 16	
41	7		
16	8	PAIR 17	PORT 5
42	5		
17	4	PAIR 18	
43	1		
18	2	PAIR 19	
44	3		
19	6	PAIR 20	
45	7		
20	8	PAIR 21	PORT 6
46	5		
21	4	PAIR 22	
47	1		
22	2	PAIR 23	
48	3		
23	6	PAIR 24	
49	7		
24	8	PAIR 25	
50	NONE		
25			

PART NUMBER		DPA245E88TV25	
TITLE			
24 PORT ANGLED 4 PAIR CAT5E RJ21 PATCH PANEL			
CUSTOMER DRAWING			
ITEM REVISION NAME		M02829AB/01	
DATASET FILE NAME		M02829AB_DC12/01A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)		MATERIAL:	
.x ± .xxx ± .010 (.3)		SEE NOTE 6 ON SHEET 1	
.xx ± .03 (.8)		DRAWING NUMBER:	
ANGLES ±		02829-12	
THIRD ANGLE PROJECTION		SHT 2 OF 2	
DRAWN BY	DATE	CHK	SCALE
NER	8-17-07	MKY	NONE
REV	DATE	BY	CHK
2	5-30-14	MDJR	REFR
MMR	SEE SHEET 1 OF 2 FOR CHANGES		02829-12
APR	DESCRIPTION		ECN

D10100DA/14