



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



NOTES:

SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE.

DURA-TY CABLE TIES MEET OR EXCEED THE REQUIREMENTS OF TR-TSY-000789, TELCORDIA TECHNOLOGIES.

PANDUIT * PART NO.	DESCRIPTION	BUNDLE DIA.		A in. (mm)	B in. (mm)	C in. (mm)	D in. (mm)	E in. (mm)	F in. (mm)	MINIMUM LOOP TENSILE 2"/MIN. lbs. (N)	WEIGHT lbs/(kg) per 100/pcs
		MIN. in. (mm)	MAX. in. (mm)								
DT4EH	13.5 IN. LONG TIE	.020 (.51)	3.875 (98.4)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	13.5 ±.150 (343) (±3.81)	250 (1112)	2.6 (1.18)
DT8EH	27 IN. LONG TIE	.020 (.51)	8.0 (203.2)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	27.0 ±.150 (686) (±3.81)	250 (1112)	4.4 (2.0)
DT14EH	48 IN. LONG TIE	.020 (.51)	14.0 (355)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	48.0 ±1.50 (1219) (±38.1)	250 (1112)	7.5 (3.4)
DT15EH	53 IN. LONG TIE	.020 (.51)	15.0 (381)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	53.0 ±1.50 (1346) (±38.1)	250 (1112)	8.1 (3.7)
DT28EH	96 IN. LONG TIE	.020 (.51)	28.0 (711)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	96.0 ±1.50 (2438) (±38.1)	250 (1112)	13.8 (6.3)
DT44EH	144 IN. LONG TIE	.020 (.51)	44.0 (1117)	.059 (1.50)	.495 (12.57)	.490 (12.45)	.812 (20.62)	.718 (18.24)	144.0 ±1.50 (3658) (±38.1)	250 (1112)	20.6 (9.3)

W10001BQ/04

DIMENSIONS IN PARENTHESES ARE IN METRIC UNITS

PANDUIT CORP. TINLEY PARK, ILLINOIS

DURA-TY
EXTRUDED CABLE TIES (EXTRA HEAVY)

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:
(.X) ± (.XXX) ±
(.XX) ± ANGLES ±

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

---	---			CHANGED WIDTH TOLERANCE FROM ±.008 TO ±.012.	---	---				DRAWN BY	JV	MAT'L;		SCALE	N/A
4	11/10/08	ERW	<i>ERW</i>	CHANGED WIDTH (DIM 'B') ON ALL PARTS FROM .500 TO .495	SS-27250	4	<i>ERW</i>			DATE	3/16/00	BLACK ACETAL		DRAWING NO.	SS-27250
REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP		CHK'D	DWW	EACH HEAD HAS TWO, TYPE 302 STAINLESS STEEL BARBS		SHEET 1 OF 2	DWG A SIZE