



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





[About Us](#)

[Products](#)

[Services](#)

[Support](#)


[Projects](#)

[Web Shop](#)

**Products**

- › [Board Comparison Chart](#)
- › [Developer's Kits](#)
- › [OEM Boards](#)
- ↓ **QuickStart Boards**
- › [LPC1343](#)
- › [LPC2106 RS232](#)
- › [LPC2129 CAN](#)
- › [LPC2148 USB](#)
- › **Prototype board**
- › [Christmas Tree](#)
- › [Color LCD Bluetooth Game](#)
- › [Education Boards](#)
- › [LPCXpresso & mbed](#)
- › [Displays](#)
- › [Tools](#)
- › [Accessories](#)

## QuickStart Prototype Board



**Price Information**

**EUR**

Art.no: **EA-QSB-100** [Buy](#)

- [Overview](#)
- [Specification](#)**
- [Related Products](#)
- [Resources](#)
- [FAQ](#)

### QuickStart Prototype Board

- Large prototype area (100 mil hole spacing)
- Smaller prototype area with 50 mil hole spacing
- SMD area for 50 mil SO circuits
- SMD area for 0.65 mm SSOP circuits
- MMC/SD connector, connected to SPI bus
- 7-segment display connected to SPI bus
- 16 LEDs
- 4 switches
- Reset button
- JTAG connector
- 9-pol DSUB connector for UART #1
- Power supply 5VDC (center pin negative) or 9VDC (any polarity) or 6VAC
- Two 9-pol DSUB connectors for CAN board (not mounted)
- RS232 circuit for LPC2106 board (not mounted)
- 196 x 125 mm in size