



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




TS-HA Series two terminal snap-in

- 3000 hour* life at 105°C with high ripple current capability
- Wide range of case sizes including 20mm, low profile lengths
- **NEW:** 40mm diameter sizes through 100WV.
- Can vent construction



Rated Working Voltage:	10 ~ 250 VDC	385 ~ 450 VDC
Operating Temperature:	-40 ~ +105°C	-25 ~ +105°C
Nominal Capacitance:	68 ~ 68000µF (±20% tolerance)	33 ~ 470µF (±20% tolerance)
Dissipation Factor: (120 Hz, +20°C)	Working Voltage [V]:	10 16 25 35 50 63 80 100 - 450
	Max. D.F. (%):	55 45 35 30 25 20 17 15
For capacitance values > 33000µF, add the value of: $\frac{\text{(rated cap. } [\mu\text{F}] - 33000)}{1000}$		
Endurance:	3000 hours* at +105°C with maximum specified ripple current (see page 4) *2000 hours for 20mm diameter or 20mm length sizes	

Part Number System



Ripple Current
Multipliers:
Page 7

TS-HA Standard Ratings

Cap. (µF)	Size (mm) D x L	Max 105°C R.C. (A _{rms})		20°C ESR (Ω, max.)		Panasonic Part Number	Cap. (µF)	Size (mm) D x L	Max 105°C R.C. (A _{rms})		20°C ESR (Ω, max.)		Panasonic Part Number
		120Hz	10k~100kHz	120Hz	20kHz				120Hz	10k~100kHz	120Hz	20kHz	
10 VDC Working, 13 VDC Surge							16 VDC Working, 20 VDC Surge						
6800	20 x 25	1.30	1.50	0.110	0.093	ECOS1AA682AA	6800	20 x 30	2.20	2.53	0.085	0.068	ECOS1CA682AA
8200	20 x 30	1.60	1.84	0.091	0.077	ECOS1AA822AA	8200	20 x 35	2.40	2.76	0.071	0.057	ECOS1CA822AA
10000	20 x 30	1.80	2.07	0.075	0.063	ECOS1AA103AA	10000	20 x 40	2.60	2.99	0.066	0.053	ECOS1CA103AA
12000	20 x 35	2.20	2.53	0.062	0.053	ECOS1AA123AA	3300	22 x 20	1.30	1.50	0.216	0.173	ECOS1CA332BL
15000	20 x 40	2.30	2.65	0.053	0.045	ECOS1AA153AA	3300	22 x 25	1.30	1.50	0.176	0.141	ECOS1CA332BA
4700	22 x 25	0.85	0.98	0.159	0.135	ECOS1AA472BA	4700	22 x 25	1.52	1.75	0.123	0.099	ECOS1CA472BA
6800	22 x 25	1.30	1.50	0.110	0.093	ECOS1AA682BA	6800	22 x 25	2.20	2.53	0.085	0.068	ECOS1CA682BA
10000	22 x 25	1.80	2.07	0.075	0.063	ECOS1AA103BA	8200	22 x 30	2.40	2.76	0.071	0.057	ECOS1CA822BA
12000	22 x 30	2.20	2.53	0.062	0.053	ECOS1AA123BA	10000	22 x 30	2.60	2.99	0.066	0.053	ECOS1CA103BA
15000	22 x 35	2.30	2.65	0.053	0.045	ECOS1AA153BA	12000	22 x 35	2.90	3.34	0.055	0.044	ECOS1CA123BA
18000	22 x 40	2.40	2.76	0.044	0.038	ECOS1AA183BA	15000	22 x 40	3.20	3.68	0.046	0.037	ECOS1CA153BA
22000	22 x 45	2.60	2.99	0.038	0.032	ECOS1AA223BA	18000	22 x 45	3.50	4.03	0.040	0.034	ECOS1CA183BA
27000	22 x 50	3.10	3.57	0.033	0.028	ECOS1AA273BA	4700	25 x 20	1.60	1.84	0.152	0.121	ECOS1CA472CL
15000	25 x 25	2.30	2.65	0.053	0.045	ECOS1AA153CA	10000	25 x 25	2.60	2.99	0.066	0.053	ECOS1CA103CA
18000	25 x 30	2.40	2.76	0.044	0.038	ECOS1AA183CA	12000	25 x 30	2.90	3.34	0.055	0.044	ECOS1CA123CA
22000	25 x 35	2.60	2.99	0.038	0.032	ECOS1AA223CA	15000	25 x 35	3.20	3.68	0.046	0.037	ECOS1CA153CA
27000	25 x 40	3.10	3.57	0.033	0.028	ECOS1AA273CA	18000	25 x 40	3.50	4.03	0.040	0.034	ECOS1CA183CA
33000	25 x 45	3.40	3.91	0.027	0.023	ECOS1AA333CA	22000	25 x 45	3.80	4.37	0.033	0.028	ECOS1CA223CA
39000	25 x 50	3.70	4.26	0.025	0.021	ECOS1AA393CA	27000	25 x 50	4.20	4.83	0.028	0.025	ECOS1CA273CA
22000	30 x 25	2.60	2.99	0.038	0.032	ECOS1AA223DA	6800	30 x 20	1.80	2.07	0.105	0.084	ECOS1CA682DL
27000	30 x 30	3.10	3.57	0.033	0.028	ECOS1AA273DA	12000	30 x 25	2.90	3.34	0.055	0.044	ECOS1CA123DA
33000	30 x 35	3.40	3.91	0.027	0.023	ECOS1AA333DA	15000	30 x 30	3.20	3.68	0.046	0.037	ECOS1CA153DA
39000	30 x 40	3.70	4.26	0.025	0.021	ECOS1AA393DA	18000	30 x 30	3.50	4.03	0.040	0.034	ECOS1CA183DA
47000	30 x 45	4.20	4.83	0.023	0.020	ECOS1AA473DA	22000	30 x 35	3.80	4.37	0.033	0.028	ECOS1CA223DA
56000	30 x 50	5.00	5.75	0.022	0.019	ECOS1AA563DA	27000	30 x 40	4.20	4.83	0.028	0.025	ECOS1CA273DA
27000	35 x 25	3.10	3.57	0.033	0.028	ECOS1AA273EA	33000	30 x 45	4.70	5.41	0.023	0.020	ECOS1CA333DA
33000	35 x 30	3.40	3.91	0.027	0.023	ECOS1AA333EA	39000	30 x 50	5.10	5.87	0.022	0.020	ECOS1CA393DA
39000	35 x 30	3.70	4.26	0.025	0.021	ECOS1AA393EA	10000	35 x 20	2.40	2.76	0.071	0.057	ECOS1CA103EL
47000	35 x 35	4.20	4.83	0.023	0.020	ECOS1AA473EA	18000	35 x 25	3.50	4.03	0.040	0.034	ECOS1CA183EA
56000	35 x 40	5.00	5.75	0.022	0.021	ECOS1AA563EA	22000	35 x 30	3.80	4.37	0.033	0.028	ECOS1CA223EA
68000	35 x 50	5.50	6.33	0.021	0.020	ECOS1AA683EA	27000	35 x 30	4.20	4.83	0.028	0.025	ECOS1CA273EA
62000	40 x 40	5.42	6.23	0.023	0.022	ECOS1AA623FA	33000	35 x 35	4.70	5.41	0.023	0.020	ECOS1CA333EA
82000	40 x 50	7.36	8.46	0.018	0.017	ECOS1AA823FA	39000	35 x 40	5.10	5.87	0.022	0.020	ECOS1CA393EA
							47000	35 x 45	5.50	6.33	0.020	0.018	ECOS1CA473EA
							56000	35 x 50	6.00	6.90	0.019	0.017	ECOS1CA563EA
							47000	40 x 40	5.50	6.33	0.020	0.018	ECOS1CA473FA
							68000	40 x 50	7.29	8.38	0.015	0.014	ECOS1CA683FA

TS-HA Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number	Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number
		120Hz	10k~100kHz	120Hz	20kHz				120Hz	20kHz			
25 VDC Working, 32 VDC Surge							35 VDC Working, 44 VDC Surge						
4700	20 x 30	2.00	2.30	0.106	0.079	ECOS1EA472AA	3300	20 x 30	1.90	2.19	0.121	0.090	ECOS1VA332AA
5600	20 x 35	2.20	2.53	0.089	0.067	ECOS1EA562AA	3900	20 x 35	2.00	2.30	0.111	0.083	ECOS1VA392AA
6800	20 x 40	2.40	2.76	0.073	0.055	ECOS1EA682AA	4700	20 x 40	2.20	2.53	0.088	0.066	ECOS1VA472AA
2200	22 x 20	1.30	1.50	0.241	0.181	ECOS1EA222BL	1500	22 x 20	1.10	1.27	0.287	0.216	ECOS1VA152BL
2200	22 x 25	1.30	1.50	0.241	0.181	ECOS1EA222BA	1500	22 x 25	1.10	1.27	0.287	0.216	ECOS1VA152BA
3300	22 x 25	1.62	1.86	0.161	0.121	ECOS1EA332BA	2200	22 x 25	1.48	1.70	0.196	0.147	ECOS1VA222BA
4700	22 x 25	2.00	2.30	0.106	0.079	ECOS1EA472BA	3300	22 x 25	1.90	2.19	0.121	0.090	ECOS1VA332BA
5600	22 x 30	2.20	2.53	0.089	0.067	ECOS1EA562BA	3900	22 x 30	2.00	2.30	0.111	0.083	ECOS1VA392BA
6800	22 x 30	2.40	2.76	0.073	0.055	ECOS1EA682BA	4700	22 x 35	2.20	2.53	0.088	0.066	ECOS1VA472BA
8200	22 x 35	2.70	3.11	0.061	0.045	ECOS1EA822BA	5600	22 x 35	2.40	2.76	0.074	0.056	ECOS1VA562BA
10000	22 x 40	3.00	3.45	0.051	0.039	ECOS1EA103BA	6800	22 x 40	2.60	2.99	0.061	0.046	ECOS1VA682BA
12000	22 x 45	3.20	3.68	0.044	0.033	ECOS1EA123BA	8200	22 x 50	2.90	3.34	0.051	0.038	ECOS1VA822BA
3300	25 x 20	1.60	1.84	0.161	0.121	ECOS1EA332CL	2200	25 x 20	1.40	1.61	0.196	0.147	ECOS1VA222CL
6800	25 x 25	2.40	2.76	0.073	0.055	ECOS1EA682CA	4700	25 x 25	2.20	2.53	0.088	0.066	ECOS1VA472CA
8200	25 x 30	2.70	3.11	0.061	0.045	ECOS1EA822CA	5600	25 x 30	2.40	2.76	0.074	0.056	ECOS1VA562CA
10000	25 x 35	3.00	3.45	0.051	0.039	ECOS1EA103CA	6800	25 x 35	2.60	2.99	0.061	0.046	ECOS1VA682CA
12000	25 x 40	3.20	3.68	0.044	0.035	ECOS1EA123CA	8200	25 x 40	2.90	3.34	0.051	0.038	ECOS1VA822CA
15000	25 x 45	3.60	4.14	0.036	0.031	ECOS1EA153CA	10000	25 x 45	3.20	3.68	0.041	0.031	ECOS1VA103CA
18000	25 x 50	3.90	4.49	0.030	0.027	ECOS1EA183CA	12000	25 x 50	3.50	4.03	0.035	0.026	ECOS1VA123CA
4700	30 x 20	1.80	2.07	0.113	0.085	ECOS1EA472DL	3300	30 x 20	1.70	1.96	0.131	0.098	ECOS1VA332DL
8200	30 x 25	2.70	3.11	0.061	0.045	ECOS1EA822DA	5600	30 x 25	2.40	2.76	0.074	0.056	ECOS1VA562DA
10000	30 x 30	3.00	3.45	0.051	0.039	ECOS1EA103DA	6800	30 x 30	2.60	2.99	0.061	0.046	ECOS1VA682DA
12000	30 x 30	3.20	3.68	0.044	0.035	ECOS1EA123DA	8200	30 x 30	2.90	3.34	0.051	0.038	ECOS1VA822DA
15000	30 x 35	3.60	4.14	0.036	0.031	ECOS1EA153DA	10000	30 x 35	3.20	3.68	0.041	0.031	ECOS1VA103DA
18000	30 x 40	3.90	4.49	0.030	0.027	ECOS1EA183DA	12000	30 x 40	3.50	4.03	0.035	0.026	ECOS1VA123DA
22000	30 x 45	4.30	4.95	0.025	0.022	ECOS1EA223DA	15000	30 x 45	3.90	4.49	0.030	0.022	ECOS1VA153DA
6800	35 x 20	2.30	2.65	0.080	0.060	ECOS1EA682EL	4700	35 x 20	2.00	2.30	0.095	0.071	ECOS1VA472EL
12000	35 x 25	3.20	3.68	0.044	0.035	ECOS1EA123EA	8200	35 x 25	2.90	3.34	0.051	0.038	ECOS1VA822EA
15000	35 x 30	3.60	4.14	0.036	0.031	ECOS1EA153EA	10000	35 x 30	3.20	3.68	0.041	0.031	ECOS1VA103EA
18000	35 x 35	3.90	4.49	0.030	0.027	ECOS1EA183EA	12000	35 x 30	3.50	4.03	0.035	0.026	ECOS1VA123EA
22000	35 x 35	4.30	4.95	0.025	0.022	ECOS1EA223EA	15000	35 x 35	3.90	4.49	0.030	0.022	ECOS1VA153EA
27000	35 x 45	4.80	5.52	0.021	0.019	ECOS1EA273EA	18000	35 x 40	4.30	4.95	0.028	0.021	ECOS1VA183EA
33000	35 x 50	5.50	6.33	0.018	0.016	ECOS1EA333EA	22000	35 x 50	5.00	5.75	0.023	0.017	ECOS1VA223EA
33000	40 x 40	5.50	6.33	0.018	0.016	ECOS1EA333FA	22000	40 x 40	5.00	5.75	0.023	0.017	ECOS1VA223FA
47000	40 x 50	6.47	7.44	0.015	0.014	ECOS1EA473FA	27000	40 x 50	5.44	6.26	0.020	0.015	ECOS1VA273FA
50 VDC Working, 63 VDC Surge							63 VDC Working, 79 VDC Surge						
1800	20 x 30	1.50	1.73	0.129	0.097	ECOS1HA182AA	1200	20 x 30	1.40	1.61	0.235	0.176	ECOS1JA122AA
2200	20 x 35	1.70	1.96	0.105	0.079	ECOS1HA222AA	1500	20 x 35	1.50	1.73	0.188	0.141	ECOS1JA152AA
2700	20 x 40	1.80	2.07	0.086	0.064	ECOS1HA272AA	1800	20 x 40	1.70	1.96	0.157	0.117	ECOS1JA182AA
1000	22 x 20	0.90	1.04	0.265	0.199	ECOS1HA102BL	680	22 x 20	0.90	1.04	0.463	0.347	ECOS1JA681BL
1000	22 x 25	0.90	1.04	0.232	0.174	ECOS1HA102BA	680	22 x 25	0.90	1.04	0.414	0.311	ECOS1JA681BA
1500	22 x 25	1.25	1.44	0.155	0.116	ECOS1HA152BA	1000	22 x 25	1.17	1.35	0.282	0.211	ECOS1JA102BA
1800	22 x 25	1.50	1.73	0.129	0.097	ECOS1HA182BA	1200	22 x 25	1.40	1.61	0.235	0.176	ECOS1JA122BA
2200	22 x 30	1.70	1.96	0.105	0.079	ECOS1HA222BA	1500	22 x 30	1.50	1.73	0.188	0.141	ECOS1JA152BA
2700	22 x 30	1.80	2.07	0.086	0.064	ECOS1HA272BA	1800	22 x 30	1.70	1.96	0.157	0.117	ECOS1JA182BA
3300	22 x 35	2.00	2.30	0.070	0.053	ECOS1HA332BA	2200	22 x 35	2.00	2.30	0.128	0.096	ECOS1JA222BA
3900	22 x 40	2.20	2.53	0.064	0.048	ECOS1HA392BA	2700	22 x 40	2.20	2.53	0.104	0.078	ECOS1JA272BA
4700	22 x 45	2.50	2.88	0.053	0.040	ECOS1HA472BA	3300	22 x 50	2.50	2.88	0.090	0.068	ECOS1JA332BA
5600	22 x 50	2.80	3.22	0.050	0.038	ECOS1HA562BA	1000	25 x 20	1.20	1.38	0.315	0.236	ECOS1JA102CL
1500	25 x 20	1.20	1.38	0.177	0.133	ECOS1HA152CL	1800	25 x 25	1.70	1.96	0.157	0.117	ECOS1JA182CA
2700	25 x 25	1.80	2.07	0.086	0.064	ECOS1HA272CA	2200	25 x 30	2.00	2.30	0.128	0.096	ECOS1JA222CA
3300	25 x 30	2.00	2.30	0.070	0.053	ECOS1HA332CA	2700	25 x 35	2.20	2.53	0.104	0.078	ECOS1JA272CA
3900	25 x 35	2.20	2.53	0.064	0.048	ECOS1HA392CA	3300	25 x 40	2.50	2.88	0.090	0.068	ECOS1JA332CA
4700	25 x 40	2.50	2.88	0.053	0.040	ECOS1HA472CA	3900	25 x 45	2.70	3.11	0.077	0.057	ECOS1JA392CA
5600	25 x 40	2.80	3.22	0.050	0.038	ECOS1HA562CA	4700	25 x 50	3.00	3.45	0.063	0.048	ECOS1JA472CA
6800	25 x 50	3.30	3.80	0.046	0.035	ECOS1HA682CA	1500	30 x 20	1.30	1.50	0.210	0.157	ECOS1JA152DL
2200	30 x 20	1.40	1.61	0.121	0.090	ECOS1HA222DL	2700	30 x 25	2.20	2.53	0.104	0.078	ECOS1JA272DA
3900	30 x 25	2.20	2.53	0.064	0.048	ECOS1HA392DA	3300	30 x 30	2.50	2.88	0.090	0.068	ECOS1JA332DA
4700	30 x 30	2.50	2.88	0.053	0.040	ECOS1HA472DA	3900	30 x 35	2.70	3.11	0.077	0.057	ECOS1JA392DA
5600	30 x 35	2.80	3.22	0.050	0.038	ECOS1HA562DA	4700	30 x 40	3.00	3.45	0.063	0.048	ECOS1JA472DA
6800	30 x 40	3.30	3.80	0.046	0.035	ECOS1HA682DA	5600	30 x 45	3.30	3.80	0.053	0.040	ECOS1JA562DA
8200	30 x 45	3.60	4.14	0.038	0.029	ECOS1HA822DA	6800	30 x 50	3.60	4.14	0.049	0.037	ECOS1JA682DA
10000	30 x 50	4.00	4.60	0.033	0.025	ECOS1HA103DA	2200	35 x 20	1.50	1.73	0.143	0.107	ECOS1JA222EL
3300	35 x 20	1.70	1.96	0.085	0.064	ECOS1HA332EL	3300	35 x 25	2.50	2.88	0.090	0.068	ECOS1JA332EA
4700	35 x 25	2.50	2.88	0.053	0.040	ECOS1HA472EA	3900	35 x 30	2.70	3.11	0.077	0.057	ECOS1JA392EA
5600	35 x 30	2.80	3.22	0.050	0.038	ECOS1HA562EA	4700	35 x 30	3.00	3.45	0.063	0.048	ECOS1JA472EA
6800	35 x 30	3.30	3.80	0.046	0.035	ECOS1HA682EA	5600	35 x 35	3.30	3.80	0.053	0.040	ECOS1JA562EA
8200	35 x 35	3.60	4.14	0.038	0.029	ECOS1HA822EA	6800	35 x 40	3.60	4.14	0.049	0.037	ECOS1JA682EA
10000	35 x 40	4.00	4.60	0.033	0.025	ECOS1HA103EA	8200	35 x 45	3.90	4.49	0.040	0.030	ECOS1JA822EA
12000	35 x 45	4.50	5.18	0.028	0.022	ECOS1HA123EA	10000	35 x 50	4.40	5.06	0.033	0.028	ECOS1JA103EA
15000	35 x 50	4.80	5.52	0.022	0.018	ECOS1HA153EA	12000	40 x 40	4.52	5.20	0.030	0.026	ECOS1JA123FA
15000	40 x 40	4.80	5.52	0.022	0.018	ECOS1HA153FA	15000	40 x 50	4.80	5.52	0.027	0.023	ECOS1JA153FA
22000	40 x 50	5.15	5.92	0.016	0.013	ECOS1HA223FA							

TS-HA Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number	Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number
		120Hz	10k~100kHz	120Hz	20kHz				120Hz	10k~100kHz	120Hz	20kHz	
80 VDC Working, 100 VDC Surge							100 VDC Working, 125 VDC Surge						
820	20 x 30	1.20	1.38	0.222	0.145	ECOS1KA821AA	560	20 x 30	1.10	1.65	0.296	0.178	ECOS2AA561AA
1000	20 x 35	1.30	1.50	0.182	0.119	ECOS1KA102AA	820	20 x 35	1.40	2.10	0.202	0.121	ECOS2AA821AA
1200	20 x 40	1.50	1.73	0.166	0.116	ECOS1KA122AA	1000	20 x 40	1.70	2.55	0.182	0.109	ECOS2AA102AA
470	22 x 20	0.80	0.92	0.459	0.298	ECOS1KA471BL	330	22 x 20	0.80	1.20	0.653	0.392	ECOS2AA331BL
470	22 x 25	0.80	0.92	0.388	0.272	ECOS1KA471BA	330	22 x 25	0.80	1.20	0.553	0.332	ECOS2AA331BA
680	22 x 25	1.00	1.15	0.268	0.188	ECOS1KA681BA	470	22 x 25	0.92	1.38	0.388	0.233	ECOS2AA471BA
820	22 x 25	1.20	1.38	0.222	0.145	ECOS1KA821BA	560	22 x 25	1.10	1.65	0.296	0.178	ECOS2AA561BA
1000	22 x 30	1.30	1.50	0.182	0.119	ECOS1KA102BA	820	22 x 30	1.40	2.10	0.202	0.121	ECOS2AA821BA
1200	22 x 30	1.50	1.73	0.166	0.116	ECOS1KA122BA	1000	22 x 35	1.70	2.55	0.182	0.109	ECOS2AA102BA
1500	22 x 35	1.70	1.96	0.133	0.093	ECOS1KA152BA	1200	22 x 40	1.80	2.70	0.152	0.091	ECOS2AA122BA
1800	22 x 40	1.80	2.07	0.111	0.077	ECOS1KA182BA	1500	22 x 45	2.10	3.15	0.122	0.073	ECOS2AA152BA
2200	22 x 45	2.10	2.42	0.090	0.063	ECOS1KA222BA	470	25 x 20	1.00	1.50	0.459	0.275	ECOS2AA471CL
680	25 x 20	1.00	1.15	0.317	0.206	ECOS1KA681CL	820	25 x 25	1.40	2.10	0.202	0.121	ECOS2AA821CA
1000	25 x 25	1.30	1.50	0.182	0.119	ECOS1KA102CA	1000	25 x 30	1.70	2.55	0.182	0.109	ECOS2AA102CA
1200	25 x 25	1.50	1.73	0.166	0.116	ECOS1KA122CA	1200	25 x 35	1.80	2.70	0.152	0.091	ECOS2AA122CA
1500	25 x 30	1.70	1.96	0.133	0.093	ECOS1KA152CA	1500	25 x 40	2.10	3.15	0.122	0.079	ECOS2AA152CA
1800	25 x 35	1.80	2.07	0.111	0.077	ECOS1KA182CA	1800	25 x 45	2.30	3.45	0.111	0.072	ECOS2AA182CA
2200	25 x 35	2.10	2.42	0.090	0.063	ECOS1KA222CA	2200	25 x 50	2.60	3.90	0.090	0.059	ECOS2AA222CA
2700	25 x 45	2.40	2.76	0.074	0.055	ECOS1KA272CA	680	30 x 20	1.10	1.65	0.317	0.190	ECOS2AA681DL
3300	25 x 50	2.60	2.99	0.065	0.049	ECOS1KA332CA	1200	30 x 25	1.80	2.70	0.152	0.091	ECOS2AA122DA
1000	30 x 20	1.20	1.38	0.216	0.140	ECOS1KA102DL	1500	30 x 30	2.10	3.15	0.122	0.079	ECOS2AA152DA
1800	30 x 25	1.80	2.07	0.111	0.077	ECOS1KA182DA	1800	30 x 35	2.30	3.45	0.111	0.072	ECOS2AA182DA
2200	30 x 30	2.10	2.42	0.090	0.063	ECOS1KA222DA	2200	30 x 40	2.60	3.90	0.090	0.059	ECOS2AA222DA
2700	30 x 35	2.40	2.76	0.074	0.055	ECOS1KA272DA	2700	30 x 45	2.90	4.35	0.080	0.052	ECOS2AA272DA
3300	30 x 40	2.60	2.99	0.065	0.049	ECOS1KA332DA	3300	30 x 50	3.20	4.80	0.075	0.053	ECOS2AA332DA
3900	30 x 45	3.00	3.45	0.060	0.045	ECOS1KA392DA	1000	35 x 20	1.20	1.80	0.216	0.129	ECOS2AA102EL
4700	30 x 50	3.30	3.80	0.049	0.037	ECOS1KA472DA	1500	35 x 25	2.10	3.15	0.122	0.079	ECOS2AA152EA
1500	35 x 20	1.40	1.61	0.155	0.108	ECOS1KA152EL	1800	35 x 30	2.30	3.45	0.111	0.072	ECOS2AA182EA
2200	35 x 25	2.10	2.42	0.090	0.063	ECOS1KA222EA	2200	35 x 30	2.60	3.90	0.090	0.059	ECOS2AA222EA
2700	35 x 30	2.40	2.76	0.074	0.055	ECOS1KA272EA	2700	35 x 35	2.90	4.35	0.080	0.052	ECOS2AA272EA
3300	35 x 30	2.60	2.99	0.065	0.049	ECOS1KA332EA	3300	35 x 40	3.20	4.80	0.075	0.053	ECOS2AA332EA
3900	35 x 35	3.00	3.45	0.060	0.045	ECOS1KA392EA	3900	35 x 45	3.60	5.40	0.064	0.045	ECOS2AA392EA
4700	35 x 40	3.30	3.80	0.049	0.037	ECOS1KA472EA	4700	35 x 50	3.80	5.70	0.053	0.040	ECOS2AA472EA
5600	35 x 45	3.70	4.26	0.050	0.038	ECOS1KA562EA	4700	40 x 40	3.80	5.70	0.053	0.040	ECOS2AA472FA
6800	35 x 50	3.90	4.49	0.041	0.031	ECOS1KA682EA	6800	40 x 50	4.57	6.86	0.037	0.027	ECOS2AA682FA
6800	40 x 40	3.90	4.49	0.041	0.031	ECOS1KA682FA							
8200	40 x 50	4.29	4.93	0.036	0.027	ECOS1KA822FA							
160 VDC Working, 200 VDC Surge							200 VDC Working, 250 VDC Surge						
220	20 x 25	1.00	1.40	0.829	0.373	ECOS2CA221AA	220	20 x 30	1.00	1.40	0.754	0.339	ECOS2DA221AA
270	20 x 30	1.10	1.54	0.675	0.304	ECOS2CA271AA	270	20 x 35	1.10	1.54	0.614	0.276	ECOS2DA271AA
330	20 x 35	1.20	1.68	0.653	0.294	ECOS2CA331AA	330	20 x 40	1.20	1.68	0.502	0.226	ECOS2DA331AA
390	20 x 40	1.30	1.82	0.468	0.210	ECOS2CA391AA	100	22 x 20	0.50	0.70	1.989	0.895	ECOS2DA101BL
150	22 x 20	0.55	0.77	1.437	0.647	ECOS2CA151BL	100	22 x 25	0.50	0.70	1.658	0.746	ECOS2DA101BA
150	22 x 25	0.61	0.85	1.216	0.547	ECOS2CA151BA	150	22 x 25	0.68	0.95	1.105	0.497	ECOS2DA151BA
220	22 x 25	0.90	1.26	0.829	0.373	ECOS2CA221BA	220	22 x 25	1.00	1.40	0.754	0.339	ECOS2DA221BA
270	22 x 25	1.10	1.54	0.675	0.304	ECOS2CA271BA	270	22 x 30	1.10	1.54	0.614	0.276	ECOS2DA271BA
330	22 x 30	1.20	1.68	0.553	0.249	ECOS2CA331BA	330	22 x 30	1.20	1.68	0.502	0.226	ECOS2DA331BA
390	22 x 30	1.30	1.82	0.553	0.249	ECOS2CA391BA	390	22 x 35	1.30	1.82	0.425	0.191	ECOS2DA391BA
470	22 x 35	1.40	1.96	0.529	0.238	ECOS2CA471BA	470	22 x 40	1.40	1.96	0.353	0.159	ECOS2DA471BA
560	22 x 40	1.50	2.10	0.385	0.173	ECOS2CA561BA	560	22 x 45	1.50	2.10	0.296	0.133	ECOS2DA561BA
680	22 x 45	1.70	2.38	0.317	0.143	ECOS2CA681BA	150	25 x 20	0.65	0.91	1.326	0.597	ECOS2DA151CL
220	25 x 20	0.75	1.05	0.980	0.441	ECOS2CA221CL	270	25 x 25	1.10	1.54	0.614	0.276	ECOS2DA271CA
390	25 x 25	1.30	1.82	0.553	0.249	ECOS2CA391CA	330	25 x 25	1.20	1.68	0.502	0.226	ECOS2DA331CA
470	25 x 30	1.40	1.96	0.459	0.206	ECOS2CA471CA	390	25 x 30	1.30	1.82	0.425	0.191	ECOS2DA391CA
560	25 x 30	1.50	2.10	0.385	0.173	ECOS2CA561CA	470	25 x 35	1.40	1.96	0.353	0.159	ECOS2DA471CA
680	25 x 35	1.70	2.38	0.317	0.143	ECOS2CA681CA	560	25 x 35	1.50	2.10	0.296	0.133	ECOS2DA561CA
820	25 x 40	2.00	2.80	0.263	0.118	ECOS2CA821CA	680	25 x 40	1.70	2.38	0.244	0.110	ECOS2DA681CA
1000	25 x 45	2.20	3.08	0.216	0.108	ECOS2CA102CA	820	25 x 50	2.00	2.80	0.222	0.111	ECOS2DA821CA
1200	25 x 50	2.30	3.22	0.180	0.090	ECOS2CA122CA	220	30 x 20	0.87	1.22	0.904	0.407	ECOS2DA221DL
330	30 x 20	1.00	1.40	0.553	0.249	ECOS2CA331DL	390	30 x 25	1.30	1.82	0.425	0.191	ECOS2DA391DA
560	30 x 25	1.50	2.10	0.385	0.173	ECOS2CA561DA	470	30 x 25	1.40	1.96	0.353	0.159	ECOS2DA471DA
680	30 x 30	1.70	2.38	0.317	0.143	ECOS2CA681DA	560	30 x 30	1.50	2.10	0.296	0.133	ECOS2DA561DA
820	30 x 30	2.00	2.80	0.263	0.118	ECOS2CA821DA	680	30 x 30	1.70	2.38	0.244	0.110	ECOS2DA681DA
1000	30 x 35	2.20	3.08	0.216	0.108	ECOS2CA102DA	820	30 x 35	2.00	2.80	0.222	0.111	ECOS2DA821DA
1200	30 x 40	2.30	3.22	0.180	0.090	ECOS2CA122DA	1000	30 x 45	2.20	3.08	0.199	0.099	ECOS2DA102DA
1500	30 x 45	2.50	3.50	0.166	0.083	ECOS2CA152DA	1200	30 x 50	2.30	3.22	0.166	0.083	ECOS2DA122DA
1800	30 x 50	2.70	3.78	0.138	0.083	ECOS2CA182DA	330	35 x 20	1.10	1.54	0.603	0.271	ECOS2DA331EL
470	35 x 20	1.15	1.61	0.459	0.206	ECOS2CA471EL	820	35 x 30	2.00	2.80	0.222	0.111	ECOS2DA821EA
1500	35 x 35	2.50	3.50	0.166	0.083	ECOS2CA152EA	1000	35 x 35	2.20	3.08	0.199	0.099	ECOS2DA102EA
1800	35 x 40	2.70	3.78	0.138	0.069	ECOS2CA182EA	1200	35 x 40	2.30	3.22	0.166	0.083	ECOS2DA122EA
2200	35 x 50	2.90	4.06	0.113	0.057	ECOS2CA222EA	1500	35 x 50	2.50	3.50	0.144	0.072	ECOS2DA152EA

TS-HA Standard Ratings (continued)

Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number	Cap. (μ F)	Size (mm) D x L	Max 105°C R.C. (A_{rms})		20°C ESR (Ω , max.)		Panasonic Part Number
		120Hz	10k~100kHz	120Hz	20kHz				120Hz	10k~100kHz	120Hz	20kHz	
250 VDC Working, 300 VDC Surge							385 VDC Working, 435 VDC Surge						
180	20 x 35	0.90	1.26	0.921	0.461	ECOS2EA181AA	56	20 x 30	0.51	0.71	2.368	0.829	ECOS2TA560AA
220	20 x 40	1.00	1.40	0.754	0.377	ECOS2EA221AA	68	20 x 35	0.56	0.78	1.950	0.683	ECOS2TA680AA
68	22 x 20	0.40	0.56	2.926	1.463	ECOS2EA680BL	82	20 x 40	0.64	0.90	1.617	0.566	ECOS2TA820AA
68	22 x 25	0.40	0.56	2.438	1.219	ECOS2EA680BA	33	22 x 20	0.20	0.28	5.024	1.758	ECOS2TA330BL
100	22 x 25	0.55	0.77	1.658	0.829	ECOS2EA101BA	56	22 x 25	0.51	0.71	2.368	0.829	ECOS2TA560BA
150	22 x 25	0.75	1.05	1.105	0.553	ECOS2EA151BA	68	22 x 30	0.56	0.78	1.950	0.683	ECOS2TA680BA
180	22 x 30	0.90	1.26	0.921	0.461	ECOS2EA181BA	82	22 x 35	0.64	0.90	1.617	0.566	ECOS2TA820BA
220	22 x 30	1.00	1.40	0.754	0.377	ECOS2EA221BA	100	22 x 35	0.69	0.97	1.326	0.464	ECOS2TA101BA
270	22 x 35	1.10	1.54	0.614	0.307	ECOS2EA271BA	120	22 x 35	0.75	1.05	1.105	0.387	ECOS2TA121BA
330	22 x 40	1.20	1.68	0.502	0.251	ECOS2EA331BA	150	22 x 50	0.82	1.15	0.884	0.309	ECOS2TA151BA
390	22 x 45	1.30	1.82	0.425	0.213	ECOS2EA391BA	47	25 x 20	0.25	0.35	3.527	1.235	ECOS2TA470CL
100	25 x 20	0.50	0.70	1.989	0.995	ECOS2EA101CL	68	25 x 25	0.56	0.78	1.950	0.683	ECOS2TA680CA
180	25 x 25	0.90	1.26	0.921	0.461	ECOS2EA181CA	82	25 x 25	0.64	0.90	1.617	0.566	ECOS2TA820CA
220	25 x 25	1.00	1.40	0.754	0.377	ECOS2EA221CA	100	25 x 30	0.69	0.97	1.326	0.464	ECOS2TA101CA
270	25 x 30	1.10	1.54	0.614	0.307	ECOS2EA271CA	120	25 x 30	0.75	1.05	1.105	0.387	ECOS2TA121CA
330	25 x 35	1.20	1.68	0.502	0.251	ECOS2EA331CA	150	25 x 40	0.82	1.15	0.884	0.309	ECOS2TA151CA
390	25 x 35	1.30	1.82	0.425	0.213	ECOS2EA391CA	180	25 x 45	0.95	1.33	0.737	0.258	ECOS2TA181CA
470	25 x 45	1.40	1.96	0.353	0.176	ECOS2EA471CA	220	25 x 50	1.10	1.54	0.603	0.211	ECOS2TA221CA
560	25 x 50	1.50	2.10	0.296	0.148	ECOS2EA561CA	68	30 x 20	0.35	0.49	2.438	0.853	ECOS2TA680DL
150	30 x 20	0.65	0.91	1.326	0.663	ECOS2EA151DL	150	30 x 30	0.82	1.15	0.884	0.309	ECOS2TA151DA
270	30 x 25	1.10	1.54	0.614	0.307	ECOS2EA271DA	180	30 x 35	0.95	1.33	0.737	0.258	ECOS2TA181DA
330	30 x 25	1.20	1.68	0.502	0.251	ECOS2EA331DA	220	30 x 40	1.10	1.54	0.603	0.211	ECOS2TA221DA
390	30 x 30	1.30	1.82	0.425	0.213	ECOS2EA391DA	270	30 x 45	1.20	1.68	0.491	0.172	ECOS2TA271DA
470	30 x 35	1.40	1.96	0.353	0.176	ECOS2EA471DA	330	30 x 50	1.35	1.89	0.402	0.161	ECOS2TA331DA
560	30 x 35	1.50	2.10	0.296	0.148	ECOS2EA561DA	100	35 x 20	0.47	0.66	1.658	0.580	ECOS2TA101EL
680	30 x 45	1.70	2.38	0.244	0.122	ECOS2EA681DA	180	35 x 25	0.95	1.33	0.737	0.258	ECOS2TA181EA
820	30 x 50	2.00	2.80	0.202	0.101	ECOS2EA821DA	220	35 x 30	1.10	1.54	0.603	0.211	ECOS2TA221EA
220	35 x 20	0.87	1.22	0.904	0.452	ECOS2EA221EL	270	35 x 35	1.20	1.68	0.491	0.172	ECOS2TA271EA
470	35 x 30	1.40	1.96	0.353	0.176	ECOS2EA471EA	330	35 x 40	1.35	1.89	0.402	0.161	ECOS2TA331EA
560	35 x 30	1.50	2.10	0.296	0.148	ECOS2EA561EA	390	35 x 45	1.55	2.17	0.340	0.136	ECOS2TA391EA
680	35 x 35	1.70	2.38	0.244	0.122	ECOS2EA681EA	470	35 x 50	1.75	2.45	0.282	0.127	ECOS2TA471EA
820	35 x 40	2.00	2.80	0.202	0.101	ECOS2EA821EA							
1000	35 x 45	2.20	3.08	0.199	0.099	ECOS2EA102EA							
1200	35 x 50	2.30	3.22	0.166	0.083	ECOS2EA122EA							
400 VDC Working, 450 VDC Surge							450 VDC Working, 500 VDC Surge						
56	20 x 30	0.51	0.71	2.368	0.829	ECOS2GA560AA	56	22 x 25	0.40	0.56	2.368	0.947	ECOS2WA560BA
68	20 x 35	0.56	0.78	1.950	0.683	ECOS2GA680AA	68	22 x 30	0.50	0.70	1.950	0.780	ECOS2WA680BA
82	20 x 40	0.64	0.90	1.617	0.566	ECOS2GA820AA	82	22 x 35	0.56	0.78	1.617	0.647	ECOS2WA820BA
33	22 x 20	0.20	0.28	5.024	1.758	ECOS2GA330BL	100	22 x 40	0.64	0.90	1.326	0.531	ECOS2WA101BA
33	22 x 25	0.30	0.42	4.521	1.582	ECOS2GA330BA	120	22 x 45	0.72	1.01	1.105	0.442	ECOS2WA121BA
47	22 x 25	0.43	0.60	2.822	0.988	ECOS2GA470BA	150	22 x 50	0.79	1.11	0.884	0.354	ECOS2WA151BA
56	22 x 25	0.51	0.71	2.368	0.829	ECOS2GA560BA	68	25 x 25	0.50	0.70	1.950	0.780	ECOS2WA680CA
68	22 x 30	0.56	0.78	1.950	0.683	ECOS2GA680BA	100	25 x 30	0.64	0.90	1.326	0.531	ECOS2WA101CA
82	22 x 35	0.64	0.90	1.617	0.566	ECOS2GA820BA	120	25 x 35	0.72	1.01	1.105	0.442	ECOS2WA121CA
100	22 x 35	0.69	0.97	1.326	0.464	ECOS2GA101BA	150	25 x 40	0.79	1.11	0.884	0.354	ECOS2WA151CA
120	22 x 40	0.75	1.05	1.105	0.387	ECOS2GA121BA	180	25 x 45	0.87	1.22	0.737	0.295	ECOS2WA181CA
150	22 x 50	0.82	1.15	0.884	0.309	ECOS2GA151BA	220	25 x 50	1.00	1.40	0.678	0.271	ECOS2WA221CA
47	25 x 20	0.25	0.35	3.527	1.235	ECOS2GA470CL	100	30 x 25	0.64	0.90	1.326	0.531	ECOS2WA101DA
68	25 x 25	0.56	0.78	1.950	0.683	ECOS2GA680CA	150	30 x 30	0.79	1.11	0.884	0.354	ECOS2WA151DA
82	25 x 25	0.64	0.90	1.617	0.566	ECOS2GA820CA	180	30 x 35	0.87	1.22	0.737	0.295	ECOS2WA181DA
100	25 x 30	0.69	0.97	1.326	0.464	ECOS2GA101CA	220	30 x 40	1.00	1.40	0.678	0.271	ECOS2WA221DA
120	25 x 35	0.75	1.05	1.105	0.387	ECOS2GA121CA	270	30 x 45	1.17	1.64	0.614	0.246	ECOS2WA271DA
150	25 x 40	0.82	1.15	0.884	0.309	ECOS2GA151CA	330	30 x 50	1.38	1.93	0.502	0.201	ECOS2WA331DA
180	25 x 45	0.95	1.33	0.737	0.258	ECOS2GA181CA	150	35 x 25	0.79	1.11	0.884	0.354	ECOS2WA151EA
220	25 x 50	1.10	1.54	0.603	0.211	ECOS2GA221CA	220	35 x 30	1.00	1.40	0.678	0.271	ECOS2WA221EA
68	30 x 20	0.35	0.49	2.438	0.853	ECOS2GA680DL	270	35 x 35	1.17	1.64	0.614	0.246	ECOS2WA271EA
120	30 x 25	0.75	1.05	1.105	0.387	ECOS2GA121DA	330	35 x 40	1.38	1.93	0.502	0.201	ECOS2WA331EA
150	30 x 30	0.82	1.15	0.884	0.309	ECOS2GA151DA	390	35 x 50	1.55	2.17	0.425	0.170	ECOS2WA391EA
180	30 x 35	0.95	1.33	0.737	0.258	ECOS2GA181DA							
220	30 x 40	1.10	1.54	0.603	0.211	ECOS2GA221DA							
270	30 x 45	1.20	1.68	0.491	0.172	ECOS2GA271DA							
330	30 x 50	1.35	1.89	0.402	0.161	ECOS2GA331DA							
100	35 x 20	0.47	0.66	1.658	0.580	ECOS2GA101EL							
180	35 x 25	0.95	1.33	0.737	0.258	ECOS2GA181EA							
220	35 x 30	1.10	1.54	0.603	0.211	ECOS2GA221EA							
270	35 x 35	1.20	1.68	0.491	0.172	ECOS2GA271EA							
330	35 x 40	1.35	1.89	0.402	0.161	ECOS2GA331EA							
390	35 x 45	1.55	2.17	0.340	0.136	ECOS2GA391EA							
470	35 x 50	1.75	2.45	0.282	0.127	ECOS2GA471EA							