

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











- **Chip Type SMD package**
- **RoHS Compliant (Note 7 Exemption)**
- Tape & Reel Packaging

ECS-CR2-A

SMD CERAMIC RESONATOR


The ECS-CR2-A Chip Type SMD ceramic resonator is an excellent low cost frequency control solution when absolute frequency accuracy is not important.

OPERATING CONDITIONS / ELECTRICAL CHARACTERISTICS

PART NUMBER *	FREQUENCY RANGE (MHz)	FREQUENCY ACCURACY @ 25°C (%)	FREQUENCY STABILITY -20 ~ +80°C (%)	AGING FOR TEN YEARS (%)	ESR (Ω) MAX.	INSULATION RESISTANCE @ 10VDC
ECS-CR2-□□.□□-A	8.00 ~ 13.00	± 0.5	± 0.3	± 0.3	40	100 M Ω Min.
ECS-CR2-□□.□□-A	13.10 ~ 40.00	± 0.5	± 0.3	± 0.3	40	100 M Ω Min.

Complete part number to include frequency i.e. ECS-CR2-20.00-A-TR

PACKAGE DIMENSIONS (mm)



PIN CONNECTIONS				
#1	In/Out			
#2	Out/In			




Figure 2) Land Pattern

DIMENSIONS (mm)					
T1	T2	W1			
3.0 ± 0.2	0.7±0.2	4.1±0.2			

Figure 1) ECS-CR2-A Series - Top and Side Views

PART NUMBERING GUIDE: "Example" ECS-CR2-20.00-A-TR Frequency

ECS -**Series** CR2 = 8 ~ 13 MHz CR2 = 13.1 ~ 40 MHz

20.00 = 20.00 MHz

Version A = 2 Pad Version

TR = Tape & Reel

Packaging



May 16, 2007

ECS, Inc. International 1105 South Ridgeview Road Olathe, KANSAS, 66062 USA www.ecsxtal.com

913-782-7787 1-800-237-1041 Fax: 913-782-6991

Mike Huennekens Director of Marketing and OEM Sales E-mail: mikeh@ecsxtal.com Phone: 1-800-237-1041

CERAMIC RESONATOR/FILTER

Application Information Request

Attention: All Customers

From: Mike Huennekens, Director of Marketing and OEM Sales

Subject: Ceramic Resonator Application Information Request

Disallowed:

Date:

Approved:

ECS is requesting that you complete the section below that will allow us to determine if the specific application is suitable for the ceramic resonator/filters that you have requested.

Ceramic Resonators/Filters, both surface mount and through-hole type, are a much different frequency control solution than that of a crystal based device. Not only are there "matching" issues to specific integrated circuits and processors with ceramic based piezoelectric components but for multiple reasons ceramics are not the most advantageous nor robust frequency control solution for certain applications.

In addition, ECS does not approve the use of its ceramic products in Automotive, Military, Avionics, Life Sustaining or Life Support systems or any other related medical application.

If the customer chooses to use this product in one or more of the noted applications without the written consent of ECS, Inc., ECS, Inc. shall be held harmless, and given release of liability and indemnification from claims of any nature.

Please complete the following and submit this form as soon as possible.

			mpleted by ECS Inc., Internatio		
Signature	Date				
	D				
Title					
Print You	r Name				
Company	Name			em will be used by a 3 rd par be completed and signed by	
	hat the above information is true a ed in the restricted applications not		o the best of my knowledge and a	cknowledge that ECS will l	be held harmless if this
	Application Details You Must Be Specific or this may be returned for more information.				
	End Customer				
	Has this part been ordered previously for this application?	Yes 🗌	No 🗌		
	Has this part already been approved for this application?	Yes 🗌	No 🗌		
	Estimated Annual Usage				
	ECS Part Number				

Please direct any further inquires to Brad Slatten at brads@ecsxtal.com or Carla Williams at carlaw@ecsxtal.com. We thank you for your understanding and patience in this process.

Approved By: