



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Industrial HRC Fuse Link


31 x 112mm, BS88, IEC 269-1

Center Bolted Tags




CATALOG SYMBOL: ED
 INDUSTRIAL HRC FUSE
 CENTER BOLTED TAGS
 PACKAGE QUANTITY: 1
 80kA INTERRUPTING RATING
 MOUNTS ON BH-1131 MODULAR FUSEBLOCK

Dimensional Data:



Time-Current Characteristic Curve (Full Size Curves Available)



Electrical Characteristics

| Catalog Number | Ampere Rating | I ² T (Amp ² Seconds) | | | Nom Watts Loss | Rated Voltage | Dimensions (Inches/mm) | | | | | | | | |
|----------------|---------------|---|---------------|---------------|----------------|---------------|------------------------|-------|------|-----|------|------|-----|------|------|
| | | Pre-Arcing | Total At 240V | Total At 415V | | | A | B | C | D | E | F | G | H | J |
| ED250 | 250 | 200,000 | 340,000 | 480,000 | 18 | 415AC | 136.0 | 111.0 | 47.0 | 9.0 | 12.5 | 19.0 | 3.2 | 22.5 | 31.0 |
| ED315 | 315 | 265,000 | 450,000 | 635,000 | 22 | | 136.0 | 110.0 | 50.0 | 9.0 | 12.5 | 25.4 | 4.7 | 31.0 | 38.0 |
| ED315M400 | 315M400 | 475,000 | 810,000 | 1,150,000 | 21 | | 136.0 | 110.0 | 50.0 | 9.0 | 12.5 | 25.4 | 4.7 | 31.0 | 38.0 |
| ED355 | 355 | 360,000 | 610,000 | 865,000 | 24 | | 136.0 | 110.0 | 50.0 | 9.0 | 12.5 | 25.4 | 4.7 | 31.0 | 38.0 |
| ED400 | 400 | 475,000 | 810,000 | 1,150,000 | 29 | 550AC | 135.5 | 114.0 | 75.0 | 9.5 | 12.5 | 25.4 | 4.7 | 31.5 | 59.0 |
| ED400M500 | 400M500 | 1,200,000 | — | 2,700,000 | 38 | | 135.5 | 114.0 | 75.0 | 9.5 | 12.5 | 25.4 | 4.7 | 31.5 | 59.0 |

The only controlled copy of this BIF document is the electronic read-only version located on the Bussmann Network Drive. All other copies of this BIF document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.