

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Series: EDJ


Shunts


- ❖ Dual wipe contacts
- ❖ Side and end stackable
- ❖ Mates to 2.54 mm pin headers
- ❖ Mates to 2.00 mm pin headers




EDJ1 (CLOSED INSULATOR)












EDJ2 (OPEN INSULATOR)



EDJ3 (SHORT INSULATOR)












EDJ5 (2.0 mm)






EDJ4 (WITH HANDLE)







Specifications

Shunts

EDJ

Ratings: Current

Current 3A

Dielectric strength AC 650 V RMS for 1 minute

 $\begin{array}{ll} \text{Contact resistance} & 20 \text{ m}\Omega \text{ max.} \\ \text{Insulator resistance} & 100 \text{ M}\Omega \text{ min.} \end{array}$

Material:

Plastic PBT, Glass-filled, UL 94V-0

 $\begin{array}{ll} \mbox{Contact} & \mbox{Phosphor Bronze} \\ \mbox{Temperature range} & \mbox{-55°C} \ / \ +105°C \\ \end{array}$

ORDERING PROCEDURE

1 2 3

1) Series

2) Plating:

Z = Tin

G = Gold

3) Color:

0 = Black 1 = Red 2 = White 3 = Blue