



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# TS-HC Series 105°C, 2000 hours


- Long life with high capacitance (30% smaller than HB series)
- 2 and 3 pin versions available
- RoHS compliant PVC and RoHS compliant PET sleeve options



Rated Working Voltage:	10 ~ 250 VDC	350 ~ 450 VDC
Operating Temperature:	-40 ~ +105°C	-25 ~ +105°C
Nominal Capacitance:	270 ~ 100000µF	100 ~ 1000µF
Capacitance Tolerance:	± 20%	
Dissipation Factor: (120 Hz, +20°C)	Working Voltage [V]:	10    16    25    35    50    63    80    100 ~ 450
	Max. D.F. (%):	55    45    35    30    25    20    17    15
For capacitance values > 33000µF, add the value of: $\frac{\text{(rated cap. } \mu\text{F}) - 33000}{1000}$		
Leakage Current:	3√CV (µA) max. after 5 minutes; C = Capacitance in µF, V = WV	
Ripple Current Multipliers:	Frequency(Hz):	50    60    100~120    500    1k    10k
	16~100WV:	0.93    0.95    1.0    1.05    1.08    1.15
	160~450WV:	0.75    0.8    1.0    1.2    1.25    1.4
		Ripple Current Ambient Temperature Factors*
		Temperature (°C): 105°C    85°C    70°C    60°C    ≤45°C
		Multiplier: 1.0    1.7    2.0    2.2    2.35
Endurance:	2000 hours at +105°C with maximum specified ripple current (see page4)	


\*Use of temperature ripple current multipliers may limit life to the hours specified for the maximum operating temperature.

## Part Number System




## Dimensions in millimeters


2 Pin Mounting Style



3 Pin Mounting Style



Pin Dimensions



**TS-HC Standard Ratings**

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 105°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>10 VDC Working, 13 VDC Surge</b>							
12000	22 x 25	2.20	2.53	0.076	0.065	EETHC1A123HA	EETHC1A123HJ
18000	22 x 30	2.40	2.76	0.051	0.043	EETHC1A183HA	EETHC1A183HJ
	25 x 25	2.40	2.76	0.051	0.043	EETHC1A183JA	EETHC1A183JJ
22000	22 x 35	2.60	2.99	0.041	0.035	EETHC1A223HA	EETHC1A223HJ
	25 x 30	2.60	2.99	0.041	0.035	EETHC1A223JA	EETHC1A223JJ
27000	22 x 40	3.10	3.57	0.034	0.029	EETHC1A273HA	EETHC1A273HJ
	25 x 35	3.10	3.57	0.034	0.029	EETHC1A273JA	EETHC1A273JJ
	30 x 25	3.10	3.57	0.034	0.029	EETHC1A273KA	EETHC1A273KJ
33000	22 x 45	3.40	3.91	0.028	0.023	EETHC1A333HA	EETHC1A333HJ
	25 x 40	3.40	3.91	0.028	0.023	EETHC1A333JA	EETHC1A333JJ
39000	25 x 45	3.70	4.26	0.026	0.022	EETHC1A393JA	EETHC1A393JJ
	30 x 30	3.70	4.26	0.026	0.023	EETHC1A393KA	EETHC1A393KJ
	35 x 25	3.70	4.26	0.026	0.022	EETHC1A393LA	EETHC1A393LJ
47000	25 x 50	4.20	4.83	0.024	0.021	EETHC1A473JA	EETHC1A473JJ
	30 x 35	4.20	4.83	0.024	0.022	EETHC1A473KA	EETHC1A473KJ
	35 x 30	4.20	4.83	0.024	0.021	EETHC1A473LA	EETHC1A473LJ
56000	30 x 40	5.00	5.75	0.023	0.021	EETHC1A563KA	EETHC1A563KJ
	35 x 35	5.00	5.75	0.023	0.020	EETHC1A563LA	EETHC1A563LJ
68000	30 x 45	5.40	6.21	0.022	0.020	EETHC1A683KA	EETHC1A683KJ
	35 x 40	5.40	6.21	0.022	0.019	EETHC1A683LA	EETHC1A683LJ
82000	35 x 45	6.10	7.02	0.021	0.019	EETHC1A823LA	EETHC1A823LJ
100000	35 x 50	6.90	7.94	0.020	0.019	EETHC1A104LA	EETHC1A104LJ
<b>16 VDC Working, 20 VDC Surge</b>							
10000	22 x 25	2.60	2.99	0.075	0.063	EETHC1C103HA	EETHC1C103HJ
12000	22 x 30	2.90	3.34	0.062	0.053	EETHC1C123HA	EETHC1C123HJ
	25 x 25	2.90	3.34	0.062	0.053	EETHC1C123JA	EETHC1C123JJ
15000	22 x 35	3.20	3.68	0.050	0.042	EETHC1C153HA	EETHC1C153HJ
18000	22 x 40	3.50	4.03	0.041	0.035	EETHC1C183HA	EETHC1C183HJ
	25 x 30	3.50	4.03	0.041	0.035	EETHC1C183JA	EETHC1C183JJ
22000	22 x 45	3.80	4.37	0.034	0.029	EETHC1C223HA	EETHC1C223HJ
	25 x 35	3.80	4.37	0.034	0.029	EETHC1C223JA	EETHC1C223JJ
	30 x 25	3.80	4.37	0.034	0.029	EETHC1C223KA	EETHC1C223KJ
27000	22 x 50	4.20	4.83	0.028	0.023	EETHC1C273HA	EETHC1C273HJ
	25 x 40	4.20	4.83	0.028	0.023	EETHC1C273JA	EETHC1C273JJ
	30 x 30	4.20	4.83	0.028	0.023	EETHC1C273KA	EETHC1C273KJ
	35 x 25	4.20	4.83	0.028	0.023	EETHC1C273LA	EETHC1C273LJ
33000	25 x 45	4.70	5.41	0.023	0.019	EETHC1C333JA	EETHC1C333JJ
	30 x 35	4.70	5.41	0.023	0.019	EETHC1C333KA	EETHC1C333KJ
	35 x 30	4.70	5.41	0.023	0.020	EETHC1C333LA	EETHC1C333LJ
39000	30 x 40	5.10	5.87	0.022	0.018	EETHC1C393KA	EETHC1C393KJ
	35 x 35	5.10	5.87	0.022	0.020	EETHC1C393LA	EETHC1C393LJ
47000	30 x 45	5.50	6.33	0.016	0.014	EETHC1C473KA	EETHC1C473KJ
	35 x 40	5.50	6.33	0.021	0.019	EETHC1C473LA	EETHC1C473LJ
56000	30 x 50	6.00	6.90	0.020	0.018	EETHC1C563KA	EETHC1C563KJ
	35 x 45	6.00	6.90	0.020	0.018	EETHC1C563LA	EETHC1C563LJ
<b>25 VDC Working, 32 VDC Surge</b>							
6800	22 x 25	2.40	2.76	0.085	0.064	EETHC1E682HA	EETHC1E682HJ
8200	22 x 30	2.70	3.11	0.071	0.053	EETHC1E822HA	EETHC1E822HJ
	25 x 25	2.70	3.11	0.071	0.053	EETHC1E822JA	EETHC1E822JJ
10000	22 x 35	3.00	3.45	0.058	0.044	EETHC1E103HA	EETHC1E103HJ
12000	22 x 40	3.20	3.68	0.048	0.036	EETHC1E123HA	EETHC1E123HJ
	25 x 30	3.20	3.68	0.048	0.036	EETHC1E123JA	EETHC1E123JJ
15000	22 x 45	3.60	4.14	0.039	0.029	EETHC1E153HA	EETHC1E153HJ
	25 x 35	3.60	4.14	0.039	0.029	EETHC1E153JA	EETHC1E153JJ
	30 x 25	3.60	4.14	0.039	0.029	EETHC1E153KA	EETHC1E153KJ
18000	22 x 50	3.90	4.49	0.032	0.024	EETHC1E183HA	EETHC1E183HJ
	25 x 40	3.90	4.49	0.032	0.024	EETHC1E183JA	EETHC1E183JJ
	30 x 30	3.90	4.49	0.032	0.024	EETHC1E183KA	EETHC1E183KJ
	35 x 25	3.90	4.49	0.032	0.024	EETHC1E183LA	EETHC1E183LJ
22000	25 x 45	4.30	4.95	0.026	0.020	EETHC1E223JA	EETHC1E223JJ
	30 x 35	4.30	4.95	0.026	0.020	EETHC1E223KA	EETHC1E223KJ
	35 x 30	4.30	4.95	0.026	0.020	EETHC1E223LA	EETHC1E223LJ
27000	30 x 40	4.80	5.52	0.021	0.016	EETHC1E273KA	EETHC1E273KJ

**TS-HC Standard Ratings (continued)**

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 105°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>25 VDC Working, 32 VDC Surge (continued)</b>							
27000	35 x 35	4.80	5.52	0.021	0.016	EETHC1E273LA	EETHC1E273LJ
33000	30 x 45	5.50	6.33	0.018	0.013	EETHC1E333KA	EETHC1E333KJ
	35 x 40	5.50	6.33	0.018	0.014	EETHC1E333LA	EETHC1E333LJ
39000	30 x 50	5.80	6.67	0.017	0.013	EETHC1E393KA	EETHC1E393KJ
	35 x 45	5.80	6.67	0.017	0.014	EETHC1E393LA	EETHC1E393LJ
47000	35 x 50	6.30	7.25	0.017	0.014	EETHC1E473LA	EETHC1E473LJ
<b>35 VDC Working, 44 VDC Surge</b>							
4700	22 x 25	2.20	2.53	0.106	0.079	EETHC1V472HA	EETHC1V472HJ
5600	22 x 30	2.40	2.76	0.089	0.067	EETHC1V562HA	EETHC1V562HJ
	25 x 25	2.40	2.76	0.089	0.067	EETHC1V562JA	EETHC1V562JJ
6800	22 x 35	2.60	2.99	0.073	0.055	EETHC1V682HA	EETHC1V682HJ
8200	22 x 40	2.90	3.34	0.061	0.045	EETHC1V822HA	EETHC1V822HJ
	25 x 30	2.90	3.34	0.061	0.045	EETHC1V822JA	EETHC1V822JJ
10000	22 x 45	3.20	3.68	0.050	0.037	EETHC1V103HA	EETHC1V103HJ
	25 x 35	3.20	3.68	0.050	0.037	EETHC1V103JA	EETHC1V103JJ
	30 x 25	3.20	3.68	0.050	0.037	EETHC1V103KA	EETHC1V103KJ
12000	25 x 40	3.50	4.03	0.041	0.031	EETHC1V123JA	EETHC1V123JJ
	30 x 30	3.50	4.03	0.041	0.031	EETHC1V123KA	EETHC1V123KJ
	35 x 25	3.50	4.03	0.041	0.031	EETHC1V123LA	EETHC1V123LJ
15000	25 x 45	3.90	4.49	0.033	0.025	EETHC1V153JA	EETHC1V153JJ
	30 x 35	3.90	4.49	0.033	0.025	EETHC1V153KA	EETHC1V153KJ
	35 x 30	3.90	4.49	0.033	0.025	EETHC1V153LA	EETHC1V153LJ
18000	30 x 40	4.30	4.95	0.028	0.021	EETHC1V183KA	EETHC1V183KJ
	35 x 35	4.30	4.95	0.028	0.021	EETHC1V183LA	EETHC1V183LJ
22000	30 x 45	5.00	5.75	0.023	0.017	EETHC1V223KA	EETHC1V223KJ
	35 x 40	5.00	5.75	0.023	0.017	EETHC1V223LA	EETHC1V223LJ
27000	30 x 50	5.30	6.10	0.018	0.014	EETHC1V273KA	EETHC1V273KJ
	35 x 45	5.30	6.10	0.018	0.014	EETHC1V273LA	EETHC1V273LJ
33000	35 x 50	5.90	6.79	0.015	0.012	EETHC1V333LA	EETHC1V333LJ
<b>50 VDC Working, 63 VDC Surge</b>							
2700	22 x 25	1.80	2.07	0.154	0.115	EETHC1H272HA	EETHC1H272HJ
3300	22 x 30	2.00	2.30	0.126	0.094	EETHC1H332HA	EETHC1H332HJ
3900	22 x 35	2.20	2.53	0.106	0.080	EETHC1H392HA	EETHC1H392HJ
	25 x 25	2.20	2.53	0.106	0.080	EETHC1H392JA	EETHC1H392JJ
4700	22 x 40	2.50	2.88	0.088	0.066	EETHC1H472HA	EETHC1H472HJ
	25 x 30	2.50	2.88	0.088	0.066	EETHC1H472JA	EETHC1H472JJ
5600	22 x 45	2.80	3.22	0.074	0.056	EETHC1H562HA	EETHC1H562HJ
	25 x 35	2.80	3.22	0.074	0.056	EETHC1H562JA	EETHC1H562JJ
	30 x 25	2.80	3.22	0.074	0.056	EETHC1H562KA	EETHC1H562KJ
6800	22 x 50	3.30	3.80	0.061	0.046	EETHC1H682HA	EETHC1H682HJ
	25 x 40	3.30	3.80	0.061	0.046	EETHC1H682JA	EETHC1H682JJA
	30 x 30	3.30	3.80	0.061	0.046	EETHC1H682KA	EETHC1H682KJ
	35 x 25	3.30	3.80	0.061	0.046	EETHC1H682LA	EETHC1H682LJ
8200	25 x 45	3.60	4.14	0.051	0.038	EETHC1H822JA	EETHC1H822JJ
	30 x 35	3.60	4.14	0.051	0.038	EETHC1H822KA	EETHC1H822KJ
10000	25 x 50	4.00	4.60	0.041	0.031	EETHC1H103JA	EETHC1H103JJ
	30 x 40	4.00	4.60	0.041	0.031	EETHC1H103KA	EETHC1H103KJ
	35 x 30	4.00	4.60	0.041	0.031	EETHC1H103LA	EETHC1H103LJ
12000	30 x 45	4.50	5.18	0.035	0.026	EETHC1H123KA	EETHC1H123KJ
	35 x 35	4.50	5.18	0.035	0.028	EETHC1H123LA	EETHC1H123LJ
15000	30 x 50	4.80	5.52	0.028	0.021	EETHC1H153KA	EETHC1H153KJ
	35 x 40	4.80	5.52	0.028	0.022	EETHC1H153LA	EETHC1H153LJ
18000	35 x 45	5.60	6.44	0.023	0.018	EETHC1H183LA	EETHC1H183LJ
<b>63 VDC Working, 79 VDC Surge</b>							
2200	22 x 25	2.00	2.30	0.151	0.113	EETHC1J222HA	EETHC1J222HJ
2700	22 x 30	2.20	2.53	0.123	0.092	EETHC1J272HA	EETHC1J272HJ
	25 x 25	2.20	2.53	0.123	0.092	EETHC1J272JA	EETHC1J272JJ
3300	22 x 35	2.50	2.88	0.100	0.075	EETHC1J332HA	EETHC1J332HJ
3900	22 x 40	2.70	3.11	0.085	0.064	EETHC1J392HA	EETHC1J392HJ
	25 x 30	2.70	3.11	0.085	0.064	EETHC1J392JA	EETHC1J392JJ
	30 x 25	2.70	3.11	0.085	0.064	EETHC1J392KA	EETHC1J392KJ
4700	22 x 45	3.00	3.45	0.071	0.053	EETHC1J472HA	EETHC1J472HJ
	25 x 35	3.00	3.45	0.071	0.053	EETHC1J472JA	EETHC1J472JJ
5600	22 x 50	3.30	3.80	0.059	0.044	EETHC1J562HA	EETHC1J562HJ

**TS-HC Standard Ratings (continued)**

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 105°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>63 VDC Working, 79 VDC Surge (continued)</b>							
5600	25 x 40	3.30	3.80	0.059	0.044	EETHC1J562JA	EETHC1J562JJ
	30 x 30	3.30	3.80	0.059	0.044	EETHC1J562KA	EETHC1J562KJ
	35 x 25	3.30	3.80	0.059	0.044	EETHC1J562LA	EETHC1J562LJ
6800	25 x 45	3.60	4.14	0.049	0.037	EETHC1J682JA	EETHC1J682JJ
	30 x 35	3.60	4.14	0.049	0.037	EETHC1J682KA	EETHC1J682KJ
	35 x 30	3.60	4.14	0.049	0.037	EETHC1J682LA	EETHC1J682LJ
8200	30 x 40	3.90	4.49	0.040	0.030	EETHC1J822KA	EETHC1J822KJ
	35 x 35	3.90	4.49	0.040	0.030	EETHC1J822LA	EETHC1J822LJ
10000	30 x 45	4.40	5.06	0.033	0.025	EETHC1J103KA	EETHC1J103KJ
	35 x 40	4.40	5.06	0.033	0.025	EETHC1J103LA	EETHC1J103LJ
12000	30 x 50	4.80	5.52	0.028	0.021	EETHC1J123KA	EETHC1J123KJ
	35 x 45	4.80	5.52	0.028	0.022	EETHC1J123LA	EETHC1J123LJ
15000	35 x 50	5.40	6.21	0.022	0.018	EETHC1J153LA	EETHC1J153LJ
<b>80 VDC Working, 100 VDC Surge</b>							
1200	22 x 25	1.50	1.73	0.235	0.176	EETHC1K122HA	EETHC1K122HJ
1500	22 x 30	1.70	1.96	0.188	0.141	EETHC1K152HA	EETHC1K152HJ
	25 x 25	1.70	1.96	0.188	0.141	EETHC1K152JA	EETHC1K152JJ
1800	22 x 35	1.80	2.07	0.157	0.117	EETHC1K182HA	EETHC1K182HJ
2200	22 x 40	2.10	2.42	0.128	0.096	EETHC1K222HA	EETHC1K222HJ
	25 x 30	2.10	2.42	0.128	0.096	EETHC1K222JA	EETHC1K222JJ
2700	22 x 45	2.40	2.76	0.104	0.078	EETHC1K272HA	EETHC1K272HJ
	25 x 35	2.40	2.76	0.104	0.078	EETHC1K272JA	EETHC1K272JJ
	30 x 25	2.40	2.76	0.104	0.078	EETHC1K272KA	EETHC1K272KJ
3300	22 x 50	2.60	2.99	0.085	0.064	EETHC1K332HA	EETHC1K332HJ
	25 x 40	2.60	2.99	0.085	0.064	EETHC1K332JA	EETHC1K332JJ
	30 x 30	2.60	2.99	0.085	0.064	EETHC1K332KA	EETHC1K332KJ
	35 x 25	2.60	2.99	0.085	0.064	EETHC1K332LA	EETHC1K332LJ
3900	25 x 45	3.00	3.45	0.072	0.054	EETHC1K392JA	EETHC1K392JJ
	30 x 35	3.00	3.45	0.072	0.054	EETHC1K392KA	EETHC1K392KJ
4700	25 x 50	3.30	3.80	0.060	0.045	EETHC1K472JA	EETHC1K472JJ
	30 x 40	3.30	3.80	0.060	0.045	EETHC1K472KA	EETHC1K472KJ
	35 x 30	3.30	3.80	0.060	0.045	EETHC1K472LA	EETHC1K472LJ
5600	30 x 45	3.70	4.26	0.050	0.038	EETHC1K562KA	EETHC1K562KJ
	35 x 35	3.70	4.26	0.050	0.038	EETHC1K562LA	EETHC1K562LJ
6800	30 x 50	3.90	4.49	0.041	0.031	EETHC1K682KA	EETHC1K682KJ
	35 x 40	3.90	4.49	0.041	0.032	EETHC1K682LA	EETHC1K682LJ
8200	35 x 45	4.50	5.18	0.034	0.027	EETHC1K822LA	EETHC1K822LJ
<b>100 VDC Working, 125 VDC Surge</b>							
820	22 x 25	1.40	1.61	0.303	0.197	EETHC2A821HA	EETHC2A821HJ
1200	22 x 30	1.80	2.07	0.207	0.135	EETHC2A122HA	EETHC2A122HJ
	25 x 25	1.80	2.07	0.207	0.135	EETHC2A122JA	EETHC2A122JJ
1500	22 x 35	2.10	2.42	0.166	0.108	EETHC2A152HA	EETHC2A152HJ
	25 x 30	2.10	2.42	0.166	0.108	EETHC2A152JA	EETHC2A152JJ
1800	22 x 40	2.30	2.65	0.138	0.090	EETHC2A182HA	EETHC2A182HJ
	25 x 35	2.30	2.65	0.138	0.090	EETHC2A182JA	EETHC2A182JJ
	30 x 25	2.30	2.65	0.138	0.090	EETHC2A182KA	EETHC2A182KJ
2200	22 x 45	2.60	2.99	0.113	0.073	EETHC2A222HA	EETHC2A222HJ
	25 x 40	2.60	2.99	0.113	0.073	EETHC2A222JA	EETHC2A222JJ
	30 x 30	2.60	2.99	0.113	0.073	EETHC2A222KA	EETHC2A222KJ
	35 x 25	2.60	2.99	0.113	0.073	EETHC2A222LA	EETHC2A222LJ
2700	25 x 45	2.90	3.34	0.092	0.060	EETHC2A272JA	EETHC2A272JJ
	30 x 35	2.90	3.34	0.092	0.060	EETHC2A272KA	EETHC2A272KJ
3300	25 x 50	3.20	3.68	0.075	0.049	EETHC2A332JA	EETHC2A332JJ
	30 x 40	3.20	3.68	0.075	0.049	EETHC2A332KA	EETHC2A332KJ
	35 x 30	3.20	3.68	0.075	0.049	EETHC2A332LA	EETHC2A332LJ
3900	30 x 45	3.60	4.14	0.064	0.043	EETHC2A392KA	EETHC2A392KJ
	35 x 35	3.60	4.14	0.064	0.043	EETHC2A392LA	EETHC2A392LJ
4700	30 x 50	3.80	4.37	0.053	0.038	EETHC2A472KA	EETHC2A472KJ
	35 x 40	3.80	4.37	0.053	0.037	EETHC2A472LA	EETHC2A472LJ
5600	35 x 45	4.20	4.83	0.044	0.031	EETHC2A562LA	EETHC2A562LJ
6800	35 x 50	4.70	5.41	0.037	0.027	EETHC2A682LA	EETHC2A682LJ
<b>160 VDC Working, 200 VDC Surge</b>							
470	22 x 25	1.40	1.96	0.423	0.190	EETHC2C471HA	EETHC2C471HJ

## TS-HC Standard Ratings (continued)

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 105°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)		
		120Hz	10kHz~	120Hz	20kHz	PVC sleeve with Top Plate	PET sleeve without Top Plate	
<b>160 VDC Working, 200 VDC Surge (continued)</b>								
560	22 x 30	1.50	2.10	0.355	0.160	EETHC2C561HA	EETHC2C561HJ	
680	22 x 30	1.70	2.38	0.293	0.132	EETHC2C681HA	EETHC2C681HJ	
	25 x 25	1.70	2.38	0.293	0.132	EETHC2C681JA	EETHC2C681JJ	
820	22 x 35	2.00	2.80	0.243	0.109	EETHC2C821HA	EETHC2C821HJ	
	25 x 30	2.00	2.80	0.243	0.109	EETHC2C821JA	EETHC2C821JJ	
1000	22 x 40	2.20	3.08	0.199	0.090	EETHC2C102HA	EETHC2C102HJ	
	25 x 35	2.20	3.08	0.199	0.090	EETHC2C102JA	EETHC2C102JJ	
1000	30 x 25	2.20	3.08	0.216	0.108	EETHC2C102KA	EETHC2C102KJ	
	1200	22 x 45	2.30	3.22	0.166	0.075	EETHC2C122HA	EETHC2C122HJ
		25 x 40	2.30	3.22	0.166	0.075	EETHC2C122JA	EETHC2C122JJ
1200	30 x 30	2.30	3.22	0.166	0.075	EETHC2C122KA	EETHC2C122KJ	
	35 x 25	2.30	3.22	0.180	0.090	EETHC2C122LA	EETHC2C122LJ	
	1500	25 x 45	2.50	3.50	0.133	0.060	EETHC2C152JA	EETHC2C152JJ
30 x 35		2.50	3.50	0.133	0.060	EETHC2C152KA	EETHC2C152KJ	
35 x 30		2.50	3.50	0.155	0.077	EETHC2C152LA	EETHC2C152LJ	
1800	25 x 50	2.70	3.78	0.111	0.050	EETHC2C182JA	EETHC2C182JJ	
	30 x 40	2.70	3.78	0.111	0.050	EETHC2C182KA	EETHC2C182KJ	
	35 x 30	2.70	3.78	0.120	0.060	EETHC2C182LA	EETHC2C182LJ	
2200	30 x 45	2.90	4.06	0.090	0.041	EETHC2C222KA	EETHC2C222KJ	
	35 x 35	2.90	4.06	0.098	0.049	EETHC2C222LA	EETHC2C222LJ	
2700	30 x 50	3.10	4.34	0.080	0.040	EETHC2C272KA	EETHC2C272KJ	
	35 x 40	3.10	4.34	0.086	0.043	EETHC2C272LA	EETHC2C272LJ	
3300	35 x 50	3.30	4.62	0.070	0.042	EETHC2C332LA	EETHC2C332LJ	
<b>200 VDC Working, 250 VDC Surge</b>								
390	22 x 25	1.31	1.83	0.510	0.230	EETHC2D391HA	EETHC2D391HJ	
470	22 x 30	1.45	2.03	0.423	0.190	EETHC2D471HA	EETHC2D471HJ	
	25 x 25	1.45	2.03	0.423	0.190	EETHC2D471JF	EETHC2D471JC	
560	22 x 30	1.67	2.34	0.355	0.160	EETHC2D561HA	EETHC2D561HJ	
680	22 x 40	1.75	2.45	0.293	0.132	EETHC2D681HA	EETHC2D681HJ	
	25 x 30	1.75	2.45	0.293	0.132	EETHC2D681JA	EETHC2D681JJ	
820	22 x 45	2.04	2.86	0.243	0.109	EETHC2D821HA	EETHC2D821HJ	
	25 x 35	2.04	2.86	0.243	0.109	EETHC2D821JA	EETHC2D821JJ	
	30 x 25	2.04	2.86	0.243	0.109	EETHC2D821KA	EETHC2D821KJ	
1000	22 x 50	2.30	3.22	0.199	0.090	EETHC2D102HA	EETHC2D102HJ	
	25 x 40	2.30	2.90	0.199	0.090	EETHC2D102JF	EETHC2D102JC	
	25 x 45	2.30	3.22	0.199	0.090	EETHC2D102JA	EETHC2D102JJ	
	30 x 30	2.30	3.22	0.199	0.090	EETHC2D102KA	EETHC2D102KJ	
	35 x 25	2.30	3.22	0.216	0.097	EETHC2D102LA	EETHC2D102LA	
1200	25 x 45	2.65	3.33	0.166	0.075	EETHC2D122JF	EETHC2D122JC	
	25 x 50	2.65	3.71	0.166	0.075	EETHC2D122JA	EETHC2D122JJ	
	30 x 35	2.65	3.71	0.166	0.075	EETHC2D122KA	EETHC2D122KJ	
	35 x 30	2.65	3.71	0.180	0.090	EETHC2D122LA	EETHC2D122LA	
1500	30 x 40	2.80	3.92	0.133	0.060	EETHC2D152KA	EETHC2D152KJ	
	35 x 30	2.80	3.92	0.144	0.072	EETHC2D152LA	EETHC2D152LA	
1800	30 x 45	3.08	4.31	0.111	0.050	EETHC2D182KA	EETHC2D182KJ	
	35 x 40	3.08	4.31	0.129	0.064	EETHC2D182LA	EETHC2D182LA	
2200	30 x 50	3.48	4.87	0.090	0.041	EETHC2D222KA	EETHC2D222KJ	
	35 x 45	3.48	4.87	0.098	0.044	EETHC2D222LA	EETHC2D222LA	
<b>250 VDC Working, 300 VDC Surge</b>								
270	22 x 25	1.10	1.54	0.614	0.276	EETHC2E271HA	EETHC2E271HJ	
330	22 x 30	1.20	1.68	0.502	0.226	EETHC2E331HA	EETHC2E331HJ	
	25 x 25	1.20	1.68	0.502	0.226	EETHC2E331JA	EETHC2E331JJ	
390	22 x 30	1.20	1.68	0.425	0.191	EETHC2E391HF	EETHC2E391HC	
	22 x 35	1.30	1.82	0.425	0.191	EETHC2E391HA	EETHC2E391HJ	
	25 x 25	1.30	1.82	0.425	0.191	EETHC2E391JA	EETHC2E391JJ	
470	22 x 35	1.20	1.68	0.353	0.159	EETHC2E471HF	EETHC2E471HC	
	22 x 40	1.40	1.96	0.353	0.159	EETHC2E471HA	EETHC2E471HJ	
	25 x 30	1.40	1.96	0.353	0.159	EETHC2E471JA	EETHC2E471JJ	
	30 x 25	1.40	1.96	0.353	0.159	EETHC2E471KA	EETHC2E471KJ	
560	22 x 40	1.40	1.96	0.296	0.133	EETHC2E561HF	EETHC2E561HC	
	22 x 45	1.50	2.10	0.296	0.133	EETHC2E561HA	EETHC2E561HJ	
	25 x 35	1.50	2.10	0.296	0.133	EETHC2E561JA	EETHC2E561JJ	
	30 x 25	1.50	2.10	0.296	0.133	EETHC2E561KA	EETHC2E561KJ	

## TS-HC Standard Ratings (continued)

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 105°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>250 VDC Working, 300 VDC Surge (continued)</b>							
680	22 x 45	1.50	2.10	0.244	0.110	EETHC2E681HF	EETHC2E681HC
	22 x 50	1.70	2.38	0.244	0.110	EETHC2E681HA	EETHC2E681HJ
	25 x 40	1.70	2.38	0.244	0.110	EETHC2E681JA	EETHC2E681JJ
	30 x 30	1.70	2.38	0.244	0.110	EETHC2E681KA	EETHC2E681KJ
	35 x 25	1.70	2.38	0.244	0.110	EETHC2E681LA	EETHC2E681LJ
820	25 x 45	2.00	2.80	0.202	0.091	EETHC2E821JA	EETHC2E821JJ
	30 x 35	2.00	2.80	0.202	0.091	EETHC2E821KA	EETHC2E821KJ
	35 x 30	2.00	2.80	0.202	0.091	EETHC2E821LA	EETHC2E821LJ
1000	25 x 50	2.20	3.08	0.166	0.075	EETHC2E102JF	EETHC2E102JC
	30 x 40	2.20	3.08	0.166	0.075	EETHC2E102KA	EETHC2E102KJ
	35 x 30	2.20	3.08	0.166	0.075	EETHC2E102LA	EETHC2E102LJ
1200	30 x 45	2.30	3.22	0.138	0.062	EETHC2E122KA	EETHC2E122KJ
	35 x 35	2.30	3.22	0.138	0.062	EETHC2E122LA	EETHC2E122LJ
1500	35 x 45	2.50	3.50	0.111	0.050	EETHC2E152LA	EETHC2E152LJ
1800	35 x 45	2.50	3.50	0.092	0.041	EETHC2E182LF	EETHC2E182LC
	35 x 50	2.70	3.78	0.092	0.041	EETHC2E182LA	EETHC2E182LJ
<b>350 VDC Working, 400 VDC Surge</b>							
120	22 x 25	0.75	1.05	1.382	0.622	EETHC2V121HA	EETHC2V121HJ
150	22 x 30	0.82	1.15	1.105	0.497	EETHC2V151HA	EETHC2V151HJ
180	22 x 30	0.90	1.26	0.921	0.414	EETHC2V181HA	EETHC2V181HJ
	25 x 25	0.90	1.26	0.921	0.414	EETHC2V181JA	EETHC2V181JJ
220	22 x 35	1.00	1.40	0.754	0.339	EETHC2V221HA	EETHC2V221HJ
	25 x 30	1.00	1.40	0.754	0.339	EETHC2V221JA	EETHC2V221JJ
270	22 x 40	1.10	1.54	0.614	0.276	EETHC2V271HF	EETHC2V271HC
	25 x 35	1.10	1.54	0.614	0.276	EETHC2V271JA	EETHC2V271JJ
	30 x 25	1.10	1.54	0.614	0.276	EETHC2V271KA	EETHC2V271KJ
330	22 x 45	1.20	1.68	0.502	0.226	EETHC2V331HF	EETHC2V331HC
	25 x 40	1.20	1.68	0.502	0.226	EETHC2V331JA	EETHC2V331JJ
	30 x 30	1.20	1.68	0.502	0.226	EETHC2V331KA	EETHC2V331KJ
390	25 x 45	1.30	1.82	0.425	0.191	EETHC2V391JA	EETHC2V391JJ
	30 x 30	1.30	1.82	0.425	0.191	EETHC2V391KF	EETHC2V391KC
	30 x 35	1.30	1.82	0.425	0.191	EETHC2V391KA	EETHC2V391KJ
470	25 x 50	1.40	1.96	0.353	0.159	EETHC2V471JA	EETHC2V471JJ
	30 x 35	1.40	1.96	0.353	0.159	EETHC2V471KF	EETHC2V471KC
	35 x 30	1.40	1.96	0.353	0.159	EETHC2V471LA	EETHC2V471LJ
560	30 x 40	1.50	2.10	0.296	0.133	EETHC2V561KF	EETHC2V561KC
	30 x 45	1.50	2.10	0.296	0.133	EETHC2V561KA	EETHC2V561KJ
	35 x 35	1.50	2.10	0.296	0.133	EETHC2V561LA	EETHC2V561LJ
680	30 x 45	1.70	2.38	0.244	0.110	EETHC2V681KF	EETHC2V681KC
	30 x 50	1.70	2.38	0.244	0.110	EETHC2V681KA	EETHC2V681KJ
	35 x 40	1.70	2.38	0.244	0.110	EETHC2V681LA	EETHC2V681LJ
820	35 x 45	1.90	2.66	0.202	0.091	EETHC2V821LA	EETHC2V821LJ
1000	35 x 50	1.90	2.66	0.202	0.091	EETHC2V102LF	EETHC2V102LC
<b>400 VDC Working, 450 VDC Surge</b>							
100	22 x 25	0.70	0.98	1.824	0.821	EETHC2G101HA	EETHC2G101HJ
120	22 x 30	0.75	1.05	1.520	0.684	EETHC2G121HA	EETHC2G121HJ
150	22 x 30	0.88	1.23	1.216	0.547	EETHC2G151HA	EETHC2G151HJ
	25 x 25	0.88	1.23	1.216	0.547	EETHC2G151JF	EETHC2G151JC
180	22 x 35	0.95	1.33	1.013	0.456	EETHC2G181HA	EETHC2G181HJ
	25 x 30	0.95	1.33	1.013	0.456	EETHC2G181JA	EETHC2G181JJ
220	22 x 40	1.00	1.40	0.829	0.373	EETHC2G221HF	EETHC2G221HC
	22 x 45	1.10	1.54	0.829	0.373	EETHC2G221HA	EETHC2G221HJ
	25 x 35	1.10	1.54	0.829	0.373	EETHC2G221JA	EETHC2G221JJ
	30 x 25	1.10	1.54	0.829	0.373	EETHC2G221KA	EETHC2G221KJ
270	22 x 45	1.10	1.54	0.675	0.304	EETHC2G271HF	EETHC2G271HC
	22 x 50	1.22	1.71	0.675	0.304	EETHC2G271HA	EETHC2G271HJ
	25 x 40	1.22	1.71	0.675	0.304	EETHC2G271JA	EETHC2G271JJ
	30 x 30	1.22	1.71	0.675	0.304	EETHC2G271KA	EETHC2G271KJ
	35 x 25	1.22	1.71	0.675	0.304	EETHC2G271LA	EETHC2G271LJ
330	25 x 45	1.44	2.02	0.553	0.249	EETHC2G331JA	EETHC2G331JJ
	30 x 30	1.44	2.02	0.553	0.249	EETHC2G331KF	EETHC2G331KC
	30 x 35	1.44	2.02	0.553	0.249	EETHC2G331KA	EETHC2G331KJ
	35 x 30	1.44	2.02	0.553	0.249	EETHC2G331LA	EETHC2G331LJ

### Aluminum Electrolytic Capacitors

#### TS-HC Standard Ratings (continued)

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu$ F)	Size (mm) D x L	Max 85°C R.C. ( $A_{rms}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleeve Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>400 VDC Working, 450 VDC Surge (continued)</b>							
390	25 x 50	1.55	2.17	0.468	0.210	EETHC2G391JA	EETHC2G391JJ
	30 x 35	1.40	1.96	0.468	0.210	EETHC2G391KF	EETHC2G391KC
	30 x 40	1.55	2.17	0.468	0.210	EETHC2G391KA	EETHC2G391KJ
	35 x 30	1.55	2.17	0.468	0.210	EETHC2G391LA	EETHC2G391LJ
470	30 x 45	1.68	2.35	0.388	0.175	EETHC2G471KA	EETHC2G471KJ
	35 x 35	1.68	2.35	0.388	0.175	EETHC2G471LA	EETHC2G471LJ
560	30 x 45	1.90	2.66	0.326	0.147	EETHC2G561KF	EETHC2G561KC
	30 x 50	1.90	2.66	0.326	0.147	EETHC2G561KA	EETHC2G561KJ
	35 x 40	1.90	2.66	0.326	0.147	EETHC2G561LA	EETHC2G561LJ
680	35 x 45	2.12	2.97	0.268	0.121	EETHC2G681LA	EETHC2G681LJ
820	35 x 50	2.30	3.22	0.202	0.091	EETHC2G821LA	EETHC2G821LJ
<b>420 VDC Working, 470 VDC Surge</b>							
120	22 x 30	0.74	1.04	1.520	0.684	EETHC2S121HA	EETHC2S121HJ
	25 x 25	0.74	1.04	1.520	0.684	EETHC2S121JA	EETHC2S121JJ
150	22 x 35	0.84	1.18	1.216	0.547	EETHC2S151HA	EETHC2S151HJ
180	22 x 40	0.91	1.27	1.103	0.456	EETHC2S181HA	EETHC2S181HJ
	25 x 30	0.91	1.27	1.103	0.456	EETHC2S181JA	EETHC2S181JJ
220	22 x 45	1.05	1.47	0.829	0.373	EETHC2S221HA	EETHC2S221HJ
	25 x 35	1.05	1.47	0.829	0.373	EETHC2S221JA	EETHC2S221JJ
	30 x 25	1.05	1.47	0.829	0.373	EETHC2S221KA	EETHC2S221KJ
270	22 x 50	1.20	1.68	0.675	0.304	EETHC2S271HA	EETHC2S271HJ
	25 x 40	1.20	1.68	0.675	0.304	EETHC2S271JA	EETHC2S271JJ
	30 x 30	1.20	1.68	0.675	0.304	EETHC2S271KA	EETHC2S271KJ
	35 x 25	1.20	1.68	0.675	0.304	EETHC2S271LA	EETHC2S271LJ
330	25 x 50	1.42	1.99	0.553	0.249	EETHC2S331JA	EETHC2S331JJ
	30 x 35	1.42	1.99	0.553	0.249	EETHC2S331KA	EETHC2S331KJ
390	35 x 35	1.42	1.99	0.553	0.249	EETHC2S331LA	EETHC2S331LJ
	30 x 40	1.55	2.17	0.468	0.210	EETHC2S391KA	EETHC2S391KJ
	35 x 35	1.55	2.17	0.468	0.210	EETHC2S391LA	EETHC2S391LJ
470	30 x 45	1.71	2.39	0.388	0.175	EETHC2S471KA	EETHC2S471KJ
	35 x 35	1.71	2.39	0.388	0.175	EETHC2S471LA	EETHC2S471LJ
560	30 x 50	1.90	2.66	0.326	0.147	EETHC2S561KA	EETHC2S561KJ
	35 x 45	1.90	2.66	0.326	0.147	EETHC2S561LA	EETHC2S561LJ
680	35 x 50	2.10	2.94	0.268	0.121	EETHC2S681LA	EETHC2S681LJ
<b>450 VDC Working, 500 VDC Surge</b>							
100	22 x 30	0.64	0.90	1.824	0.821	EETHC2W101HA	EETHC2W101HJ
	25 x 25	0.64	0.90	1.824	0.821	EETHC2W101JA	EETHC2W101JJ
120	22 x 35	0.72	1.01	1.520	0.684	EETHC2W121HA	EETHC2W121HJ
	25 x 30	0.72	1.01	1.520	0.684	EETHC2W121JA	EETHC2W121JJ
150	22 x 35	0.79	1.11	1.216	0.547	EETHC2W151HF	EETHC2W151HC
	22 x 40	0.79	1.11	1.216	0.547	EETHC2W151HA	EETHC2W151HJ
	25 x 30	0.79	1.11	1.216	0.547	EETHC2W151JA	EETHC2W151JJ
	30 x 25	0.79	1.11	1.216	0.547	EETHC2W151KA	EETHC2W151KJ
180	22 x 45	0.87	1.22	1.013	0.456	EETHC2W181HA	EETHC2W181HJ
	25 x 35	0.87	1.22	1.013	0.456	EETHC2W181JF	EETHC2W181JC
	25 x 40	0.87	1.22	1.013	0.456	EETHC2W181JA	EETHC2W181JJ
	30 x 25	0.87	1.22	1.013	0.456	EETHC2W181KF	EETHC2W181KC
	30 x 30	0.87	1.22	1.013	0.456	EETHC2W181KA	EETHC2W181KJ
220	22 x 50	1.00	1.40	0.829	0.373	EETHC2W221HA	EETHC2W221HJ
	25 x 40	1.00	1.40	0.829	0.373	EETHC2W221JF	EETHC2W221JC
	25 x 45	1.00	1.40	0.829	0.373	EETHC2W221JA	EETHC2W221JJ
	30 x 30	1.00	1.40	0.829	0.373	EETHC2W221KA	EETHC2W221KJ
	35 x 25	1.00	1.40	0.829	0.373	EETHC2W221LA	EETHC2W221LJ
270	25 x 45	1.19	1.67	0.675	0.304	EETHC2W271JF	EETHC2W271JC
	25 x 50	1.19	1.67	0.675	0.304	EETHC2W271JA	EETHC2W271JJ
	30 x 35	1.19	1.67	0.675	0.304	EETHC2W271KF	EETHC2W271KC
	30 x 40	1.19	1.67	0.675	0.304	EETHC2W271KA	EETHC2W271KJ
	35 x 30	1.19	1.67	0.675	0.304	EETHC2W271LA	EETHC2W271LJ
330	25 x 50	1.38	1.93	0.553	0.249	EETHC2W331JF	EETHC2W331JC
	30 x 40	1.38	1.93	0.553	0.249	EETHC2W331KF	EETHC2W331KC
	30 x 45	1.38	1.93	0.553	0.249	EETHC2W331KA	EETHC2W331KJ
	35 x 30	1.38	1.93	0.553	0.249	EETHC2W331LF	EETHC2W331LC
	35 x 35	1.38	1.93	0.553	0.249	EETHC2W331LA	EETHC2W331LJ



**TS-HC Standard Ratings (continued)**

Part numbers shown with 2 pins and 4.0mm length terminals

Cap. ( $\mu\text{F}$ )	Size (mm) D x L	Max 105°C R.C. ( $A_{\text{rms}}$ )		20°C ESR ( $\Omega$ , max.)		Panasonic Part Number (By Sleaving Style)	
		120Hz	10kHz~	120Hz	20kHz	PVC with Top Plate	PET without Top Plate
<b>450 VDC Working, 500 VDC Surge (continued)</b>							
390	30 x 45	1.55	2.17	0.468	0.210	EETHC2W391KF	EETHC2W391KC
	30 x 50	1.55	2.17	0.468	0.210	EETHC2W391KA	EETHC2W391KJ
	35 x 35	1.55	2.17	0.468	0.210	EETHC2W391LF	EETHC2W391LC
	35 x 40	1.55	2.17	0.468	0.210	EETHC2W391LA	EETHC2W391LJ
470	30 x 50	1.74	2.44	0.388	0.175	EETHC2W471KF	EETHC2W471KC
	35 x 40	1.74	2.44	0.388	0.175	EETHC2W471LF	EETHC2W471LC
	35 x 45	1.74	2.44	0.388	0.175	EETHC2W471LA	EETHC2W471LJ
560	35 x 50	1.90	2.66	0.326	0.147	EETHC2W561LA	EETHC2W561LJ