Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

IND

GATEWAY TO NETWORKS

Ethernet Switches

Serial Device Servers

Fieldbus Gateways

Wireless

Media Converters

Accessories

DIN-Rail Unmanaged Ethernet Switch

IP30 Rated IEC/EN60529 | -40°C 80°C | EN50155 EN50121-4 | MIL-STD | Relay | Dual Power

EH7310-G	10-Port Unmanaged Ethernet Switch with Gigabit Uplink Ports
EH7310-2Fm	10-Port Unmanaged Ethernet Switch with Multimode Fiber Optic Uplinks
EH7310-G-2Fm	10-Port Unmanaged Ethernet Switch with Multimode Fiber Optic Gigabit Uplinks
EH7310-2Fs	10-Port Unmanaged Ethernet Switch with Single-mode Fiber Optic Uplinks
EH7310-G-2Fs	10-Port Unmanaged Ethernet Switch with Single-mode Fiber Optic Gigabit Uplinks

DIN-Rail Gigabit Unmanaged Ethernet Switch

IP30 Rated IEC/EN60529 | -20°C 70°C | Industrial EMC | Relay | Dual Power

EHG7305	5-Port Gigabit Unmanaged Ethernet Switch
EHG7306	6-Port Gigabit Unmanaged Ethernet Switch
EHG7306-SFP	6-Port Gigabit Unmanaged Ethernet Switch with SFP Ports
EHG7307-2SFP	7-Port Gigabit Unmanaged Ethernet Switch with 2 SFP Ports

DIN-Rail Managed Ethernet Switch

IP30 Rated IEC/EN60529 | -40°C 80°C | EN50155 EN50121-4 70°C | MIL-STD | Relay | Dual Power

EH7510-G	10-Port Managed Ethernet Switch with Gigabit Uplink Ports
EH7510-2Fm	10-Port Managed Ethernet Switch with Multimode Fiber Optic Uplinks
EH7510-G-2Fm	10-Port Managed Ethernet Switch with Multimode Fiber Optic Gigabit Uplinks
EH7510-2Fs	10-Port Managed Ethernet Switch with Single-mode Fiber Optic Uplinks
EH7510-G-2Fs	10-Port Managed Ethernet Switch with Single-mode Fiber Optic Gigabit Uplinks

DIN-Rail Managed Ethernet Switch with PoE

IP30 Rated IEC/EN60529 | -20°C 70°C | Industrial EMC | Relay | Dual Power

EH7506-2SFP	6-Port Managed Ethernet Switch with 2 SFP Gigabit Uplink Ports
EH7508-4G-4SFP	8-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports
EH7512-4G-4SFP	12-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports
EH7520-4G-4SFP	20-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports

DIN-Rail Managed Ethernet Switch with PoE and Profinet

IP30 Rated IEC/EN60529 | -20°C 70°C | Industrial EMC | Relay | Dual Power

EH7508-4G-4PoE-4SFP	8-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EH7512-4G-4PoE-4SFP	12-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EH7512-4G-8PoE-4SFP	12-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 8 PoE Ports
EH7520-4G-4PoE-4SFP	20-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EH7520-4G-8PoE-4SFP	20-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 8 PoE Ports

DIN-Rail Gigabit Managed Ethernet Switch with Profinet
IP30 Rated IEC/EN60529 -40°C 70°C Industrial EMC Relay Dual Power

EHG7504	4-Port Gigabit Managed Ethernet Switch with 2 SFP Ports
EHG7512-4SFP	12-Port Gigabit Managed Ethernet Switch with 4 SFP Ports

DIN-Rail Gigabit Managed Ethernet Switch with Profinet
IP30 Rated IEC/EN60529 -40°C 70°C Industrial EMC Relay Dual Power

EHG7506-4PoE-2SFP	6-Port Gigabit Managed Ethernet Switch with 4 PoE and 2 SFP Ports
EHG7508-4PoE	8-Port Gigabit Managed Ethernet Switch with 4 PoE
EHG7512-4PoE-4SFP	12-Port Gigabit Managed Ethernet Switch with 4 PoE and 4 SFP Ports
EHG7512-8PoE-4SFP	12-Port Gigabit Managed Ethernet Switch with 8 PoE and 4 SFP Ports

Ethernet Switches	PoE

DIN-Rail Unmanaged Gigabit Ethernet Switch
IP30 Rated IEC/EN60529 -10°C 70°C Dual Power

EHG7305-4PoE	5-Port Gigabit Unmanaged Ethernet Switch with 4 PoE
EHG7306-4PoE-SFP	6-Port Gigabit Unmanaged Ethernet Switch with 4 PoE and SFP
EHG7307-4PoE-2SFP	7-Port Gigabit Unmanaged Ethernet Switch with 4 PoE and 2 SFP
EHG6308-4PoE	8-Port Gigabit Unmanaged Ethernet Switch with Integrated Power over Ethernet (PoE)
EHG6308-4PoE-4SFP	8-Port Gigabit Unmanaged Ethernet Switch with Integrated Power over Ethernet (PoE) with 4-port SFP capacity

DIN-Rail Managed Gigabit Ethernet Switch
IP30 Rated IEC/EN60529 -10°C 70°C Dual Power

EHG7504-2PoE-2SFP	4-Port Gigabit Managed Ethernet Switch with 2 PoE and 2 SFP Ports
EH7506-4PoE-2SFP	6-Port Managed Ethernet Switch with 2 SFP Gigabit Uplink Ports and 4 PoE Ports
EHG7508-4PoE	8 port Managed Gigabit Switch with 4 PoE ports
EH7508-4G-4PoE-4SFP	8-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EHG7508-4PoE-4SFP	8-Port Gigabit Managed Ethernet Switch with 4 PoE and 4 SFP Ports
EH7512-4G-4PoE-4SFP	12-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EH7512-4G-8PoE-4SFP	12-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 8 PoE Ports
EH7520-4G-4PoE-4SFP	20-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 4 PoE Ports
EH7520-4G-8PoE-4SFP	20-Port Managed Ethernet Switch with 4 Combo Gigabit Uplink Ports and 8 PoE Ports

IP67 Gigabit Managed Ethernet Switch
IP67 Rated IEC/EN60529 -40°C 75°C Industrial EMC Relay Ring Redundant Dual Power

EMG8508-4PoE	2015 Q3	8-Port IP67 Gigabit Managed Ethernet Switch with 4 PoE Ports

Ethernet Switches	Entry Level

DIN-Rail Unmanaged Ethernet Switch, Plastic Housing
IP30 Rated IEC/EN60529 0°C 60°C Dual Power

EH2005-Fm	5-Port Unmanaged Fast Ethernet Switch with Multimode Fiber Optic, Plastic
EH2005-FS	5-Port Unmanaged Fast Ethernet Switch with Singal-mode Fiber Optic, Plastic
EH2006	6-Port Unmanaged Fast Ethernet Switch, Plastic

DIN-Rail Unmanaged Ethernet Switch

IP30 Rated IEC/EN60529 · -10°C / 70°C · Dual Power

EH2305-1Fm	5-Port Unmanaged Fast Ethernet Switch with Multimode Fiber Optic
EH2305-1FS	5-Port Unmanaged Fast Ethernet Switch with Singal-mode Fiber Optic
EH2306	6-Port Unmanaged Fast Ethernet Switch
EH2308	8-Port Unmanaged Fast Ethernet Switch
EH2304-PR	4-Port Unmanaged Fast Ethernet Switch, Supporting PROFINET Applications
EH2308-PR	8-Port Unmanaged Fast Ethernet Switch, Supporting PROFINET Applications

DIN-Rail Unmanaged Gigabit Ethernet Switch

IP30 Rated IEC/EN60529 · -10°C / 70°C · Dual Power

EHG2308	8-Port Gigabit Unmanaged Ethernet Switch

Ethernet Switches	IEC-61850

Rackmount Modularized Managed Ethernet Switch

IP30 Rated IEC/EN60529 · -40°C / 50°C · Ring Redundant · Dual Power

RH7528	IEC61850-3 Modularized Managed Ethernet Switch Chassis supporting up to 4 Gigabit Combo Ports and 24 10/100Mbps Copper or SFP Ports
RH7500-4GTX-4GSFP	4-Port Gigabit Combo Module
RH7500-8TX	8-Port RJ-45 10/100Mbps Module
RH7500-8SFP	8-Port SFP 10/100Mbps Module

DIN-Rail Gigabit Managed Ethernet Switch

IP30 Rated IEC/EN60529 · -40°C / 85°C · Industrial EMC · Relay · Ring Redundant · Dual Power

EHG9508	2015 Q4	8-Port Gigabit Managed Ethernet Switch
EHG9508-HV	2015 Q4	8-Port Gigabit Managed Ethernet Switch with 100~220 VAC/VDC input

Rackmount Gigabit Managed Ethernet Switch

IP30 Rated IEC/EN60529 · -40°C / 85°C · Industrial EMC · Relay · Ring Redundant · Dual Power

RHG9516	2015 Q4	16-Port Gigabit Managed Ethernet Switch
RHG9516-HV	2015 Q4	16-Port Gigabit Managed Ethernet Switch with 100~220 VAC/VDC input

Ethernet Switches	Railway

IP54 Gigabit Unmanaged Ethernet Switch

IP54 Rated IEC/EN60529 · -40°C / 75°C · Ring Redundant · Dual Power

EMG5305	2015 Q4	5-Port IP54 Gigabit Unmanaged Ethernet Switch

IP67 Gigabit Managed Ethernet Switch

IP67 Rated IEC/EN60529 · -40°C / 75°C · Industrial EMC · Relay · Ring Redundant · Dual Power

EMG8305	2015 Q4	5-Port IP67 Gigabit Unmanaged Ethernet Switch
EMG8508	2015 Q4	8-Port IP67 Gigabit Managed Ethernet Switch
EMG8508-4PoE	2015 Q3	8-Port IP67 Gigabit Managed Ethernet Switch with 4 PoE Ports
EMG8508-HV	2015 Q4	8-Port IP67 Gigabit Managed Ethernet Switch with 50-150 VDC power input
EMG8510-2SFP	2015 Q4	10-Port IP67 Gigabit Managed Ethernet Switch with 2 SFP Ports
EMG8510-2SFP-HV	2015 Q4	10-Port IP67 Gigabit Managed Ethernet Switch with 2 SFP Ports and 50-150 VDC power input
EMG8516	2015 Q4	16-Port IP67 Gigabit Managed Ethernet Switch

DIN-Rail

IP30 Rated IEC/EN60529 · -40°C / 80°C · Dual Power

SE5404D	4-Port Industrial Serial Device Servers, RS232/422/485, DIN-Rail, D-Sub(M)
SE5404D-TB	4-Port Industrial Serial Device Servers, RS232/422/485, DIN-Rail, Terminal Block
SE5404D-Sis	4-Port Industrial Serial Device Servers, RS422/485, DIN-Rail, Terminal Block, 2KV Isolation

IP30 Rated IEC/EN60529 · -40°C / 75°C · Industrial EMC · Dual Power

SE5904D	2015 Q2	4-Port Industrial Serial Device Server, RS232/422/485, DB9(M),Optional PoE and Gigabit Ethernet
SE5904D-TB	2015 Q2	4-Port Industrial Serial Device Server, RS232/422/485, Terminal Block, Optional PoE and Gigabit Ethernet
SE5904D-Sis	2015 Q2	4-Port Industrial Serial Device Server, RS232/422/485, PoE, Optional PoE and Gigabit Ethernet

Field Type Mounting

IP30 Rated IEC/EN60529 · 0°C / 60°C · Industrial EMC

SE5001A	1-Port Serial Device Servers, RS232/422/485, DB9(M)
SE5001A-TB	1-Port Serial Device Servers, RS232/422/485, Terminal Block
SE5901-DB	1-Port Industrial Serial Device Server, RS232/422/485, DB9(M)
SE5901-TB	1-Port Industrial Serial Device Server, RS232/422/485, Terminal Block
SE5901-DB-PoE	1-Port Industrial Serial Device Server, RS232/422/485, PoE
SE5901-TB-PoE	1-Port Industrial Serial Device Server, RS232/422/485, Terminal Block, PoE

DIN-Rail Type Mounting

IP30 Rated IEC/EN60529 · 0°C / 60°C · Industrial EMC

SE5002D	2-Port Serial Device Servers with RJ-45, RS232/422/485, DB9(M)
SE5002D-TB	2-Port Serial Device Servers with RJ-45, RS232/422/485, Terminal Block
SE5002D-Fm	2-Port Serial Device Servers with Multimode Fiber Optic, RS232/422/485, DB9(M)
SE5002D-Fs	2-Port Serial Device Servers with Single-mode Fiber Optic, RS232/422/485, DB9(M)
SE5002D-TB-Fm	2-Port Serial Device Servers with Multimode Fiber Optic, RS232/422/485, Terminal Block
SE5002D-TB-Fs	2-Port Serial Device Servers with Single-mode Fiber Optic, RS232/422/485, Terminal Block
SE5002D-SFP	2-Port Serial Device Servers with SFP, RS232/422/485, DB9(M)
SE5002D-TB-SFP	2-Port Serial Device Servers with SFP, RS232/422/485, Terminal Block

1U Rack Mountable

IP30 Rated IEC/EN60529 · -20°C / 70°C · Industrial EMC

SE5408A	8-Port Industrial Serial Device Servers, RJ-45, 2.5KV Isolation, AC 100-260V or DC 24-48V, RS232 or RS422/485
SE5416A	16-Port Industrial Serial Device Servers, RJ-45, 2.5KV Isolation, AC 100-260V or DC 24-48V, RS232 or RS422/485
SE5408A2-N	8-Port Industrial Serial Device Servers, RJ-45, AC 100-260V or DC 24-48V, RS232/422/485 Software Selectable
SE5416A2-N	16-Port Insustrial Serial Device Servers, RJ-45, AC 100-260V or DC 24-48V, RS232/422/485 Software Selectable

Serial Device Servers — Entry Level

Small Form Factor

IP30 Rated IEC/EN60529 · 0°C–60°C

GW51C-MAXI-WDT	1-Port Serial Device Servers, DIN-Rail, Terminal Block & Mini-DIN(F)
SE5002(DB)	2-Port Serial Device Servers, RS232/422/485, DB9(M)
SE5002-Sis(TB)	2-Port Serial Device Servers, RS232/485, Terminal Block, 2KV Magnetic Isolation

Serial Device Servers — Industry-specific

IP68

IP68 Rated IEC/EN60529 · -40°C–75°C · EN50155 EN50121-4

SE8502-M12	IP68 Rated 2-Port Serial Device Servers, RS232/422/485, M12
SE8502-Sis-M12	IP68 Rated 2-Port Serial Device Server, 2KV Isolation, RS232/422/485, M12

Media Converters — Ethernet-to-Fiber

DIN-Rail

IP30 Rated IEC/EN60529 · -20°C–70°C

EF23-1-1Fm-SC-2	Industrial Fast Ethernet-to-Fiber Media Converter, Multimode, SC Connector, 2 KM
EF23-1-1Fs-SC-30	Industrial Fast Ethernet-to-Fiber Media Converter, Single-mode, SC Connector, 30 KM
EF23-1G-1Fm-SC-550M	Industrial Gigabit Ethernet-to-Fiber Media Converter, Multimode, SC Connector, 550 M
EF23-1G-1Fs-SC-10	Industrial Gigabit Ethernet-to-Fiber Media Converter, Single-mode, SC Connector, 10 KM
EF23-1G-1SFP	Industrial Gigabit Fast Ethernet-to-Fiber Media Converter with SFP Connector

Smart Media Converters — Ethernet-to-Fiber

DIN-Rail

IP30 Rated IEC/EN60529 · -20°C–70°C · Industrial EMC · Dual Power

EF24-1G-1Fm-SC-550M	Industrial Smart Gigabit Ethernet-to-Fiber Media Converter, Multimode, SC Connector, 550 M
EF24-1G-1Fs-SC-10K	Industrial Smart Gigabit Ethernet-to-Fiber Media Converter, Single-mode, SC Connector, 10 KM
EF24-1G-1SFP	Industrial Smart Gigabit Fast Ethernet-to-Fiber Media Converter with SFP Connector
EF24-1G-2Fm-SC-550M	Industrial Smart Gigabit Ethernet-to-Fiber Media Converter & Fiber Repeater, Multimode, SC Connector, 550 M
EF24-1G-2Fs-SC-10K	Industrial Smart Gigabit Ethernet-to-Fiber Media Converter & Fiber Repeater, Single-mode, SC Connector, 10 KM
EF24-1G-2SFP	Industrial Smart Gigabit Ethernet-to-Fiber Media Converter & Fiber Repeater with SFP Connectors

Media Converters	Serial-to-Fiber

DIN-Rail

IP30 Rated IEC/EN60529   -10°C 70°C

|	
SF63-TB-DB-1Fm-SC-2	Industrial Serial-to-Fiber Media Converter, Multimode, SC Connector, 2 KM
SF63-TB-DB-1Fs-SC-30	Industrial Serial-to-Fiber Media Converter, Single-mode, SC Connector, 30 KM

Wireless	IEEE 802.11 a/b/g/n

Serial Device Servers

IP30 Rated IEC/EN60529   -20°C 60°C   Tx MIMO Rx   WDS   Industrial EMC

|	
SW5501	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 1-Serial Port, D-Sub(M)
SW5501-TB	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 1-Serial Port, Terminal Block
SW5501-Sis	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 1-Serial Port, Terminal Block, 2KV Isolation
SW5502	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 2-Serial Port, D-Sub(M)
SW5502-TB	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 2-Serial Port, Terminal Block
SW5502-Sis	Industrial Wireless 802.11 a/b/g/n Serial Device Server with 2-Serial Port, Terminal Block, 2KV Isolation

Single-Radio Access Point

IP30 Rated IEC/EN60529   -20°C 60°C   Tx MIMO Rx   WDS   Industrial EMC

AW5500		Industrial IEEE 802.11 a/b/g/n Wireless AP/Bridge
AW5500A	2015 Q2	Industrial IEEE 802.11 a/b/g/n AP/Bridge/Client with high throughput

IP67 Rated IEC/EN60529   -40°C 75°C   Tx MIMO Rx   WDS   Industrial EMC

AW8500-M12	2015 Q3	Industrial IP67 IEEE 802.11 a/b/g/n AP/Bridge/Client

Wireless	IEEE 802.11 b/g/n

Serial Device Servers

IP30 Rated IEC/EN60529   -20°C 60°C   WDS

SW5501C	Industrial Wireless 802.11 b/g/n Serial Device Server with 1-Serial Port, D-Sub(M) , and Terminal Block Combo, Supporting Wi-Fi Direct
SW5502C	Industrial Wireless 802.11 b/g/n Serial Device Server with 2-Serial Port, D-Sub(M), Supporting Wi-Fi Direct
SW5502C-TB	Industrial Wireless 802.11 b/g/n Serial Device Server with 2-Serial Port, Terminal Block, Supporting Wi-Fi Direct

Access Point

IP30 Rated IEC/EN60529   -20°C 60°C   WDS

AW5500C	Industrial IEEE 802.11 b/g/n Wireless AP/Bridge Supporting Wi-Fi Direct

Wireless	3GPP Serial/Cellular Gateway

DIN-Rail

IP30 Rated IEC/EN60529   -20°C 75°C   Industrial EMC   Dual Power

SC5901	2015 Q3	1-Port Industrial Serial-Cellular Gateway, D-Sub(M), Dual SIM, Optional PoE
SC5902	2015 Q3	2-Port Industrial Serial-Cellular Gateway, D-Sub(M), Dual SIM, Optional PoE
SC5902-TB	2015 Q3	2-Port Industrial Serial-Cellular Gateway, Terminal Block, Dual SIM, Optional PoE

Small Form Factor

IP30 Rated IEC/EN60529 | 0°C – 60°C

| MB5001C | 1-Port Modbus Gateway compact version, Terminal Block |
| MB5001C-Sis | 1-Port Modbus Gateway compact version, 2KV Isolation Protection |

Mid-Sized, DIN-Rail

IP30 Rated IEC/EN60529 | -40°C – 80°C | Dual Power

| MB5404D-X | 4-Port Industrial Modbus Gateway, D-Sub(M) |
| MB5404D-Sis-X | 4-Port Industrial Modbus Gateway, Terminal Block, 2KV Isolation |

1U Rack Mountable Modbus Gateway

IP30 Rated IEC/EN60529 | -20°C – 70°C | Industrial EMC

MB5408A	8-Port Industrial Modbus Gateway, RJ-45, 2.5KV Isolation, 100~240VAC or 24-48VDC, RS232 or RS422/485
MB5416A	16-Port Industrial Modbus Gateway,RJ-45, 2.5KV Isolation, 100~240VAC or 24-48VDC, RS232 or RS422/485
MB5408A2-N	8-Port Industrial Modbus Gateway, RJ-45, 100~240VAC or 24-48VDC, RS232/422/485 Software Selectable
MB5416A2-N	16-Port Industrial Modbus Gateway, RJ-45, 100~240VAC or 24-48VDC, RS232/422/485 Software Selectable

1U Rack Mountable Concentrator

IP30 Rated IEC/EN60529 | -20°C – 70°C

| MB5408A-CT | 8-Port Industrial Modbus Gateway with Concentrator function, D-Sub(M) |
| MB5416A-CT | 16-Port Industrial Modbus Gateway with Concentrator function, Terminal Block, 2KV Isolation |

1U Rack Mountable Power System Gateway

IP30 Rated IEC/EN60529 | -20°C – 70°C | Industrial EMC | Dual Power

| PS5908-CT | 2015 Q4 | 8-Port Power System Protocol Gateway with Concentrator function, 3KV isolation, 100~240VAC or 24-48VDC, RS-232 or 422/485, RJ-45 or SFP Ethernet |
| PS5916-CT | 2015 Q4 | 16-Port Power System Protocol Gateway with Concentrator function, 3KV isolation, 100~240VAC or 24-48VDC, RS-232 or 422/485, RJ-45 or SFP Ethernet |

IO Gateways

-40°C – 75°C | Industrial EMC | Dual Power

IO5911	2015 Q4	Industrial Ethernet Remote I/O with Modbus Gateway , 8 DI and 8 DO
IO5912	2015 Q4	Industrial Ethernet Remote I/O with Modbus Gateway , 8 DI and 8 DO, 8 DI and 4 DO (relay output)
IO5921	2015 Q4	Industrial Ethernet Remote I/O with Modbus Gateway , 8 DI and 4 AO (2 voltage and 2 current)
IO5931	2015 Q4	Industrial Ethernet Remote I/O with Modbus Gateway , 2 AI, 2 AO (1 voltage and 1 current), 8 DI and 8 DO

Grandmaster Clock

IP30 Rated IEC/EN60529 | -20°C – 70°C

NTS7600	2015 Q3	4U Chassis of the Grandmaster, includes one Core module, Power module, and Backplane module
NTS7600-PWR	2015 Q3	Additional Power module, up to two in the chassis
NTS7600-CORE	2015 Q3	Additional Core module, up to two in the chassis
NTS7600-SERIAL	2015 Q3	Serial (RS232/422/485/TTL) output module, 12 ports, up to 6 in the chassis
NTS7600-PPX	2015 Q3	PPM/PPS output module, 12 ports , up to 6 in the chassis
NTS7600-LED	2015 Q3	LED display module
NTS7600-SSD	2015 Q3	Seven-Segment Display module