

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Sierra Wireless® MC Series Embedded Modules

SWITCH NETWORKS ANYTIME

The MC74xx module variants allow device manufacturers to store up to three different firmware variants on-board, while the MC73xx has the same functionality via host download, simplifying logistics and supply chain management.



51mm

30mm

High-speed connectivity in a mini-card form factor

Sierra Wireless® AirPrime® MC Series supports the latest 4G and 3G networks in North America, Europe, and Asia. Optimized for low power consumption, the MC Series is ideal for today's mobile computing, networking, and industrial IoT applications.

DEPLOY ON THE WORLD'S FASTEST LTE NETWORKS

The MC Series supports 3G and 4G global networks, including LTE Advanced, with automatic fallback to 3G or 2G networks depending on the module variant.

ENABLE LOCATION BASED SERVICES

GNSS tracking lets you locate, monitor, and deploy location-based applications and services with module variants supporting GPS, GLONASS, Beidou, and Galileo satellite systems.

INCORPORATE CLOUD CONNECTED SOLUTIONS

Update firmware, manage applications, and utilize product data over-the-air with AirVantage® cloud connectivity (some module variants require a Linux SDK).

MC SERIES MODULES

MODEL	AIR INTERFACE	PEAK D/L RATE	PEAK U/L RATE
MC7455	LTE-FDD, LTE-TDD HSPA+	300 Mbps	50 Mbps
MC7430	LTE-FDD, LTE-TDD HSPA+, TD-SCDMA	300 Mbps	50 Mbps
MC73xx	LTE,HSPA+,GSM/GPRS/ EDGE, EV-DO Rev A, 1xRTT (MC7354/50)	100 Mbps	50 Mbps

MINI CARD ACCESSORY BOARD

MODEL	AIR INTERFACE	PEAK D/L RATE	PEAK U/L RATE	
HL7588	LTE, HSPA+	150 Mbps	50 Mbps	

	MC7455	MC7430	HL7588 Mini Card Accessory Board
Target Region	Americas/EMEA	APAC	Americas
4G LTE			
Category	Cat-6	Cat-6	Cat-4
Frequency Bands	B1, B2, B3, B4, B5, B7, B12, B13, B20, B25, B26, B29, B30, B41	B1, B3, B5, B7, B8, B18, B19, B21, B28, B38, B39, B40, B41	B2, B4, B5, B13, B17
3G			
1 Technology supported	WCDMA	WCDMA	HSPA+
Frequency Bands	B1, B2, B3, B4, B5, B8	B1, B5, B6, B8, B9, B19	B2, B5
2 Technology supported		TD-SCDMA	
Frequency Bands		B39	
DATA SPEED Peak Download Rate	200.14	200 M	450 MI
	300 Mbps	300 Mbps	150 Mbps
Peak Upload Rate LOCATION SERVICES	50 Mbps	50 Mbps	50 Mbps
Satellite Systems	GPS, Galileo, Glonass, Beidou	GPS, Galileo, Glonass, Beidou	
EMBEDDED SOFTWARE	dro, dallied, diollass, beldod	GF3, Galileo, Gioriass, Delaud	
Secure Boot			✓
Pre-certified Firmware			✓
AUDIO CODECS			
PCM	√	√	
125*	√	✓	
SYSTEM DRIVERS			
Windows® 7	✓	✓	✓
Windows® 8.1	√	✓	✓
Windows® 10	✓	✓	✓
Linux Driver: Stanard ECM	✓	✓	✓
Android RIL		√	
INTERFACES			
UART			1x - 4-wire
USB	USB 3.0, USB 2.0 High Speed	USB 3.0, USB 2.0 High Speed	USB 2.0 High Speed
GPI0	4	4	5
SIM Interface 1.8V/3V	2	2	1
CONTROL OPTIONS		✓	
APIs, AT Commands	·	•	
HARDWARE			
Dimensions	51x30x2.7mm	51x30x2.7mm	51x30x3.5 mm
Antenna			
Connectors	Main, Aux/GNSS, GNSS ✓	Main, Aux/GNSS, GNSS ✓	Main, Aux ✓
Diversity	V	· · · · · · · · · · · · · · · · · · ·	V
MIMO GNSS Bias	·	·	
TEMPERATURE RANGE	·		
Industrial Grade	-40°C to +85°C	-40°C to +85°C	-40°C to +85°C
APPROVALS		·	
Regulatory	CE, FCC, GCF, IC, NCC, PTCRB	CE, GCF, JRF/JPA, NCC	FCC, PTCRB, IC,GCF
Carrier	AT&T, Bell, Rogers, Sprint, Telus, US Cellular, Verizon, Vodafone	docomo, Telstra, KDDI, Softbank	AT&T, Verizon
CLOUD SERVICES			
Free Unlimited FOTA upgrades	✓	✓	✓
Device Management option	✓	✓	✓
Application Enablement option	✓	✓	√
Connectivity Management	✓		
option	٧	✓	√



Sierra Wireless MC SERIES EMBEDDED MODULES

	MC7354	MC7350	MC7330	MC7304
Target Region	Americas	USA	Japan	EMEA/Australia
4G LTE				
Category	Cat-3	Cat-3	Cat-3	Cat-3
Frequency Bands	B2, B4, B5, B13, B17, B25	B4, B13, B25	B1, B19, B21	B1, B3, B7, B8, B20
3G				
1 Technology supported	WCDMA	WCDMA	WCDMA	WCDMA
Frequency Bands	B1, B2, B4, B5, B8	B1, B2, B4, B5, B8	B1, B5, B6, B19	B1, B2, B5, B8
2 Technology supported	EVDO	EVDO		
Frequency Bands	BC0, BC1, BC10	BC0, BC1, BC10		
2G	EDGE GGM GDDG	CDAAA	EDGE GGM GDDG	EDGE GGM GDDG
1 Technology supported	EDGE, GSM, GPRS	CDMA	EDGE, GSM, GPRS	EDGE, GSM, GPRS
Frequency Bands	850, 900, 1800, 1900	BC0, BC1, BC10	850, 900, 1800, 1900	850, 900, 1800, 1900
2 Technology supported	CDMA			
Frequency Bands DATA SPEED	BC0, BC1, BC10			
Peak Download Rate	100 Mbps	100 Mbps	100 Mbps	100 Mbps
Peak Upload Rate	100 Mbps 50 Mbps	100 Mbps 50 Mbps	50 Mbps	50 Mbps
LOCATION SERVICES	эо ічіорь	эо ююрз	эо миръ	эо мирѕ
Satellite Systems	GPS, Glonass	GPS, Glonass	GPS, Glonass	GPS, Glonass
AUDIO CODECS		0. 5, 0.0.10.5	5. 5, 6.6a55	d. 5, d.oa55
PCM	-	✓		✓
12S*	✓	✓	~	√
SYSTEM DRIVERS				
Windows® 7	— ✓	✓	✓	✓
Windows® 8.1	√	✓	✓	✓
Windows® 10	✓	✓	✓	✓
Windows® Mobile 6.5 and CE 6.0	✓	✓	✓	✓
Linux Driver: Stanard ECM	✓	✓	✓	✓
Android RIL	✓	✓	✓	✓
INTERFACES				
USB	USB 2.0 High Speed	USB 2.0 High Speed	USB 2.0 High Speed	USB 2.0 High Speed
GPI0	4	4	4	4
SIM Interface 1.8V/3V	1	1	1	1
CONTROL OPTIONS		✓	✓	✓
APIs, AT Commands		√		v
HARDWARE				
Dimensions	50x30x2.7mm	50x30x2.7mm	50x30x2.7mm	50x30x2.7mm
Antenna	<u>-</u>			······································
Connectors	Main, Aux/GNSS, GNSS	Main, Aux, GNSS	Main, Aux, GNSS	Main, Aux, GNSS
Diversity	√	√	√	✓
MIMO	√	√	√	√
GNSS Bias	✓	✓	✓	✓
TEMPERATURE RANGE	10051 0505	(005) 0505	10051 2705	10051 6505
Industrial Grade	-40°C to +85°C	-40°C to +85°C	-40°C to +85°C	-40°C to +85°C
APPROVALS	ECC DICED NCC	ECC NCC	IDE/IDA NGC	כב ככב אוכי בכי
Regulatory Carrier	FCC, PTCRB, NCC	FCC, NCC	JRF/JPA, NCC	CE, GCF, NCC, FCC
Carrier	AT&T, Bell, Rogers, Sprint, Telus, Verizon	Sprint, Verizon	docomo	Telstra, Vodafone
CLOUD SERVICES				
Free Unlimited FOTA upgrade	s ✓	✓	✓	✓

About Sierra Wireless

Sierra Wireless is building the Internet of Things with intelligent wireless solutions that empower organizations to innovate in the connected world. We offer the industry's most comprehensive portfolio of 2G, 3G, and 4G embedded modules and gateways, seamlessly integrated with our secure cloud and connectivity services. OEMs and enterprises worldwide trust our innovative solutions to get their connected products and services to market faster.

For more information, visit ${\color{blue} \mathbf{www.sierrawireless.com}}.$

