# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





# EMIF04-MMC02F2

# 4-line IPAD<sup>™</sup>, EMI filter including ESD protection

### Features

- EMI symmetrical (I/O) low-pass filter
- High efficiency in EMI filtering
- Lead-free package
- Very low PCB space occupation: 1.57 mm x 2.07 mm
- Very thin package: 0.65 mm
- High efficiency in ESD suppression
- High reliability offered by monolithic integration
- High reduction of parasitic elements through integration and wafer level packaging

#### Complies with the standards:

- IEC 61000-4-2 Level 4
  - 15 kV (air discharge)
  - 8 kV (contact discharge)

### Application

Where EMI filtering in ESD sensitive equipment is required:

 MultiMediaGaid for mobile phones, personal digital assistant, digital camera, MP3 players...

### Description

The EMIF04-MMC02 is a highly integrated device designed to suppress EMI/RFI noise for a MultiMediaCard port. The EMIF04 Flip Chip packaging means the package size is equal to the die size.

This filter includes ESD protection circuitry, which prevents damage to the application when it is subjected to ESD surges up to 15 kV.






Figure 1. Pi. Jayout (bump side)







TM: IPAD is a trademark of STMicroelectronics.

1/8

#### **Electrical characteristics** 1

Table 1.	Absolute maximum ratings (T <sub>amb</sub> = 25 °C)


Symbol	Parameter	Value	Unit
P <sub>R</sub>	DC power per resistor	70	mW
Тj	Junction temperature	125	°C
T <sub>op</sub>	Operating temperature range	-40 to + 85	°C
T <sub>stg</sub>	Storage temperature range	-55 to +150	°C
Table 2.	Electrical characteristics (T <sub>amb</sub> = 25 °C)	21	31

#### Table 2.

Table 2.	Electrical characteristics (T <sub>amb</sub> = 25	°C)		2	51	
Symbol	Parameters					
V <sub>BR</sub>	Breakdown voltage			•	I	
I <sub>RM</sub>	Leakage current @ V <sub>RM</sub>		2			
V <sub>RM</sub>	Stand-off voltage	V <sub>G</sub> V <sub>BR</sub> V <sub>RM</sub> 				
V <sub>CL</sub>	Clamping voltage				V V	
R <sub>d</sub>	Dynamic impedance				·	
I <sub>PP</sub>	Peak pulse current					
R <sub>I/O</sub>	Series resistance between input and output					
C <sub>line</sub>	Input capacitance rei line					
Symbol	Crest conditions	Min	Тур	Max	Unit	
V <sub>BR</sub>	$r_{r} = 1 \text{ mA}$	6			V	
I <sub>R</sub> , ;	V <sub>RM</sub> = 3 V		0.1	0.5	μA	
Cline	@ 0 V			20	pF	
R <sub>1,</sub> R <sub>2,</sub> R <sub>3,</sub> R <sub>4</sub>	Tolerance ± 5%		47		Ω	
R <sub>10</sub>	Tolerance ± 5%		13		kΩ	
R <sub>20</sub>	Tolerance ± 5%		56	1	kΩ	



# Figure 3. S21 (dB) attenuation measurement Figure 4. Cross talk measurement and Aplac simulation








Figure 6. ESD response to NEC 61000-4-2 (-15kV contact clischarge) on one input (Vin) and one output (Vout)









## 2 Application information











## **3** Ordering information scheme


Figure 10.	Ordering	information	scheme
------------	----------	-------------	--------





4 Package information


In order to meet environmental requirements, ST offers these devices in different grades of ECOPACK<sup>®</sup> packages, depending on their level of environmental compliance. ECOPACK<sup>®</sup> specifications, (rand definitions and product status are available at: <u>www.st.com</u>. ECOPACK<sup>®</sup> is an ST trademark.











5

# Ordering information

#### Table 3. Ordering information

Order code	Marking	Package	Weight	Base qty	Delivery mode
EMIF04-MMC02F2	FH	Flip Chip	4.5 mg	5000	Tape and reel (7")

Note:

More packing information is available in the applications note: AN1235: "Flip Chip: package description and recommendations for use" AN 1751: "EMI filters: Recomendations and measurements"



# 6 Revision history

#### Table 4.Document revision history

	Documen	
Date	Revision	Changes
14-Oct-2004	1	First issue
06-Apr-2005	2	Minor layout update. No content change.
25-Aug-2005	3	Reformatted to current standard, Aplac model updated in section 2.
28-Apr-2008	4	Updated ECOPACK statement. Updated <i>Figure 10</i> , <i>Figure 11</i> and <i>Figure 14</i> . Reformatted to current standards.
27-May-2011	5	Updated Figure 11 for die dimensions. Updated Figure 14 for pocket scale.
te Pri	<i>odu</i>	Updated ECOPACK statement. Updated <i>Figure 10, Figure 11</i> and <i>Figure 14</i> . Reformatted to current standards. Updated <i>Figure 11</i> for die dimensions. Updated <i>Figure 14</i> for pocket scale.



#### Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its station ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and se vices described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and starvises described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual procerty ights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemeded in ficense grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered is a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein or considered is a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS A ID CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE A ID/O/L SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED ST REPRESENTATIVE, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OF WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PICOUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY DE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any tability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2011 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan -Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com

