

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







CHEMTRONICS Technical Data Sheet

TDS # 1029

152a BlastTM

PRODUCT DESCRIPTION

152a BlastTM is an economical general-purpose duster with a bigger blast for cleaning applications. Its exceptional purity jet instantly cleans surfaces free of particulate contamination. 152a BlastTM is engineered to remove dirt, dust, oxide particles and other airborne particles instantly, and can be used to facilitate the accelerated drying of solvent cleaners. Not for use near flames, ignition sources, nor sources of static discharge.

- High pressure for contamination control
- Ozone safe: CFC and HCFC free
- Flammable
- 63 psig at 70°F
- Nonabrasive; safe for most materials.
 Will not scratch surfaces
- No residue
- Cleans hard to reach areas

TYPICAL APPLICATIONS

152a BlastTM is used in a wide range of applications including:

- Audio/Video Equipment
- Fax Machines
- Keyboards
- Laboratory Instruments
- Microcomputers
- Photo Equipment
- Printers


TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

Boiling Point	-15.0°F	
Vapor Density (air=2	1) 2.4	
@ 77°F		
Solubility in Water	0.15% by weight	
@ 77°F F/1 atm		
Specific Gravity	1.22	
$(water = 1 @77^{\circ}F)$		
Evaporation Rate	>1	
(butyl acetate=1)		
Appearance	Clear, Colorless Gas	
Odor	Slight Ethereal	
Flammable limits in	LEL: 3.9	
Air, % by Volume	UEL: 16.9	
Flash Point (TCC)	<-50 C (<-58 F)	
Shelflife	5 years	

COMPATIBILITY

152a BlastTM is generally compatible with most materials used in printed circuit board fabrication, including sensitive plastics and compounds. As with any duster, compatibility must be determined on a non-critical area prior to use.

<u>Material</u>	Compatibility	
Buna-N	Excellent	
Graphite	Excellent	
HDPE	Excellent	
LDPE	Excellent	
Lexan TM	Excellent	
Neoprene	Excellent	
Cross-Linked PE	Excellent	
Polyacrylate	Excellent	
Polystyrene	Excellent	
PVC	Excellent	
Silicone Rubber	Excellent	
$Teflon^{TM}$	Excellent	
Viton TM	Excellent	



USAGE INSTRUCTIONS

For industrial use only.

Read MSDS carefully prior to use.

No special surface preparation is required prior to using 152a BlastTM. Direct high pressure spray onto the area to be cleaned to remove dust, dirt and other contaminant. For optimum performance and pin point control, use with the attached extension tube. Do not use near ignition sources or energized equipment. Do not spray into enclosed areas where flammable vapors may accumulate.

TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is **1-800-TECH-401**, or e-mail us at AskChemtronics@chemtronics.com.

Chemtronics is also accessible on the web. Visit us at www.chemtronics.com.

AVAILABILITY

ES1029 10 oz. Aerosol

ENVIRONMENTAL IMPACT DATA

ENVIRONMENTAL IMPACT DATA					
CFC	0.0%	VOC	0.0%		
HCFC	0.0%	HFC	100.0%		
GWP	140	ODP	0.0		

CFC, HCFC, VOC, and HFC numbers shown are the content by weight. Ozone depletion potential (ODP) is determined in accordance with the Montreal Protocol and U.S. Clean Air Act of 1990. The ODP of this product is 0.0. It is the sum of the ODP of the substances that may contribute to the depletion of stratospheric ozone, based upon the weight of each substance in the product's formulation. Global warming potential (GWP) is calculated based on a 100 year time horizon. Carbon dioxide has a GWP of 1.

NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

Chemtronics® is a registered trademark of Chemtronics. All rights reserved. 152a Blast is a trademark of Chemtronics. All rights reserved. All other trademarks herein are trademarks or registered trademarks of their respective owners.

CHEMTRONICS 8125 COBB CENTER DRIVE KENNESAW, GA 30152

1-770-424-4888 REV. A 08/13

DISTRIBUTED BY:		