

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Panasonic Push Switches/ESB33

#### ESB33 Push Switches

### Type: **ESB33 (H=6.0 mm)**

#### Features

- Low profile (H=6.0 mm)
- SMD type (Embossed taping) available


#### ■ Recommended Applications

- Operation switches for automobiles (heater control switches etc.)
- Secondary power switches for lower voltage in consumer electronic equipment and different types of mode switches





#### ■ Explanation of Part Numbers



#### ■ Specifications

Rating	50 μA 3 V DC to 0.2 A 14 V DC (Resistive load)			
Travel	Lock travel=1.5 mm Full travel=2.3 mm			
Mounting Height	6.0 mm			
Poles and Throws	2-poles 2-throws			
Operating Mode	Self-lock, Non-lock			
Switching Mode	Non-shorting			
Minimum Quantity/Packing Unit	100 pcs. Polyethylene Bag (Bulk) / 300 pcs. Embossed Taping (Reel Pack)			
Quantity/Carton	2,000 pcs. Polyethylene Bag (Bulk) / 1,800 pcs. Embossed Taping (Reel Pack)			

#### ■ Standard Products


Operating Mode	Terminals	Packaging	Operating Force	Part Numbers	Lever Color
PP	Wave	Polyethylene Bag (Bulk)	3.0 N±1.0 N	ESB33133	Light Yellow
NL	Soldering			ESB33134	
PP	Surface	Embossed Taping		ESB33535	- Light Yellow
NL	Mount	(Reel)		ESB33536	

Note: PP=Self-lock NL=Non-lock


Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

## **Panasonic**

#### ■ Dimensions in mm (not to scale)



# ■ Packaging Specifications Standard Reel Dimensions in mm (not to scale)



#### Application Notes:

Operating force should be applied at the center of the lever.

Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.