

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









ET Series Electrical Testers

13 Electrical Testers for Electricians & DIYs to choose from: Voltage, Continuity, and Receptacle Testers

Features

ET10/ET15 RECEPTACLE TESTERS

- Tests for faulty wiring in 3-wire receptacles: Correct, Open Ground, Open Neutral, Open Hot, Hot/ Ground Reverse, and Hot/Neutral Reverse
- Standard North American 3-Prong Plug
- · ET10 also tests GFCI circuits

ET20 DUAL INDICATOR VOLTAGE DETECTOR

- Voltage detection range: 100 to 250V AC/DC
- Probes snap on housing for easy one-handed testing
- · Large neon indicators identify presence of voltage

ET20B VOLTAGE DETECTOR

- Voltage detection range: 100 to 250V AC/DC
- · Neon light Voltage indicator
- · Built-in test leads, pocket clip, and insulated housing

ET23B LOW VOLTAGE TESTER

- Voltage detection range: 5 to 50V AC/DC
- Neon light Voltage indicator
- · Built-in alligator test lead clips, pocket clip, and insulated housing

ET25 VOLTAGE TESTER

- Voltage detection range: 80 to 250V AC/DC
- · Neon light Voltage indicator
- Built-in test leads, pocket clip, and insulated housing

See next page for more Electrical Testers















ETL: ET20B, ET23B, ET26B, ET28B, ET38, ET60 UL: ET10, ET15, ET20, ET25 CE: ET30A, ET30B, ET40, ET40B Intertek







ET10 UPC Code: 793950410103 ET25 UPC Code: 793950410257 ET38 UPC Code: 793950420386 ET15 UPC Code: 793950410158 ET26B UPC Code: 793950420263 ET40 UPC Code: 793950410400

ET20 UPC Code: 793950410202 ET28B UPC Code: 793950420287 ET40B UPC Code: 793950410424 ET20B UPC Code: 793950420225 ET30A UPC Code: 793950410318 ET60 UPC Code: 793950420607

ET23B UPC Code: 793950420232 ET30B UPC Code: 793950410325

Features

ET26B VOLTAGE TESTER

- Detection: AC/DC: 120V and 240; AC: 277V and 480V
- Neon light Voltage indicator; Test lead clips
- · Built-in test leads, pocket clip, and insulated housing

ET28B VOLTAGE TESTER

- Detection: AC: 120V to 480V; DC: 120V to 240V
- · Neon light Voltage indicator
- Test lead clip for easy one-handed operation
- Built-in test leads with removable protective caps and 29" (73.6cm) cable, and insulated housing

ET30A AUTOMOTIVE CIRCUIT TESTER

- For low voltage systems: 6 to 24V DC
- · Ideal for checking fuses, circuits, switches and wiring

ET30B VOLTAGE TESTER

- Voltage detection range: AC/DC: 6V, 12V, 24V
- Bright xenon light Voltage indicator
- Built-in 40.5" (103mm) stainless steel test probe with 5ft (1.5m) cable and insulated alligator clip
- · Operates without battery

ET38 VOLTAGE/CONTINUITY TESTER

- Voltage detection range: 12 to 300V AC
- · Continuity tester
- · LED light indicator
- Includes built-in screwdriver tip, pocket clip, and two button batteries

ET40 HEAVY DUTY CONTINUITY TESTER

- · Test fuses, wires, light bulbs, ground connections
- 30" (76cm) test lead with alligator clip

ET40B CONTINUITY TESTER

- · Detects open circuit in fuse, diodes, switch, and wires
- Built-in 2.9" (73mm) stainless steel test probe with 4.9ft (1.5m) cable, insulated alligator clip, and AAA battery

ET60 VOLTAGE/CONTINUITY TESTER

- Measure Voltage (7-range LED indicators)
 AC: 24V, 120V, 208V, 240V, 277V, 480V, 600V
 DC: 6V, 12V, 24V, 36V, 48V, 110V, 220V
- Vibration alert when Voltage is detected >85V
- Non-Contact Voltage detection range: 90 to 1000V AC
- AC frequency bandwidth: 45 to 66Hz
- · Continuity tester with audible and visual alert
- Bright built-in flashlight
- CAT III-600V rating with double-molded housing
- Complete with built-in test leads and two AAA batteries





