



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Specification Sheet

Part Number: ETST668



Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, Gray, 10 rolls/pkg

<b>Article Number</b>	904-00026
<b>Type</b>	ETST66
<b>Color</b>	Gray (GY)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"> <li>• PVC Tape is ideal for general purpose electrical applications.</li> <li>• Heavy duty tape is comfortable and has exceptional surface and adhesive characteristics.</li> <li>• Provides fast, easy and economical color coding, cable splicing, terminating and wire insulating.</li> </ul>
<b>Quantity Per</b>	reel

### Product Description

Electrical tapes are heavy duty vinyl and ideal for general purpose applications. Tape provides fast, easy and economical cable splicing, terminating, wire insulating, and more. These conformable high quality tapes have exceptional surface and adhesive characteristics. Tape is applied by overlapping each layer 50% and using tension. After the tape is adhered, the memory of the tape returns, tightening the seal and making the taped area even more waterproof.

**Short Description**

Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, Gray, 10 rolls/pkg

**Global Part Name**

ETST66-PVC-GY

**Minimum Tensile Strength (Imperial)**

15.4

**Length L (Imperial)**

66.0

**Length L (Metric)**

20.12

**Width W (Imperial)**

0.75

**Width W (Metric)**

19.05

**Thickness T (Imperial)**

7.0

**Material**

Flexible Polyvinyl Chloride (PVC)

**Material Shortcut**

PVC

**US MIL SPEC**

MIL-1-7798-A

**Operating Temperature (Metric)**

+20°F to 176°F (-7°C to +80°C)

**UL Recognized (US)**

Yes

**Package Quantity(Imperial)**

10

**Package Quantity (Metric)**

10

**Customs Number**

3919905030