

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Thin type Faders for Audio Mixers Slide Potentiometers


Type: EVAJQ/EVANA/EVANB EVBJQ/EVBNA/EVBNB Japan Malaysia



- Features
- Thin and compact design (8.0 mm body height and 15.0 mm width)
- Light operating force and excellent operation
- Highly-accurate attenuation characteristics (maximum attenuation of more than 100 dB)
- Dustproof mounting available

- Recommended Applications
- Fade control for common types of audio mixers

## ■ Explanation of Part Numbers



## ■ Specifications

Power Rating	Taper		Taper B	Others
	100.0 mm Type		0.5 W	0.25 W
	60.0 mm Type		0.2 W	0.1 W
	45.0 mm Type		0.2 W	0.1 W
	Max. Operating Voltage: 30 Vac			
Resistance *	10 kΩ, 20 kΩ		±20 %	+40 % -20 %
Taper *	A, B, D, Y			
Maximum Attenuation	100 dB min.(Except taper B)			
Operating Force	0.1 N to 1.0 N			
Operating Life	50000 cycles min.			
Minimum Quantity/Packing Unit	EVAJQ, EVBJQ	40 pcs. (Tray Pack)		
	EVANA, EVBNA EVANB, EVBNB	50 pcs. (Tray Pack)		
Quantity/Carton	EVAJQ, EVBJQ EVANA, EVBNA EVANB, EVBNB	200 pcs.		


\*Custom specifications negotiable

Notes:

<sup>1.</sup> Custom design for Lever Style also negotiable


<sup>2. 45.0</sup> mm travel type also available (External dimensions same as 60.0 mm type)

- Dimensions in mm (not to scale)



● 60.0 mm Travel, Single EVANA

Dual EVBNA



● 45.0 mm Travel, Single ...... EVANB

Dual ..... EVBNB

