



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Headquarters

Ledil Oy
Salorankatu 10
FI-24240 SALO
Finland
VAT FI17894629

Americas office

Ledil, Inc.
228 West Page Street
Suite D
Sycamore IL 60178
USA



F15403_BARBARA-G2-W

DETAILS

| | |
|-----------------------------|-----------------------|
| Product Number | F15403_BARBARA-G2-W |
| Family | Barbara |
| Type | Reflector |
| LED | CXA/B 15xx |
| Connectors / Sockets | F15256_HEKLA-SOCKET-D |
| Color | Metal |
| Diameter | 70 mm |
| Height | 41.9 mm |
| Style | Round |
| Optic Material | PC |
| Fastening | Socket |
| ROHS compliant | yes |
| Date Updated | 10/03/2017 |

PACKAGING

| | |
|------------------------|---------------|
| Box size | 480x280x300mm |
| Box weight | 4.600000 kg |
| Quantity in box | 252 |
| MPQ | 18 |
| MOQ | - |
| MOQ Size | - |
| MOQ Weight | - |

OPTICAL PROPERTIES

| | |
|-----------------------------|-------------------|
| Viewing Angle (FWHM) | 26° (simulated) |
| Light Beam Type | Wide |
| Efficiency | 91 % (simulated) |
| cd/Im | 3.200 (simulated) |

Note! Due to use of high power COB's with this product, special attention to proper thermal design is highly recommended. LEDiL has no liability for direct, indirect or consecutive damages arising from the LEDiL products being used outside of the recommended temperature range.

